



Hire Catalogue and Product Guide

Please visit
our website



info@lg-uk.com | www.lg-uk.com

Welcome to Lifting Gear UK

At Lifting Gear UK, our focus each day is to provide a skilled and complete service you can trust.

Whether you're hiring or buying equipment, or require us to do the lifting for you, you can be assured of our 100% commitment to your satisfaction. Perhaps you're looking for repairs, servicing, load testing, training or even a bespoke piece of equipment to be manufactured? Whatever you require, we will meet all your needs seamlessly and with complete professionalism.

With centres from London to Glasgow, Lifting Gear UK offers a full range of equipment with lifting capacities from 10 kg to 900 tonnes.

We can advise, specify and supply the right lifting gear for you, including our comprehensive range of accessories.



Lifting Gear UK
provides equipment
for hire or purchase
to both UK and
international markets

What we do

Hire

If you're looking to hire lifting equipment, you must be confident about its availability and condition. That's why we stock such an extensive, top quality range available for immediate hire and ready to be delivered to any location you choose. And, of course, all pre-inspected and fully serviced. As a result, repeat business from satisfied customers has become a key driver in the growth of our business.

We listen to your needs and are happy to offer guidance to help you make the right choice. As a company we exist to find solutions and please our customers.

Sales

At Lifting Gear UK, you can also buy any of the hire equipment listed in our catalogue. All sales items are offered both nationally and internationally and many can be dispatched/delivered the next day.

Customer assurance is our top priority, so every piece of equipment is supplied with a valid examination certificate and meets or exceeds all necessary standards. It can also be marked with your own personal identification number to assist traceability in the future, should that be necessary.

Repair and Service

To minimise the time your equipment is out of commission, our trained technicians can carry out any servicing or repairs wherever you choose.

Each item is provided with a detailed report of its thorough examination and can also be load tested if required. Most chain sling repairs can be done 'same day'. We repair all types of lifting equipment including chain blocks, lever hoists, cable pullers, clamps and trolleys and hydraulic cylinders.

LOLER inspection

If you are using lifting equipment you must comply with the Lifting Operations and Lifting Equipment Regulations 1998 (LOLER) at all times. These require the equipment to be fit-for-purpose, suitably located, correctly installed and regularly checked by qualified inspectors. Our team can conduct statutory equipment examinations wherever you choose. They are qualified to do so through our comprehensive internal training schemes and LEEA (Lifting Equipment Engineers Association).

Following a satisfactory examination, you will be given the necessary reports to ensure you're operating within LOLER. You can access this information through Lifting Gear UK's unique online portal 'CORERFID'.

Proof Load Testing

To ensure the on-going safety of your lifting gear, we will visit your site and conduct extensive load testing, up to 600 tonnes. We can provide immediate certification and reports, either on paper or digitally. Any equipment we repair and service can also be load tested, as required.

Heavy Lifting

Heavy Lifting is one of our specialties, whether we provide you with the lifting gear or undertake the project ourselves. Our equipment can lift up to 900 tonnes and is adapted for either onshore or offshore work. We also stock a wide range of modular, under, multi-point and single point beams plus wire and Dyneema slings, chains, shackles and grommets. Lifting Gear UK has years of experience in heavy lifting and we are happy to share our knowledge at during on-site visits to provide advice on planning and the best equipment and accessories to use.

Our group of companies



Axel Johnson's **Lifting Solutions Group** is a global provider of lifting equipment, steel wire rope, height safety products, and related services. Operating as a network of companies, it supplies wire rope, hoists, overhead cranes, and other lifting solutions across diverse industries.

The group has grown rapidly, serving sectors such as offshore, renewable energy, shipping, automotive, ports, fish farming, engineering, pulp and paper, mining, and steel.



Proud to be Part of the **Lifting Solutions** Group UK



As four divisions within the Lifting Solutions Group UK—Lifting Gear UK, Lifting Projects, Lifting Gear and Safety and Certex UK,—we combine deep local expertise with true nationwide reach. Together, we deliver comprehensive lifting solutions, including steel wire rope, hoists, overhead cranes, and a full range of associated services.

With extensive UK coverage, local depots, substantial stock holdings, and fast turnaround times, we ensure safety, quality, and efficiency without compromise. Wherever you are in the UK, we've got you covered.

**National coverage,
local support.**



Lifting Projects



TOTAL PROJECT MANAGEMENT

For over 15 years, we have been dedicated to offering specialised lifting solutions to our clients. Our experienced team, ranging from management to on-site personnel, has successfully managed and executed contract lift and machine moving projects for 40 years.

Lifting Projects

Lifting Projects is committed to providing tailored solutions for all your lifting and handling needs.

With our network of 11 strategically located branches throughout the UK, each managed by experienced lifting and handling professionals, we are well-equipped to alleviate the burden of your workload. Regardless of your geographic location, our team is here to assist you every step of the way.

Machinery installation

Our management team brings extensive expertise in utilising a wide range of equipment and systems, including Jacking Systems, specialised forklifts/versalifts, pick and carry cranes, gantries, chain blocks, jacks, skates, and more.

Indoor and outdoor storage

Lifting Projects can provide full logistics packages specifically tailored to your needs and requirements.

Contract Lifting

Safety always comes first when it comes to contract lifting and we understand the pressure and importance of selecting the right crane for any job, regardless of its size.

Lifting Equipment hire

Lifting Projects offers a comprehensive lifting equipment hire service to meet any diverse project needs.

Factory Relocations

Lifting Projects can provide expert advice and assistance in the planning stages of a factory relocation.

Specialist plant

Lifting Projects offers a comprehensive range of specialised plant equipment to cater to your project needs.

CALL 0330 107 9933

www.liftingprojects.com

Bespoke Lifting Solutions

Lifting Projects stock a comprehensive range of lifting gear to meet the demands of any complex or challenging heavy lift project.

Lifting Projects

60t to 500t Hydraulic Jacking Systems

500T Hydraulic Jacking System for zero emissions lifting.

Key Features:

- ▲ Operated by wireless remote control
- ▲ Max. lifting capacity: 500Tons
- ▲ Max working height: 12.7m
- ▲ Automatic locking mechanism

From quick deliveries to long-term hires, we've got you covered. Plus, our expert team is always ready to provide advice and support, including contract lift options. **100% electric**



Valla V210R Pick and Carry Crane

21t V210R remote Valla crane.

Key Features:

- ▲ Operated by wireless remote control
- ▲ Max. lifting capacity: 21000Kg
- ▲ Max working height: 15m
- ▲ Max working radius: 10m

From quick deliveries to long-term hires, we've got you covered. Plus, our expert team is always ready to provide advice and support, including contract lift options. **100% electric.**

All available to hire with trained operators throughout the UK.



Ganterud Levelling Tool

This electric levelling tool levels and handles loads efficiently and safely. Due to its high degree of precision, the work becomes more efficient. This reduces both expensive crane time and waiting times. The levelling tool is operated with a user-friendly, IP67-rated remote control.

The Pro models do also offer auto levelling functionality with released chain wheel which makes it easy to find the centre of gravity of the lifted object. Snatch block function with released chain wheel makes rotation of items easy, quick, and safe.

Features:

- ▲ Lifting, levelling, auto levelling and turning of both light and heavy objects
- ▲ The length of the chain can be adjusted according to needs
- ▲ The l-series is a lifting yoke using new, tried and tested technology
- ▲ Level loads effectively and safely with high precision
- ▲ The yoke can handle both light and heavy objects, ranging from 0 kg up to 20 tons
- ▲ All levelling units can be tandem-operated with a remote control





LOLER INSPECTION

Thorough examination is a critical part of the lifting industry and we know how to do it to professional LOLER standards



CALL 0330 332 2650
www.lg-uk.com



Slings and Loose Gear

Slings and Loose Gear

Chain Sling Single Leg, Collar Chains

Grade 8 and 10 chain slings are available in various lengths from 1m up to 10m as standard.

All fitted with shortening clutches and safety hooks.

Any size or S.W.L. available upon request.

PRODUCT CODE	DESCRIPTION	S.W.L.	STANDARD LENGTH	AVAILABLE UP TO
HCS1T1M1L	1 Leg 7mm	1.5t	1m	10m
HCS2T1M1L	1 Leg 8mm	2t	1m	10m
HCS3.15T1M1L	1 Leg 10mm	3.15t	1m	10m
HCS53T1M1L	1 Leg 13mm	5.3t	1m	10m
HCS8T1M1L	1 Leg 16mm	8t	1m	10m
HCS12T1M1L	1 Leg 20mm	12.5t	3m	10m
HCS15T1M1L	1 Leg 22mm	15t	3m	10m
HCS21.2T1M1L	1 Leg 26mm	21.2t	3m	10m
HCS31T1M1L	1 Leg 32mm	31.5t	3m	10m



SINGLE LEG



TWO LEG



QUAD LEG

Safety factor 4:1 BS EN 818-4	1-part Chain		2-part Chain				3 and 4-part chain		Endless	Chain loop	
Inclination angle	-	-	0°-45°	45°-60°	0°-45°	45°-60°	0°-45°	45°-60°	-	0°-45°	0°-45°
Mode Factor	1.00	0.80	1.40	1.00	1.12	0.80	2.10	1.50	1.60	1.40	2.10
Diameter	WLL ton										

GRADE 8

6	1.12	0.90	1.60	1.12	1.25	0.90	2.36	1.70	1.80	1.60	2.36
7	1.50	1.20	2.12	1.50	1.70	1.20	3.15	2.24	2.50	2.12	3.15
8	2.00	1.60	2.80	2.00	2.24	1.60	4.25	3.00	3.15	2.80	4.25
10	3.15	2.50	4.25	3.15	3.55	2.50	6.70	4.75	5.00	4.25	6.70
13	5.30	4.25	7.50	5.30	5.90	4.25	11.20	8.00	8.50	7.50	11.20
16	8.00	6.30	11.20	8.00	9.00	6.30	17.00	11.80	12.50	11.20	17.00
19	11.20	8.95	16.00	11.20	12.50	8.95	23.60	17.00	18.00	16.00	23.60
20	12.50	10.00	17.50	12.50	14.00	10.00	26.25	18.75	20.00	17.50	26.25
22	15.00	12.00	21.20	15.00	17.00	12.00	31.50	22.40	23.60	21.20	31.50
26	21.20	16.95	30.00	21.20	23.70	16.95	45.00	31.50	33.50	30.00	45.00
32	31.50	25.20	45.00	31.50	35.20	25.20	67.00	47.50	50.00	45.00	67.00

GRADE 10

5	1.00	0.80	1.40	1.00	1.12	0.80	2.00	1.50	1.60	1.40	2.00
6	1.40	1.12	2.00	1.40	1.60	1.12	3.00	2.12	2.24	2.00	3.00
7	1.90	1.50	2.65	1.90	2.12	1.50	4.00	2.80	3.00	2.65	4.00
8	2.50	2.00	3.55	2.50	2.80	2.00	5.30	3.75	4.00	3.55	5.30
10	4.00	3.15	5.60	4.00	4.25	3.15	8.00	6.00	6.30	5.60	8.00
13	6.70	5.30	9.50	6.70	7.50	5.30	14.00	10.00	10.60	9.50	14.00
16	10.00	8.00	14.00	10.00	11.20	8.00	21.20	15.00	16.00	14.00	21.20
19	14.00	11.20	20.00	14.00	16.00	11.20	30.00	21.20	22.40	20.00	30.00
20	16.00	12.80	22.40	16.00	17.92	12.80	33.60	24.00	25.60	22.40	33.60
22	19.00	15.00	26.50	19.00	21.20	15.00	40.00	28.00	30.00	26.50	40.00
26	26.50	21.20	37.50	26.50	30.00	21.20	56.00	40.00	42.50	37.50	56.00
32	40.00	31.50	56.00	40.00	45.00	31.50	85.00	60.00	63.00	56.00	85.00

Slings and Loose Gear


Chain Sling Multi Leg

Grade 8 and 10 chain slings available in various lengths from 3m up to 10m as standard.

All fitted with shortening clutches and safety hooks.

Any size or S.W.L. available upon request.

PRODUCT CODE	DESCRIPTION	S.W.L. 0-45 DEG	STANDARD LENGTH	AVAILABLE UP TO
HCS2T3M2L	2 Leg 7mm	2.1t	3m	10m
HCS4T3M2L	2 Leg 10mm	4.25t	3m	10m
HCS5T3M2L	2 Leg 10mm	5.6t	3m	10m
HCS7T3M2L	2 Leg 13mm	7.5t	3m	10m
HCS9T3M2L	2 Leg 13mm	9.5t	3m	10m
HCS11T3M2L	2 Leg 16mm	11.2t	3m	10m
HCS14T3M2L	2 Leg 16mm	14t	3m	10m
HCS17T3M2L	2 Leg 20mm	17t	3m	10m
HCS22T3M2L	2 Leg 20mm	22.4t	3m	10m
HCS3T3M4L	4 Leg 7mm	3.1t	3m	10m
HCS5T3M4L	4 Leg 8mm	5.3t	3m	10m
HCS6T3M4L	4 Leg 10mm	6.7t	3m	10m
HCS8T3M4L	4 Leg 10mm	8.4t	3m	10m
HCS11T3M4L	4 Leg 13mm	11.2t	3m	10m
HCS14T3M4L	4 Leg 13mm	14t	3m	10m
HCS17T3M4L	4 Leg 16mm	17t	3m	10m
HCS21T3M4L	4 Leg 16mm	21t	3m	10m
HCS26T3M4L	4 Leg 20mm	26.5t	3m	10m
HCS33T3M4L	4 Leg 20mm	33.6t	3m	10m
HWBC0.5T	Wheel Barrow Chain	250kg	3m	10m



Slings and Loose Gear

HT Large Dee Shackles

An extensive range of High Tensile Dee Shackles, kept in stock at all branches for hire or sale.

PRODUCT CODE	DESCRIPTION	S.W.L. UP TO
HDS2T	HT Dee Shackles	2t
HDS6T	HT Dee Shackles	6t
HDS10T	HT Dee Shackles	10t
HDS25T	HT Dee Shackles	25t
HDS50T	HT Dee Shackles	50t
HDS85T	HT Dee Shackles	85t
HDS100T	HT Dee Shackles	100t
HDS150T	HT Dee Shackles	150t
HDS300T	HT Dee Shackles	300t



Alloy Bow Shackles

An extensive range of Alloy Bow Shackles, kept in stock at all branches for hire or sale.

Wide-bodied / sling saver and other shackle sizes are available.

PRODUCT CODE	DESCRIPTION	S.W.L. UP TO
HABS3.25T	Alloy Bow Shackles	3.25t
HABS4.75T	Alloy Bow Shackles	4.75t
HABS6.5T	Alloy Bow Shackles	6.5t
HABS9.5T	Alloy Bow Shackles	9.5t
HABS25T	Alloy Bow Shackles	25t
HABS50T	Alloy Bow Shackles	50t
HABS85T	Alloy Bow Shackles	85t
HABS100T	Alloy Bow Shackles	100t
HABS150T	Alloy Bow Shackles	150t
HABS300T	Alloy Bow Shackles	300t
HABS400T	Alloy Bow Shackles	400t
HABS500T	Alloy Bow Shackles	500t
HABS600T	Alloy Bow Shackles	600t
HABS800T	Alloy Bow Shackles	800t
HABS900T	Alloy Bow Shackles	900t

POWERTEX




Slings and Loose Gear

Quick Release Piling Shackle

Quick release mechanism for easy pitching of piling sheets.

PRODUCT CODE	DESCRIPTION	S.W.L.
HPS2T	Quick Release Piling Shackle	2t
HPS3T	Quick Release Piling Shackle	3t
HPS5T	Quick Release Piling Shackle	5t



Concrete Lifting Clutches / Eyes / Rings

An extensive range of lifting eyes to help in the movement of pre-cast concrete.

FRIMEDA



- ▲ PERMITS LOADS IN ANY DIRECTION
- ▲ REMOTE AND HAND RELEASE OPTIONS
- ▲ HEAVY-DUTY STEEL ANCHORS

PRODUCT CODE	DESCRIPTION	S.W.L.
HFR2.5T	Frimeda Clutches	2.5t
HFR5T	Frimeda Clutches	5t
HFR12T	Frimeda Clutches	12t
HFR24T	Frimeda Clutches	24t
HFR32T	Frimeda Clutches	32t

DEHA



- ▲ UNIVERSAL LINKS
- ▲ EASY INSTALLATION AND RELEASE
- ▲ SPHERICAL HEAD ANCHOR

PRODUCT CODE	DESCRIPTION	S.W.L.
HCL1.3T	Deha Clutches	1.3t
HCL2.5T	Deha Clutches	2.5t
HCL5T	Deha Clutches	5t
HCL10T	Deha Clutches	10t
HCL20T	Deha Clutches	20t
HCL32T	Deha Clutches	32t

Slings and Loose Gear

Webbing Sling

An extensive range of webbing slings, kept in stock at all branches for hire or sale.

ADVANTAGES

- ▲ HIGH STRENGTH TO WEIGHT RATIO
- ▲ COLOUR CODED FOR EASY CAPACITY RECOGNITION
- ▲ LIGHT AND FLEXIBLE
- ▲ ABILITY TO ABSORB SHOCK LOADS
- ▲ NO DAMAGE TO DELICATE AND PAINTED SURFACES
- ▲ WIDE LOAD BEARING AREA
- ▲ TWIST OR KINK RESISTANT
- ▲ UNAFFECTED BY GREASE AND OILS
- ▲ NO RISK OF INJURY TO OPERATOR
- ▲ LOW EXTENSION
- ▲ EASY TO INSPECT

S.W.L. UP TO 24 TONNES AVAILABLE

PRODUCT CODE	DESCRIPTION	S.W.L.
HWB1T3M	Webbing Sling	1t
HWB2T3M	Webbing Sling	2t
HWB3T3M	Webbing Sling	3t
HWB5T3M	Webbing Sling	5t
HWB10T3M	Webbing Sling	10t
HWB15T3M	Webbing Sling	15t
HWB20T3M	Webbing Sling	20t

Larger capacities / lengths are available.

POWERTEX



Safety Factor 7:1 BS EN 1492-2	1-part	U-lift	Choker	1-part angled		2-part sling		3 and 4-part sling	
Inclination angle				0° - 45°	45° - 60°	0° - 45°	45° - 60°	0° - 45°	45° - 60°
Mode Factor	1.00	2.00	0.80	1.40	1.00	1.40	1.00	2.10	1.50
Colour	WLL ton								
Violet	1.00	2.00	0.80	1.40	1.00	1.40	1.00	2.10	1.50
Green	2.00	4.00	1.60	2.80	2.00	2.80	2.00	4.20	3.00
Yellow	3.00	6.00	2.40	4.20	3.00	4.20	3.00	6.30	4.50
Grey	4.00	8.00	3.20	5.60	4.00	5.60	4.00	8.40	6.00
Red	5.00	10.00	4.00	7.00	5.00	7.00	5.00	10.50	7.50
Brown	6.00	12.00	4.80	8.40	6.00	8.40	6.00	12.60	9.00
Blue	8.00	16.00	6.40	11.20	8.00	11.20	8.00	16.80	12.00
Orange	10.00	20.00	8.00	14.00	10.00	14.00	10.00	21.00	15.00

Always protect round slings and webbing slings from sharp edges and reduce friction during lifting. At Lifting Gear UK, we strongly advocate for the consistent use of protective measures to ensure safety, prolong equipment life, and maintain compliance.

Slings and Loose Gear

Round Sling

An extensive range of round slings, kept in stock at all branches for hire or sale.

S.W.L. UP TO 150 TONNES AVAILABLE

PRODUCT CODE	DESCRIPTION	S.W.L.
HRS1T4MC	Round Sling	1t
HRS2T4MC	Round Sling	2t
HRS3T4MC	Round Sling	3t
HRS5T4MC	Round Sling	5t
HRS10T4MC	Round Sling	10t
HRS15T4MC	Round Sling	15t
HRS20T4MC	Round Sling	20t

Larger capacities / Effective working lengths are available.

ADVANTAGES

- ▲ HIGH STRENGTH TO WEIGHT RATIO
- ▲ LIGHT AND FLEXIBLE
- ▲ ABILITY TO SHOCK ABSORB LOADS
- ▲ DOES NOT DAMAGE DELICATE AND PAINTED SURFACES
- ▲ FLATTENS UNDER LOAD
- ▲ TWIST OR KINK RESISTANT
- ▲ UNAFFECTED BY GREASE AND OILS
- ▲ NO RISK OF INJURY TO OPERATOR
- ▲ IDEAL FOR CHOKE APPLICATION
- ▲ LOW EXTENSION
- ▲ WEARS EVENLY ALONG THE LENGTH
- ▲ LOAD BEARING FIBRES PROTECTED FROM THE LOAD, GIVING GREATER RESISTANCE TO WEAR



Safety Factor 7:1 BS EN 1492-2	1-part	U-lift	Choker	1-part angled		2-part sling		3 and 4-part sling	
Inclination angle				0° - 45°	45° - 60°	0° - 45°	45° - 60°	0° - 45°	45° - 60°
Mode Factor	1.00	2.00	0.808	1.40	1.00	1.40	1.00	2.10	1.50
Colour	WLL ton								
Violet	1.00	2.00	0.80	1.40	1.00	1.40	1.00	2.10	1.50
Green	2.00	4.00	1.60	2.80	2.00	2.80	2.00	4.20	3.00
Yellow	3.00	6.00	2.40	4.20	3.00	4.20	3.00	6.30	4.50
Grey	4.00	8.00	3.20	5.60	4.00	5.60	4.00	8.40	6.00
Red	5.00	10.00	4.00	7.00	5.00	7.00	5.00	10.50	7.50
Brown	6.00	12.00	4.80	8.40	6.00	8.40	6.00	12.60	9.00
Blue	8.00	16.00	6.40	11.20	8.00	11.20	8.00	16.80	12.00
Orange	10.00	20.00	8.00	14.00	10.00	14.00	10.00	21.00	15.00
Orange	12.00	24.00	9.60	16.80	12.00	16.80	12.00	25.20	18.00
Orange	15.00	30.00	12.00	21.00	15.00	21.00	15.00	31.50	22.50
Orange	20.00	40.00	16.00	28.00	20.00	28.00	20.00	42.00	30.00

Protect round slings and webbing slings from sharp edges and minimize friction during lifting operations. In line with EN standards, protective measures must always be used when working with slings. At Lifting Gear UK, we strongly recommend the use of appropriate protection to ensure safety, extend sling lifespan, and maintain compliance.

Slings and Loose Gear

Wire Rope Slings

An extensive range of wire rope slings, kept in stock at the branch for hire or sale.

Lifting Gear UK has access to the largest stock of heavy lifting wire ropes in the UK. Contact your local depot for further details.



Working Load Limits Tonnes		One Leg Sling		Two Leg Sling				Three and Four Leg Sling				Endless Sling - Choke Hitch	
Angle to the vertical		0°		0° - 45°		>45° - 60°		0° - 45°		>45° - 60°		0°	
Nominal Rope Diameter mm	Tensile n/mm ²	Fibre Core	Steel Core	Fibre Core	Steel Core	Fibre Core	Steel Core	Fibre Core	Steel Core	Fibre Core	Steel Core	Fibre Core	Steel Core
8	1960	0.76	0.82	1.06	1.15	0.76	0.82	1.6	1.72	1.14	1.23	1.22	1.31
9	1960	0.96	1.04	1.35	1.45	0.96	1.04	2.02	2.18	1.44	1.56	1.54	1.66
10	1960	1.19	1.28	1.66	1.79	1.19	1.28	2.49	2.69	1.78	1.92	1.9	2.05
11	1960	1.44	1.55	2.01	2.17	1.44	1.55	3.02	3.25	2.16	2.32	2.3	2.48
12	1960	1.71	1.84	2.39	2.57	1.71	1.84	3.59	3.85	2.56	2.75	2.73	2.94
13	1960	2	2.17	2.8	3.03	2	2.17	4.2	4.55	3	3.25	3.2	3.47
14	1960	2.33	2.51	3.26	3.52	2.33	2.51	4.9	5.28	3.5	3.77	3.73	4.02
16	1960	3.05	3.29	4.27	4.6	3.05	3.29	6.4	6.9	4.57	4.93	4.88	5.26
18	1960	3.85	4.15	5.4	5.81	3.85	4.15	8.09	8.71	5.78	6.22	6.17	6.64
20	1960	4.75	5.12	6.66	7.17	4.75	5.12	9.98	10.75	7.13	7.68	7.61	8.19
22	1960	5.75	6.2	8.04	8.69	5.75	6.2	12.06	13.03	8.62	9.31	9.19	9.93
24	1960	6.85	7.38	9.58	10.33	6.85	7.38	14.38	15.5	10.27	11.07	10.95	11.81
26	1960	8.02	8.66	11.23	12.13	8.02	8.66	16.84	18.19	12.03	13	12.83	13.86
28	1960	9.31	10.04	13.03	14.06	9.31	10.04	19.54	21.08	13.96	15.06	14.89	16.06
32	1960	12.15	13.12	17.01	18.37	12.15	13.12	25.52	27.56	18.23	19.69	19.44	21
36	1960	15.38	16.59	21.53	23.23	15.38	16.59	32.3	34.84	23.07	24.89	24.61	26.55
40	1770	19.09	20.56	26.72	28.78	19.09	20.56	40.09	43.17	28.63	30.84	30.54	32.89
44	1770	22.94	24.78	32.12	34.69	22.94	24.78	48.18	52.04	34.42	37.17	36.71	39.65
48	1770	27.35	29.55	38.29	41.37	27.35	29.55	57.43	62.06	41.02	44.33	43.76	47.28
52	1770	32.12	34.69	44.97	48.57	32.12	34.69	67.45	72.85	48.18	52.04	51.39	55.51
56	1770	37.26	40.2	52.16	56.28	37.26	40.2	78.25	84.41	55.89	60.3	59.62	64.32
60	1770	42.77	46.07	59.87	64.5	42.77	46.07	89.81	96.75	64.15	69.11	68.43	73.71
Leg Factor	1		1.4		1		2.1		1.5		1.6		

Larger capacities / lengths are available.



WIRE ROPE GROVMENTS ARE ALSO AVAILABLE

LOAD EQUALISING BOBBINS ARE AVAILABLE FOR USE WITH WIRE ROPE SLINGS. THEY ALLOW LOADS TO SELF-LEVEL WHILE BEING LIFTED

Dyneema Slings

When it comes to heavy lifting, these ropes can suit a variety of different purposes.

For example, they can hold machine parts lifted up to wind turbines offshore, as well as the lifting of turbines for hydraulic power stations and raising derailed trains into position. These ropes are around 10 times stronger than steel wires per unit of weight. This means they possess more strength than a steel wire of the same diameter, but are less than one-tenth the weight.



PRODUCT CODE	DESCRIPTION	S.W.L.
HD200T14MC	Dyneema Sling	200t
HD200T20MC	Dyneema Sling	200t
HD200T24MC	Dyneema Sling	200t
HD200T28MC	Dyneema Sling	200t
HD200T100MC	Dyneema Sling	200t
HD250T14MC	Dyneema Sling	250t
HD300T10MC	Dyneema Sling	300t
HD300T26MC	Dyneema Sling	300t
HD300T52MC	Dyneema Sling	300t
HD450T32MC	Dyneema Sling	450t
HD600T44MC	Dyneema Sling	600t

Slings and Loose Gear

Steel Wire Rope Slings v Dyneema Slings



STEEL WIRE ROPE SLING	DYNEEMA SLING
Steel are ten times heavier per capacity ratio	Lighter, safer and faster handling
Steel wire ropes are very stiff and hard to manoeuvre	Easier to bend and manoeuvre onto shackles etc.
Steel wire ropes retain bends	Do not retain kinks or bends
Steel wire ropes require larger transport due to extra weight	Lower transport cost due to lower weights
Steel wire ropes may require a larger crane due to extra weight	Possible down size in the actual crane used to carry out the lift
Steel wire ropes can have sharp strands of wire sticking out	No sharp edges due to the soft material they are manufactured from
Steel wire ropes have ferrules that can snag	Have no jointing Ferrules to snag
Steel wire ropes have higher download factors	Lower download factor
Steel wire ropes 300 tonne capacity 100kg per meter	300 tonne capacity Dyneema 9.09kg per metre

Lifting Beams



Lifting Beams

Colift Mounting Shaft



The COLIFT Mounting System is designed for lifting and handling of precast concrete columns or beams on the construction site. The COLIFT Mounting System is intended for lifting and tilting up concrete elements from the ground.

It can also be used simultaneously in pairs for lifting long and heavy beams. The remote function of the COLIFT Mounting System enables the lifting device to be released from ground level without requiring an additional elevated working platform.

The system's versatility makes it possible to attach it to precast elements of various dimensions and to use different types of slings.

PRODUCT CODE	DESCRIPTION	WLL	SIZE
HB20T1.8M	COLIFT Mounting Shaft	20t	1.8m (dia 115mm)



Modular Spreader Beam

We have a range of Modular Spreader Beams from 10 tonne up to 900 tonne, supplied in lengths from 1m up to 26m.

Our Modular Spreader Beams consists of two end units encompassing drop links and appropriate capacity shackles. Different length inserts are used between the ends to achieve the required spans ranging from increments of 0.25m.

DESCRIPTION	S.W.L.	STANDARD LENGTH
Modular Spreader Beam	10t	1m - 9m
Modular Spreader Beam	24t	1m - 7.5m
Modular Spreader Beam	30t	1m - 12m
Modular Spreader Beam	50t	1.5m - 12m
Modular Spreader Beam	100t	1m - 12m
Modular Spreader Beam	130t	2m - 26m
Modular Spreader Beam	260t	2m - 18m
Modular Spreader Beam	400t	2m - 23m
Modular Spreader Beam	600t	2m - 26m
Modular Spreader Beam	900t	2m - 22m



LIFTING GEAR UK HAS THE LARGEST RANGE OF HEAVY LIFTING ACCESSORIES IN THE UK FOR HIRE. PLEASE SEE THE HEAVY LIFTING GEAR SECTION AT THE FRONT OF THE CATALOGUE FOR MORE DETAILS

Lifting Beams

Roof Sheet / Panel Lifting Beam

Our Roof Sheet Beams are a light-weight modular spreader beam suitable for long, light loads and has been specially developed to suit roofing sheets.

Maximum spans from 6m up to 42m in 3m increments are achievable using this system. Lower support slings can be attached to the frames every 2m to ensure a uniformly distributed load.

PRODUCT CODE	DESCRIPTION	S.W.L.	STANDARD LENGTH
HRSB3T6M	Roof Sheet / Panel Lifting Beam	3t	6m
HRSB3T12M	Roof Sheet / Panel Lifting Beam	3t	12m
HRSB3T18M	Roof Sheet / Panel Lifting Beam	3t	18m
HRSB3T24M	Roof Sheet / Panel Lifting Beam	3t	24m
HRSB3T33M	Roof Sheet / Panel Lifting Beam	2t	33m
HRSB3T42M	Roof Sheet / Panel Lifting Beam	1t	42m



Cruciform Lifting Beam

The Cruciform Lifting Beam is designed to lift and transport big bags safely and securely. It is manufactured as a 4 point fixed frame of welded construction incorporating 4 hooks and safety latches which allow fast loading and unloading.

Various dimensions are available.

PRODUCT CODE	DESCRIPTION	S.W.L.
HCFB	Cruciform Lifting Beam	2t



Lifting Beams

Adjustable Single Point Lifting Beam

Adjustable Beams have a fixed point on top and moveable drop links on the underside.

They are ideal for situations where loads of varying physical sizes need lifting or where lifting points are unusual distances apart.

PRODUCT CODE	DESCRIPTION	S.W.L.	LENGTH
HALB5T4M	Adjustable Single Point Lifting Beam	5t	2m - 4m
HALB10T2.5	Adjustable Single Point Lifting Beam	10t	0.7m - 2.5m



LIFTING CENTRES CAN BE ADJUSTED TO ANY LENGTH

Multipoint Lifting Beam

Multipoint Lifting Beams have lifting points at various intervals along the bottom.

They are ideal for lifting fragile but heavy items that require lifting on several points.

Other multipoint beams are available.



PRODUCT CODE	DESCRIPTION	S.W.L.	LENGTH
HMPB7T2.7M	Multipoint Lifting Beam	7t	2m
HMPB8T4M	Multipoint Lifting Beam	8t	4m
HMPB8T7M	Multipoint Lifting Beam	8t	7m
HMPB9T2.5M	Multipoint Lifting Beam	9t	2.5m
HMPB9T3.5M	Multipoint Lifting Beam	9t	3.5m
HMPB8T8M	Multipoint Lifting Beam	8t	8m
HMPB10T4M	Multipoint Lifting Beam	10t	4m
HMPB10T8M	Multipoint Lifting Beam	10t	8m
HMPB26T6M	Multipoint Lifting Beam	26t	6m
HMPB27T6M	Multipoint Lifting Beam	27t	6m
HMPB33T6M	Multipoint Lifting Beam	32t	5.7m
HMPB33T6M	Multipoint Lifting Beam	33t	6m
HMPB36T7.5M	Multipoint Lifting Beam	36t	7.5m
HMPB40T5.5M	Multipoint Lifting Beam	40t	5.5m
HMPB90T9.05M	Multipoint Lifting Beam	90t	9.05m

Lifting Beams

Multilift Lifting Beam




ONE BEAM, MULTIPLE USES, INFINITE POSSIBILITIES

The Multilifter is a versatile lifting beam designed to streamline and optimise your lifting operations.

This innovative solution is a reliable, adaptable, versatile piece of lifting equipment which can be easily reconfigured to an unbelievable number of different configurations which brings unparalleled flexibility to your lifting tasks.

The Multilifter is one single system made-up of standardised sections and adaptors, making it ideal for quick adjustments and last minute changes.

PRODUCT CODE	DESCRIPTION	TOTAL SPAN (M)	S.W.L
ML180-1.0-3.0	Multi-Lifter Beam	1-3m	16t
ML180-4.0	Multi-Lifter Beam	4m	13t
ML180-5.0	Multi-Lifter Beam	5m	10t
ML180-6.0	Multi-Lifter Beam	6m	7t
ML180-7.0	Multi-Lifter Beam	7m	6t
ML180-8.0	Multi-Lifter Beam	8m	4t
ML180-9.0	Multi-Lifter Beam	9m	3t
ML180-10.0	Multi-Lifter Beam	10m	2t




Fixed Single Point Lifting Beam

PRODUCT CODE	DESCRIPTION	S.W.L.	LENGTH
HSPLB1.5T2M	Fixed Single Point Lifting Beam	1.5t	2m
HSPLB3T1M	Fixed Single Point Lifting Beam	3t	1m
HSPLB4T1.5M	Fixed Single Point Lifting Beam	4t	1.5m
HSPLB6T1.8M	Fixed Single Point Lifting Beam	6t	1.8m
HSPLB6T2.5M	Fixed Single Point Lifting Beam	6t	2.5m
HSPLB10T2M	Fixed Single Point Lifting Beam	10t	2m
HSPLB10T6M	Fixed Single Point Lifting Beam	10t	6m
HSPLB10T7.5M	Fixed Single Point Lifting Beam	10t	7.5m
HSPLB12T3.5M	Fixed Single Point Lifting Beam	12t	3.5m
HSPLB16T1.8M	Fixed Single Point Lifting Beam	16t	1.8m
HSPLB16T3M	Fixed Single Point Lifting Beam	16t	3m
HSPLB20T6M	Fixed Single Point Lifting Beam	20t	6m
HSPLB25T2.5M	Fixed Single Point Lifting Beam	25t	2.5m
HSPLB25T3M	Fixed Single Point Lifting Beam	25t	3m
HSPLB33T6M	Fixed Single Point Lifting Beam	33t	6m

Other lengths are available.

- ▲ SINGLE CENTRAL TOP LIFTING POINT
- ▲ TWO FIXED POINTS ON THE BOTTOM
- ▲ REQUIRED FOR LIFTS WITH LOW HEADROOM



Lifting Beams

Lifting Under Beams

Under beams are used to cradle loads to allow safe and easy lifting of items such as pre-cast bridge sections.

Both heavy and lightweight versions are available in varying lengths for lifting anything from caravans to bridge sections.

Capacities available up to 196 tonnes.



PRODUCT CODE	DESCRIPTION	S.W.L.	LENGTH
HLUB1T1.5M	Lifting Under Beam	1t	1.5m
HLUB16T4.4M	Lifting Under Beam	16t	4.4m
HLUB16T6.2M	Lifting Under Beam	16t	6.2m
HLUB32T6M	Lifting Under Beam	32t	6m
HLUB196T3.5M	Lifting Under Beam	196t	3.5m
HLUB196T12M	Lifting Under Beam	196t	12m

GOT AN UNUSUAL LIFT AND STRUGGLING TO FIND THE GEAR TO DO THE JOB?
LIFTING GEAR UK CAN CARRY OUT A FREE SITE INSPECTION AND HELP YOU PLAN YOUR JOB!

Counterbalance Lifting Beams

Ideal solution where an offset beam is required, the beam is designed to have offset weight to match the payload.

PRODUCT CODE	DESCRIPTION	S.W.L.
HCBLB5T	Counterbalance Lifting Beam 8m	5t
HCBLB6T	Counterbalance Lifting Beam 6m	6t
HCBLB7.5T	Counterbalance Lifting Beam 13m	7.5t
HCBLB11T	Counterbalance Lifting Beam 10m	11t

- VARIOUS OFFSET LENGTHS AVAILABLE FROM 3M TO 5M
- SUPPLIED WITH SLINGS, WEIGHTS AND ACCESSORIES



Lifting Beams

Modular Lifting Frame

The ideal solution for a 4 point lift where there is a low headroom requirement or where a "H" Type modular beam arrangement cannot be utilised.

PRODUCT CODE	DESCRIPTION	S.W.L.
MODF20	Modular Lifting Frame 6m x 6m	20t
MODF48	Modular Lifting Frame 7m x 7m	48t

- MODULAR 20-TONNE FRAME HAS AN ASSEMBLY SIZE RANGING FROM 1M X 1M UP TO 6M X 6M IN 0.25M INCREMENTS. FRAME INSERTS COME IN LENGTHS OF 0.25M, 0.5M, 1M, 2M AND 3M
- MODULAR 48-TONNE FRAME HAS AN ASSEMBLY SIZE RANGING FROM 1M X 1M UP TO 7M X 7M IN 0.25M INCREMENTS. FRAME INSERTS COME IN LENGTHS OF 0.25M, 0.5M, 1M, 2M AND 3M
- EASY TO DISMANTLE INTO SECTIONS FOR TRANSPORTATION
- SUPPLIED COMPLETE WITH DROP LINKS AND SHACKLES AS STANDARD



MAX. NUMBER OF STRUTS ALLOWED IN SPREADER ASSEMBLY IS 5 WHICH ARE FIXED WITH 4 BOLTS PER JOINT. LONGEST SECTION INSERTS TO BE INSTALLED IN THE MIDDLE OF THE BEAM WITH PROGRESSIVELY SHORTER SECTIONS INSTALLED AT THE ENDS OF THE BEAM TO ACHIEVE THE DESIRED LENGTHS.

Container Lifting Frame

The Container Lifting frame is designed to lift ISO containers vertically, supplied with top wire rope assembly and shackles to suit.

PRODUCT CODE	DESCRIPTION	S.W.L.
HCLF35T	Container Lifting Frame 6m x 2.5m	35t
HCLF42T	Container Lifting Frame 12m x 2.5m	42t



Lifting Beams



Machine Lifting Trays

This tray is ideal for lifting any self-propelled plant / vehicle that doesn't have any lifting points.

PRODUCT CODE	DESCRIPTION	S.W.L.
HLT30T	Machine Lifting Tray 4.1m x 2.35m	30t
HLT30T	Machine Lifting Tray 4m x 3.7m	30t
HLT50T	Machine Lifting Tray 6m x 3.8m	50t

VISIT OUR WEBSITE FOR MORE INFORMATION

- VARIOUS ADJUSTABLE MODELS AVAILABLE
- STRONG HEAVY DUTY BUILD
- SUPPLIED WITH SLINGS AND MOD BEAMS TO SUIT
- THE MOD BEAM FRAME CAN BE UTILISED IF A LOWER HEAD ROOM IS REQUIRED



Hoists, Blocks and Winches

Hoists, Blocks & Winches

360° Manual Chain Hoists

A hand chain hoist which opens up huge new opportunities: The Yalelift 360° MK III opens up a new world of safety for the operator.

The range of applications as well as the operating conditions has been changed by a revolutionary hand chain design. The revolutionary 360° rotating hand chain guide is the key to this innovation, which allows operation of the hand chain from virtually any position, even in extremely confined areas.

Longer heights of lift available.

- ▲ The Yalelift 360 MK III can be operated at the side of the load or from any other position including horizontal pulling. The plane between top and bottom hook must always be in a straight line and duration of the WLL will apply.
- ▲ More flexibility gives greater safety – operators can now work outside of the immediate danger zone reducing the risk of operator injury.
- ▲ Safety under control: By means of the 360° rotating hand chain guide, the user can operate the hoist from all directions and is no longer directly within the danger zone as before.
- ▲ Work from above: The flexibility of the Yalelift 360 MK III allows the operator to work from directly above the load. The advantage of this application is you can have a long lift whilst using a relatively short hand chain. The revolutionary chain guide ensures a precise and smooth chain operation at all times.

PRODUCT CODE	DESCRIPTION	S.W.L.	H.O.L.
HCB0.5T3M3	360° Manual Chain Hoist	0.5t	3m
HCB1T3M3	360° Manual Chain Hoist	1t	3m
HCB2T3M3	360° Manual Chain Hoist	2t	3m
HCB3T3M3	360° Manual Chain Hoist	3t	3m
HCB5T3M3	360° Manual Chain Hoist	5t	3m
HCB10T3M3	360° Manual Chain Hoist	10t	3m
HCB20T3M3	360° Manual Chain Hoist	20t	3m
MORE H.O.L. AVAILABLE			



Manual Chain Blocks

Designed for easy raising and lowering of equipment in a controlled manner.

The perfect tool for many situations, from construction to engineering work.



PRODUCT CODE	DESCRIPTION	S.W.L.	H.O.L.
HCB0.5T3M	Manual Chain Block	500kg	3m
HCB0.5T6M	Manual Chain Block	500kg	6m
HCB0.5T9M	Manual Chain Block	500kg	9m
HCB0.5T15M	Manual Chain Block	500kg	15m
HCB0.5T30M	Manual Chain Block	500kg	30m
MORE H.O.L. AVAILABLE			
HCB1T3M	Manual Chain Block	1t	3m
HCB1T6M	Manual Chain Block	1t	6m
HCB1T9M	Manual Chain Block	1t	9m
HCB1T15M	Manual Chain Block	1t	15m
HCB1T30M	Manual Chain Block	1t	30m
MORE H.O.L. AVAILABLE			
HCB2T3M	Manual Chain Block	2t	3m
HCB2T6M	Manual Chain Block	2t	6m
HCB2T9M	Manual Chain Block	2t	9m
HCB2T15M	Manual Chain Block	2t	15m
HCB2T30M	Manual Chain Block	2t	30m
MORE H.O.L. AVAILABLE			
HCB3T3M	Manual Chain Block	3t	3m
HCB3T6M	Manual Chain Block	3t	6m
HCB3T9M	Manual Chain Block	3t	9m
HCB3T15M	Manual Chain Block	3t	15m
MORE H.O.L. AVAILABLE			
HCB5T3M	Manual Chain Block	5t	3m
HCB5T6M	Manual Chain Block	5t	6m
HCB5T9M	Manual Chain Block	5t	9m
HCB5T15M	Manual Chain Block	5t	15m
MORE H.O.L. AVAILABLE			
HCB10T3M	Manual Chain Block	10t	3m
HCB10T6M	Manual Chain Block	10t	6m
HCB10T9M	Manual Chain Block	10t	9m
HCB10T15M	Manual Chain Block	10t	15m
HCB15T6M	Manual Chain Block	15t	6m
HCB20T6M	Manual Chain Block	20t	6m
HCB30T6M	Manual Chain Block	30t	6m

Hoists, Blocks & Winches

Electric Chain Hoist

The Electric Chain Hoist comes in a range of 110v, 240v and 415v.

All hoists have a range of lift chain heights and pendant control.

PRODUCT CODE	S.W.L.	H.O.L.
HECB5006M	500kg	6m
HECB50012M	500kg	12m
HECB50015M	500kg	15m
HECB50025M	500kg	25m
MORE H.O.L. AVAILABLE		
HECB1T6M	1t	6m
HECB1T12M	1t	12m
HECB1T15M	1t	15m
HECB1T25M	1t	25m
MORE H.O.L. AVAILABLE		
HECB2T6M	2t	6m
HECB2T12M	2t	12m
HECB2T15M	2t	15m
HECB2T25M	2t	25m
MORE H.O.L. AVAILABLE		
HECB3T6M	3t	6m
HECB3T12M	3t	12m
HECB3T15M	3t	15m
HECB3T25M	3t	25m
MORE H.O.L. AVAILABLE		
HECB5T6M	5t	6m
HECB10T6M	10t	6m
MORE H.O.L. AVAILABLE		



Tough lightweight aluminium alloy covers totally enclose the mechanical and electrical components providing protection and efficient heat dissipation.

The design enables easy access for installation and service.


- ▲ Adjustable upper and lower limit switches
- ▲ Excellent closed height dimensions
- ▲ Load hook with axial bearing
- ▲ Ideal for long heights of lift
- ▲ Models may vary

Air Hoist

Pneumatic hoists are ideal for the petrochemical industry and hazardous working environments.

They are fitted with a pull cord control for easy operation.

Air hoists are available up to 100 tonnes.



PRODUCT CODE	S.W.L.	H.O.L.
HAH1T6M	1t	6m
HAH1T12M	1t	12m
HAH1T18M	1t	18m
MORE H.O.L. AVAILABLE		
HAH3T6M	3t	6m
HAH3T12M	3t	12m
HAH3T18M	3t	18m
MORE H.O.L. AVAILABLE		
HAH6T6M	6t	6m
HAH6T12M	6t	12m
HAH6T18M	6t	18m
MORE H.O.L. AVAILABLE		
HAH12T6M	12t	6m
HAH15T6M	15t	6m
HAH20T6M	20t	6m
HAH25T6M	25t	6m
HAH50T6M	50t	6m
HAH75T6M	75t	6m
HAH100T6M	100t	6m
MORE H.O.L. AVAILABLE		

- ▲ Suitable for application in hazardous areas (explosion protection)
- ▲ Sensitive infinitely variable speed control for the precise positioning of loads
- ▲ Easy operation
- ▲ Suitable for lube-free operation
- ▲ Frequent switching and extended duty cycles
- ▲ Low maintenance
- ▲ Low headroom, lightweight
- ▲ Sound absorption

Hoists, Blocks & Winches

Lever Hoist / Pull Lift


When pulling or lifting, the lever hoist can be used in any configuration.

Designed for use in confined working areas.
Standard chain lengths 1.5m, other lengths available on request.

PRODUCT CODE	S.W.L.	H.O.L.
HLVH0.25T	250kg	1.5m
HLVH0.8T	800kg	1.5m
HLVH1.6T	1.6t	1.5m
HLVH3T	3t	1.5m
HLVH6T	6t	1.5m
HLVH9T	9t	1.5m

Single Fall

Multi Fall



WLL TONNES	NO. OF FALLS	LOAD CHAIN (mm)	STANDARD LIFT (m)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	H (mm)	MASS (kg)	EXTRA WEIGHT PER M (kg)
0.80	1	5.6 x 17	1.5	148.0	121	37.5	265	28	280	6.20	0.70
1.60	1	7.1 x 21	1.5	165.5	141	47.0	415	33	350	9.60	1.10
3.20	1	10 x 30	1.5	194.5	178	62.5	415	42.5	420	15.50	2.20
6.30	2	10 x 30	1.5	194.5	228	78.0	415	51	570	27.00	4.40
9.00	3	10 x 30	1.5	194.5	310	-	415	56	680	38.30	6.60
15.00	6	10 x 30	1.5	194.5	420	-	415	80	1000	90.00	13.20
20.00	8	10 x 30	1.5	194.5	480	-	415	80	1150	195.00	19.20

Lifting / Pulling Machine

Lifting / pulling machines can be utilised for winching, hoisting and tensioning various applications.

The pulling power can be increased using various sheaving applications.

PRODUCT CODE	DESCRIPTION	S.W.L.
HTU8	TU8	0.8t
HTU16	TU16	1.6t
HTU32	TU32	3.2t
HTU54	TU54	5.4t



PRODUCT CODE	ROPE LENGTH
HTR10M	10m
HTR20M	20m
HTR30M	30m
HTR40M	40m
HTR50M	50m
HTR60M	60m
HTR70M	70m
HTR80M	80m

Hydraulic Powered Lifting / Pulling Machine

Lifting / pulling winches can be used singularly, in pairs or as a team of 4, using a hydraulic power pack that can be supplied in either petrol or electric format.

The power packs can run up to 4 units at one time.



PRODUCT CODE	S.W.L.
HLLPM1.6T	1.6t
HLLPM3.2T	3.2t
HLLPPP	Power Pack

Wire ropes should be ordered separately.


Hoists, Blocks & Winches

Sheave / Snatch Blocks

Increases the load capacity of a lift / pulling machine or winch.

Also allows the user to change direction of the load or pull.
Available with a shackle or hook end fitting.

PRODUCT CODE	S.W.L.
HSB2T	2t
HSB4T	4t
HSB8T	8t
HSB12T	12t
HSB15T	15t
HSB20T	20t



WLL TONNES	SHEAVE DIA (mm)	WIRE ROPE SIZE (mm)	A (mm)	B (mm)	E (mm)	F (mm)	G (mm)	H (mm)	L (mm)	R (mm)	MASS (kg)
2	76	08-10	35	30	64	11	75	150	228	217	3.8
4	114	10-13	64	50	79	19	107	243	356	336	6.2
8	152	16-19	87	76	104	32	152	320	484	452	13.2
8	203	16-19	87	76	104	32	220	333	558	526	18.2
12	152	19-22	78	80	134	44	167	359	540	496	24.8
15	203	19-22	78	80	134	44	220	355	589	545	29.6
15	254	19-22	78	80	134	44	280	423	714	670	42.7
15	305	19-22	78	80	134	44	330	428	770	726	52.8
20	203	25-29	109	93	150	55	216	433	671	616	41.6
20	254	25-29	109	93	150	55	280	481	778	723	52.4
20	305	25-29	109	93	150	55	330	485	883	778	62.8

Minifor Hoist / Winch

PRODUCT CODE	DESCRIPTION	S.W.L.
HM300	Minifor Hoist	300kg
HM500R	Minifor Hoist with Remote Control	500kg
HM500SK	Sheave Kit	900kg

- ▲ Lightweight and easy to handle
- ▲ Remote control available
- ▲ Sheave kit for improved S.W.L. available



MINIFOR HOIST ROPE TO SUIT 300KG OR 500KG

PRODUCT CODE	DESCRIPTION
HMR10M	10m Rope
HMR20M	20m Rope
HMR30M	30m Rope
HMR40M	40m Rope
HMR60M	60m Rope
HMR80M	80m Rope

MORE LENGTHS AVAILABLE

Hoists, Blocks & Winches

Air Winches



Rugged compact and versatile design

- ▲ Meets ANSI / ASME B30.7
- ▲ 5:1 Design factor at rated load
- ▲ Top layer rated line pull
- ▲ “Lift to shift” winch mounted lever throttle
- ▲ Minimum 18:1 drum diameter to wire rope diameter ratio
- ▲ Compact gearbox-in-drum design
- ▲ Standard design temperature range is 0°C through 60°C
- ▲ Group of mechanism as per fem: 5m

Suitable for hazardous explosion proof environments

- ▲ Flameproof by design. Air motors (unlike electric motors) are inherently spark resistant
- ▲ Atex classification (as per directive ec 94/9/eec)
- ▲ CE compliant models marked ex II 2 gd c 200°C

PRODUCT CODE	DESCRIPTION	S.W.L.
HAW2T	Air Winch	2t
HAWRB2T	Air Winch Rotating Base	2t
HSVDS4T	Vertical Deck Sheave 12/13mm	4t



Powerful radial piston air motor

- ▲ Positive starting torque
- ▲ Infinitely variable speeds with precision spotting control
- ▲ Superior reliability in harsh environments brake systems
- ▲ Manual drum brake standard
- ▲ Optional auto drum brake and / or auto disc available
- ▲ Fully enclosed automatic oil bath “wet” disc brake sealed against moisture and contaminants

Cable Pulling Winch / Rollers

This compact unit is portable and ideal for cable pulling.

It includes forward and reverse mode, dual speed and overload protection. An excellent solution for guiding and protecting cables when being winched into position.

Rope is offered separately as a sale item.



PRODUCT CODE	DESCRIPTION	POWER	S.W.L.
HCPW1.5T	Cable Pulling Winch	110v	1.5t
HCPW2.5T	Cable Pulling Winch	110V	2.5t
HCR2T	Cable Rollers	-	2t

Hoists, Blocks & Winches

Tirak Wire Rope Hoist / Winch

MAXIMUM S.W.L. 3 TONNE
UNLIMITED ROPE LENGTH
CAN ALSO BE USED FOR MANRIDING

A powerful wire rope hoist that can be used for both lifting and pulling various applications.

Ropes should be ordered separately. Some models can be used for Man Riding

- ▲ Maximum S.W.L. up to 3 Tonne
- ▲ Unlimited rope length
- ▲ Some models can also be used for manriding

PRODUCT CODE	DESCRIPTION	S.W.L.
HT1T	Tirak Wire Rope Hoist / Winch	1t
HT3T	Tirak Wire Rope Hoist / Winch	3t



Clamps and Trolleys



Clamps and Trolleys

Cable Drum Spreader Bar

Designed for the safe lifting and handling of cable drums and cable laying applications.

The lightweight bar allows easy assembly through the drum centre, while all other parts are lifted into place with plant. A simple pin in position coupler, with adjustment, allows the drum to be held on the bar, ensuring controlled rotation.

Four standard units allow a large variety of drums to be carried.

- ▲ Hand-built with great emphasis on quality, strength and efficiency of design.
- ▲ Features a lightweight aluminium spindle, within manual handling limits, and quick release collars with simple tool-less assembly.
- ▲ Adjustable to suit most drums with a safe working load from 2.5-5T.
- ▲ Cable drums rotate freely on bearings to ensure smooth cable unwinding.
- ▲ Easily stowed when not in use.

PRODUCT CODE	DESCRIPTION	WLL	WEIGHT
HCDLB5T2M	Cable Drum Spreader Bar	5t	22kg



Adjustable Rail Lifting Clamp

Designed to lift single rails securely and safely.

The adjustable rail lifting clamp will fit most types of rail section sizes.



PRODUCT CODE	S.W.L.
HRLC1T	1t


Girder / Beam Clamp

Used as an anchor point for lifting or pulling purposes.

The girder / beam clamp can be supplied with or without permanent shackles.

PRODUCT CODE	S.W.L.
HGC1T	1t
HGC2T	2t
HGC3T	3t
HGC5T	5t
HGC10T	10t
HGC15T	15t
HGC20T	20t
HGC30T	30t

Model No.	WLL tonnes	Beam Range mm	Max. Beam Thickness mm	A mm	B mm	D mm	E max mm	E min mm	G mm	K max mm	K min mm	H mm	Mass kg
WH-BC2	2.00	76 - 190	20	130	8	90	254	133	275	263	223	20	4.00
WH-BC3	3.00	76 - 190	28	130	12	102	275	186	275	289	251	20	8.00
WH-BC3W	3.20	127 - 350	28	130	12	102	438	228	560	375	294	20	11.50
WH-BC4	4.00	150 - 254	24	130	10	112	371	185	410	369	308	25	11.00
WH-BC5	5.00	76 - 190	24	130	12	116	306	191	295	338	300	25	10.00
WH-BC5W	5.00	150 - 305	24	130	12	116	422	264	410	413	360	25	15.00
WH-BC6	8.00	203 - 457	36	140	12	116	608	287	560	511	402	25	18.80
WH-BC10	10.00	203 - 457	36	140	20	118	608	287	560	500	421	32	28.00
WH-BC15	15.00	203 - 457	60	170	20	116.5	648	400	660	684	608	40	49.50
WH-BC15W	15.00	406 - 610	66	170	20	116.5	800	600	810	812	706	40	56.50



Clamps and Trolleys


Girder / Beam Trolley Push Travel

Provides a suspension point that can be moved along a runway beam.

Enabling exact positioning or easy traversing of large loads incorporating manual hoists, can be supplied to suit various track widths.

PRODUCT CODE	S.W.L.
HPT1T	1t
HPT2T	2t
HPT3T	3t
HPT5T	5t
HPT10T	10t
HPT15T	15t
HPT20T	20t

Part Code	Model No.	WLL tonnes	Beam Range mm	Max. Beam Thickness mm	A mm	B mm	D mm	E max	E min	G mm	K max	K min	H mm	Mass kg
027.200	WH-BC2	2.00	76 - 190	20	130	3	90	254	133	275	263	223	20	4.00
027.300	WH-BC3	3.00	76 - 190	28	130	12	102	275	166	275	289	251	20	8.00
027.320.E	WH-BC3W	3.20	127 - 350	28	130	12	102	438	228	560	375	294	20	11.50
027.400	WH-BC4	4.00	150 - 254	24	190	10	112	371	185	410	369	308	25	11.00
027.500	WH-BC5	5.00	76 - 190	24	130	12	116	306	191	295	338	300	25	10.00
027.500.E	WH-BC5W	5.00	150 - 305	24	130	12	116	422	264	410	413	360	25	15.00
027.600	WH-BC6	6.00	203 - 457	36	140	12	116	608	267	560	511	402	25	18.80
027/1000	WH-BC10	10.00	203 - 457	36	140	20	118	608	267	560	530	421	32	26.00
027/1500	WH-BC15	15.00	203 - 457	66	170	20	116.5	648	400	660	684	608	40	49.50
027/1500.E	WH-BC15W	15.00	406 - 610	66	170	20	116.5	800	600	810	812	706	40	56.50



Geared Girder / Beam Trolley Integrated Clamp

Provides a suspension point that can be moved along a runway beam via a geared mechanism.

Enabling exact positioning or easy traversing of large loads incorporating manual hoists, can be supplied to suit various track widths.

WLL tonnes	Min. Radius of Curve m	a mm	b mm	c mm	e mm
0.50	0.8	190	154	22	27
1.00	0.9	206	180	30	26
2.00	1.0	246	210	37	26
3.20	1.2	300	249	42	28
5.00	1.3	336	277	50	37
10.00	2.0	396	334	58	37


Standard Range 1

WLL tonnes	I Beam width mm	d Max. Width mm	f Max. mm	Mass kg
0.5	50-203	203	323	8.60
1.0	64-203	203	332	12.30
2.0	88-203	203	341	17.20
3.2	100-203	203	359	28.40
5.0	114-203	203	366	40.10
10.0	124-203	203	386	62.00

Extended Range 2

WLL tonnes	I Beam width mm	d Max. Width mm	f Max. mm	Mass kg
0.5	-	-	-	-
1.0	64-305	305	434	13.70
2.0	88-305	305	443	19.00
3.2	100-305	305	461	31.20
5.0	114-305	305	468	44.20
10.0	124-305	305	488	67.00

PRODUCT CODE	S.W.L.
HGT1T	1t
HGT2T	2t
HGT3T	3t
HGT5T	5t
HGT10T	10t
HGT15T	15t
HGT20T	20t




Clamps and Trolleys

Adjustable Girder / Beam Trolley with Integrated Clamp

This useful tool allows the trolley to be used either as a fixed or moving anchor point.

If required, a version certified for man riding use is also available.

PRODUCT CODE	DESCRIPTION	S.W.L.
HGTC2T	Adjustable Girder / Beam Trolley with Integrated Clamp	1t
HGTC3.2T	Adjustable Girder / Beam Trolley with Integrated Clamp	3.2t
HGTC6T	Adjustable Girder / Beam Trolley with Integrated Clamp	6t



WLL tonnes	Min. Radius of Curve m	A mm	B mm	C mm	D mm	E mm	F mm	G mm	Beam Width M mm	Mass kg
2.00	0.7	204	276 - 322	100	20	21	2.5	320	76 - 203	8.10
3.20	1.1	246	334 - 374	111	20	25	2.5	330	76 - 203	14.25
6.00	1.4	286	384 - 463	124	25	33	3.0	454	100 - 305	27.40

Lifting Magnet

Lightweight and easy to use.

The lifting magnet is used for the movement of ferrous materials in a variety of industrial applications.

POWERTEX

PRODUCT CODE	S.W.L.
HML250	250kg
HML500	500kg
HML1T	1t
HML2T	2t



- ▲ Loading / unloading machine tools
- ▲ Handling of bar, tube and profiles in the warehouse
- ▲ Handling of plate, tube, bar and profiles in the steel construction

Clamps and Trolleys

Pipe Lifting Hooks

Used in pairs, these hooks fit into the ends of the pipes.

This allows them to be lifted with a 2-leg chain-sling.

PRODUCT CODE	S.W.L.
HPLH2T	2t
HPLH4T	4t
HPLH6T	6t
HPLH20T	20t



Horizontal Plate Clamps

Used in pairs the horizontal plate clamp is designed for loading process machines and to lift and transport sheet steel plate in horizontal position.

It is recommended to use two pairs in conjunction with a spreader beam for handling large plates. Designed to be used with two legged slings only.

Please state the thickness of the plate to be lifted when ordering.

PRODUCT CODE	S.W.L.	PLATE THICKNESS
HHPC2T	2t	5-32mm
HHPC4T	4t	5-50mm
HHPC6T	6t	5-75mm
HHPC10T	10t	5-100mm



Clamps and Trolleys

4 Point Drum Lifter

Semi-automatic Drum Tong, suitable for picking up 1 x 210l drum.

The Drum Tong can be suspended from a fork-mounted hook, jib or crane. The tong has a hook that automatically releases when lowered onto the drum, allowing it to be lifted, but has to be manually located to lift it clear off the drum.

PRODUCT CODE	S.W.L.
HDT4P500	500kg



Vertical Plate Clamps

Enables plates to be turned over or lifted from the horizontal to a true vertical position.

Clamps are available with soft jaws for polished metals.

PRODUCT CODE	S.W.L.	PLATE THICKNESS
HVC1T	1t	0-20mm
HVC2T	2t	0-32mm
HVC3T	3t	0-32mm
HVC4T	4t	0-32mm
HVC6T	6t	0-50mm
HVCT6T	6t	50-100mm
HVC10T	10t	0-50mm
HVCT10T	10t	50-100mm



Clamps and Trolleys

Camlock CLT / CLB Container Lifting Lugs

There are two types of lugs for lifting shipping containers, the CLT is for top lifting and the CLB is for side lifting.

Supplied in sets of four with lifting capacities up to 56 tonne these lugs create the ideal lashing point for easier transportation of large containers.

S.W.L. dependent on sling angles.




PRODUCT CODE	DESCRIPTION	S.W.L.
HCTL	Container Twist Locks Vertical Lug	56t
HCLS	Container Twist Locks Side Lug	32-52t

- ▲ The CLT top lifting lugs are vertically mounted on top of the container and are locked into position by simply turning the lug 90 degrees. These lugs enable transportation with a lifting frame and cables, chains or slings.
- ▲ The CLB lugs are fixed to the sides of the container at either the top or the bottom fixing holes. They incorporate spring loaded bolts to prevent accidental release for extra safety.
- ▲ **N.B.** Not to be used with a 4 leg chain sling - due to wrong angles.

Adjustable Rail Lifting Clamp

The CR rail clamps are designed to lift single rails securely and safely.

The CR is designed to lift tram rail. The clamps are designed to fit most types of rail section currently in use. The clamps have a narrow profile to enable attachment to an individual rail when rails are side by side. The clamps are locked onto the rail-head via a lever operated spring mechanism. It is recommended to use clamps suspended from a lifting beam for long rail lengths



PRODUCT CODE	DESCRIPTION	S.W.L.
CR1C1T	Adjustable Rail Lifting Clamp	1t
CR1C2T	Adjustable Rail Lifting Clamp	2t



MODEL	CR1000 (mm)	CR20 00 (mm)
A*	144	144
B	152	163
C	350	350
D	90	90
E	46	46
ØF	20	20
G	25	25



Material Lifts, Gantries and Floor Cranes

Shear Legs



- ▲ Quick and easy to assemble
- ▲ Fully adjustable
- ▲ Suspension point provided for a hoist, to lower equipment into the ground

PRODUCT CODE	S.W.L.	MAX. HEIGHT
HSL500	500kg	3m
HSL1T	1t	3m
HSL2T	2t	3m

Manriding / Goods Lifting Tripod



This handy tripod can be utilised for both lowering personnel below ground and the lowering and lifting of tools and heavy items from below ground.

The tripod can be fitted with 2 winches (one manriding and one lifting), removing the need for an additional chainblock.

- ▲ S.W.L. For lifting 250kg
- ▲ Fits easily in to the back of a small van
- ▲ Rescue harness available

PRODUCT CODE	S.W.L.	WIRE DRO
HFAT	Manriding Tripod	N/A
GOODS WINCH	250kg	20m
MANRIDING WINCH	1 man	20m

Material Lifts, Gantries and Floor Cranes

Aluminium Gantry

PRODUCT CODE	DESCRIPTION	S.W.L.
HAG1TS	Small Aluminium Gantry	1t
HAG1T	Intermediate Aluminium Gantry	1t
HAG1TT	Tall Aluminium Gantry	1t
HAG2TS	Small Aluminium Gantry	2t
HAG2T	Intermediate Aluminium Gantry	2t
HAG2TT	Tall Aluminium Gantry	2t
HAG3TS	Small Aluminium Gantry	3t
HAG3T	Intermediate Aluminium Gantry	3t
HAG3TT	Tall Aluminium Gantry	3t

PRODUCT CODE	DESCRIPTION	S.W.L.
HAG5TS	Small Aluminium Gantry	5t
HAG5T	Intermediate Aluminium Gantry	5t
HAG5TT	Tall Aluminium Gantry	5t
HAG1TTC1	TC1 Aluminium Gantry	1t
HAG3TTC2	TC2 Aluminium Gantry	3t
HAG5TTC3	TC3 Aluminium Gantry	5t
HAG5TTC4	TC4 Aluminium Gantry	5t
HAGB	Supplied with Beams up to 9m	Up to 5t

- Lightweight and easy to assemble, this portable system is adjustable in both height and beam length, making it the perfect solution for handling challenges, especially in confined spaces.
- Rooftops and clean environments
- A second trolley is available for dual lifts



Porta-Gantry Detailed Dimensions

	Dmax	E	Dmin	F	Hmax	Hmin	G			
	Max. height to lifting eye	Height increment	Min. height to lifting eye	Max. height to top of beam	Max height to top of roller	Min. height to top of roller	Width	A-frame (kg)	Roller size	Castor size
WLL 500										
S	2355	5 x 150	1605	2675	2757	2007	1212	33	82	s
M	2851	5 x 150	2101	3171	3253	2503	1429	40	82	s
I	3188	5 x 200	2188	3499	3581	2581	1726	46	82	l
T	4079	6 x 200	2879	4399	4481	3281	2011	51	82	l
WLL 1000										
S	2355	5 x 150	1605	2675	2757	2007	1212	33	82	s
M	2851	5 x 150	2101	3171	3253	2503	1429	40	82	s
I	3188	5 x 200	2188	3499	3581	2581	1726	46	82	l
T	4079	6 x 200	2879	4399	4481	3281	2011	51	82	l
WLL 2000										
S	2355	5 x 150	1605	2675	2757	2007	1212	38	82	s
M	2851	5 x 150	2101	3171	3253	2503	1429	40	82	s
I	3188	5 x 200	2188	3499	3581	2581	1726	46	82	l
T	4079	6 x 200	2879	4399	4481	3281	2011	51	82	l
WLL 3000										
S	2410	5 x 150	1660	2730	2812	2062	1212	55	82	l
M	2906	5 x 150	2156	3226	3308	2558	1429	60	82	l
I	3188	5 x 200	2188	3499	3581	2581	1726	70	82	l
T	4079	6 x 200	2879	4399	4481	3281	2011	82	82	l
WLL 5000										
I	3181	5 x 200	2181	3592	3717	2717	1736	97	125	l
T	4049	6 x 200	2849	4487	4612	3412	2021	106	125	l

		STANDARD BEAM LENGTH							
		2500	3000	3920	4570	5500	6000	8400	9000
WLL 500	500	✓	✓	✓	✓	✓	✓	✓	✓
	1000	✓	✓	✓	✓	✓	✓	✓	✓
	2000	✓	✓	✓	✓	✓	✓	✓	✗
	3000	✓	✓	✓	✓	✓	✓	✓	✗
	5000	✓	✓	✓	✓	✓	✗	✗	✗

Material Lifts, Gantries and Floor Cranes

Rapide Porta-Gantry

The easy-to-transport, mobile lifting gantry, RAPIDE PORTA-GANTRY adds exciting new dimensions to the PORTA-GANTRY family, as a unique rapid deployment system with goods and personnel lifting (man-ride) capability with full EN795 Type B certification.

PRODUCT CODE	DESCRIPTION	S.W.L.
HRGB0.5T2M	RAPIDE Porta-Gantry 2m	0.5t
HRGB0.5T2.3M	RAPIDE Porta-Gantry 2.3m	0.4t
HRGB0.5T4M	RAPIDE Porta-Gantry 4m	0.25t
HRGT0.5T	RAPIDE Porta-Gantry Trolley	0.5t
HRSNG	RAPIDE Stow and Go	
HRBRFA	Blocfor Fall Arrest Block C/W Arm	


The PORTA-GANTRY RAPIDE adds exciting new dimensions to the PORTA-GANTRY family. A patented gantry that can be assembled in under 60 seconds for both goods and personnel lifting (man-ride) applications.

QUICK RELEASE PINS

Quick assembly with ball lock pins, no bolts or tools required

STOW'N'GO

A handy storage container for safe shipping and transportation



ASSEMBLY VIDEO

LOAD TROLLEY

Innovative quick release gated trolley or sheave carrier fitted in seconds

RAPID ATTACHMENTS

Winching accessories can be easily added without the need for tools


COMPACT

Frames easily fold onto beam, forming compact stowable unit. Easily fits into a typical service van


TRANSPORTABILITY

Easily transported by 1 person with integrated wheel and carry-handle or carried by 2 persons

PORTA-GANTRY RAPIDE Dimensions (mm)



PGR1T



DIMENSIONS (MM)													WLL			UNIT WEIGHT	
A BEAM LENGTH	B	C MIN	C MAX	D MIN	D MAX	E MIN	E MAX	F MIN	F MAX	G	H MIN	H MAX	J	GOODS CAPACITY (KG)	FALL ARREST CAPACITY* NO OF PERSON(S)	PERSONNEL POSITIONING** (KG)	(KG)
PGRS20																	
2000	2076	1100	1500	1438	1938	1614	2114	1764	2264	1158	1550	2050	2190	500	3	250	33
PGRS23																	
2300	2376	1200	1900	1438	1938	1614	2114	1764	2264	1158	1550	2050	2376	400	2	200	35
PGRS40																	
4000	4076	2700	3500	1438	1938	1614	2114	1764	2264	1158	1550	2050	4076	250	1	125	40

*Trolley stops fitted to beam **Ratings using European standards. Contact REID for other standards.

Material Lifts, Gantries and Floor Cranes

Beam Lifter

The Beam Lifter (600kg) is a simpler and more robust device for material handling. No cables or guides, just a simple screw mechanism, which is similar to the acrow prop operation can be wound up to required height.

It is a compact detachable elevator on wheels for lifting and fitting heavy loads such as steel beams.

Ideal for renovation projects.

PRODUCT CODE	DESCRIPTION	S.W.L.	MIN. WORKING HEIGHT	MAX. WORKING HEIGHT
HBL600KG	Beam Lifter (each)	600kg	1.1m	3m
IDEAL FOR INSTALLING RSJS IN RESTRICTED AREAS				



IMPORTANT INFORMATION

Lifting Height: 1.10 - 2.75m
 With Adapter: 1.36 - 3.00m
 Load-Bearing Capacity: 600kg
 In Case of Paired Operation: 2 x 450kg = 900kg (not 1200kg)

- ▲ Lifting capacity 600kg
- ▲ Maximum lifting height 3m
- ▲ High precision by using screw thread adjustment
- ▲ Fully detachable and easy to build up
- ▲ Uses two elevators for fitting beams
- ▲ Crane hook to lift loads from the ground
- ▲ Rotational platform



Packaway Floor Crane

Hydraulic crane, ideal for lifting engines or other heavy objects.

The Packaway Floor Crane folds up for easy transportation and easy set up.

- ▲ Quick lifting with a double acting pump
- ▲ 3 Positions adjustable jib extension
- ▲ Relief valve to prevent overloading
- ▲ 360° Swivel operating handle
- ▲ Forged heavy-duty swivel hook

PRODUCT CODE	S.W.L.
HPFC500	500kg
HPFC1T	1t
HPFC2T	2t



Counter Balance Floor Crane

Manoeuvrable floor crane providing an overhead lifting point where no lifting point exists.

Perfect for situations where outreach is required. Please note that the hire rate does not include the 12.5kg hand weights that are required to provide counter balance.

- ▲ Individually tested to 125% of maximum capacity
- ▲ Heavy duty double acting pump for fast action
- ▲ Fitted with overload safety valve
- ▲ 3 Position extending jib
- ▲ Swivel hook with safety latch

PRODUCT CODE	S.W.L.
HCBFC500	500kg
HCBFC1T	1t
HHW	12.5kg Hand Weights (each)



Compact Genie Lift

PRODUCT CODE	DESCRIPTION	DIMENSIONS (CLOSED)	S.W.L.	MAX. H.O.L.
HMLGL8	GL8	1.72mx0.3mx0.63m	181kg	3.06m
HMLGL8CB	GL8 Counter Balance	1.745mx0.3mx0.63m	181kg	3.06m
HMLGL10	GL10	2mx0.49mx0.73m	196kg	3.56m
HMLGL10CB	GL10 Counter Balance	2.025mx0.49mx0.73m	196kg	3.56m
HMLGL12	GL12	2.31mx0.49mx0.73m	159kg	4.2m

- ▲ Highly compact
- ▲ Adjustable operating length will fit through a standard doorway
- ▲ Easy transportation and set up



Material Lifts, Gantries and Floor Cranes

Counter Balance Material Lift

This useful material lift can be moved under load as per a fork lift truck.



- ▲ Ideal for placing items flush to the wall
- ▲ Glass lifting attachment available
- ▲ For movement of loads on firm and level ground only



TECHNICAL DATA	SLK-5	SLK-10	SLK-15	SLK-20	SLK-25
Lifting height - Standard forks up:	2.00m	3.50m	5.00m	6.50m	7.90m
Height - stowed:	2.04m	2.04m	2.04m	2.04m	2.04m
Length - stowed:	0.90m	0.90m	0.90m	0.96m	1.02m
- Working position	1.50m	1.50m	1.80m	2.22m	2.22m
Width - stowed:	0.80m	0.80m	0.80m	0.80m	0.80m
- Working position:	2.20m	2.20m	2.20m	2.20m	2.20m
Ground clearance - working position:	0.08m	0.08m	0.08m	0.08m	0.08m
Loading height min.:	0.27m	0.27m	0.27m	0.27m	0.27m
Pay load:	450kg	450kg	360kg	360kg	300kg
Weight basic chassis:	98kg	118kg	144kg	184kg	204kg

PRODUCT CODE	DESCRIPTION	MAX. H.O.L.	S.W.L.
HCBMSLK5	Counter Balance Material Lift SLK5	2m	450kg
HCBMSLK10	Counter Balance Material Lift SLK10	3.5m	450kg
HCBMSLK15	Counter Balance Material Lift SLK15	5m	360kg
HCBMSLK20	Counter Balance Material Lift SLK20	6.5m	360kg
HCBMSLK25	Counter Balance Material Lift SLK25	7.9m	300kg
HMLGLA	Glass Vacuum Attachment		200kg

Material Lift - Genie Superlift Advantage

Our material lifts can be used for most handling applications such as maintenance or installation.

The maximum S.W.L. of the lifts is 454kg and the maximum H.O.L. (height of lift) available is 7.62m.

Made with a lightweight aluminium construction, these lifts can easily be transported and can access the most restricted areas.



PRODUCT CODE	CLOSED UP DIMENSIONS	MAX. H.O.L.	RATED S.W.L.
HMLSWLA10	1.5m x 0.8m x 2m	2.97m	454kg
HMLSWLA15	1.88m x 0.8m x 2m	4.46m	363kg
HMLSWLA20	2.08m x 0.8m x 2m	5.94m	363kg
HMLSWLA25	2.08m x 0.8m x 2m	7.62m	295kg



Material Lifts, Gantries and Floor Cranes

Material Lift Accessories

Utilise your material lift for a number of applications by teaming it up with one of our useful accessories.

TO SUIT: SLA10 | SLA15 | SLA20 | SLA25

- ▲ **Extension forks**
 Fit over the standard forks to lift bulkier loads
- ▲ **Lifting Boom**
 Allows the lift to be utilised as a crane
- ▲ **Load Plate**
 A flat raisable surface for non-palletted loads
- ▲ **Pipe Cradle**
 Can be used to lift pipework without the risk of the load rolling

PRODUCT CODE	DESCRIPTION
HMLFE	Material Lift Fork Extension
HMLLPL	Material Lift Load Plate
HMLPC	Material Lift Pipe Cradle
HMLPB	Material Lift Lifting Boom



Genie Gas Powered 'Superhoist'

This pneumatic hoist is powered by either CO2 or compressed air and makes easy work of positioning loads such as ductwork or ceiling panels in restricted areas.

Its compact design allows it to be folded up and fitted into the boot of most cars.



PRODUCT CODE	S.W.L.	MAX. H.O.L.
HMLSH3.8M	136kg	3.8m
HMLSH5.6M	113kg	5.6m



Material Lifts, Gantries and Floor Cranes


Panel Lifter

This panel lifter is designed to lift plasterboard and similar sheet products to ceiling level, making fixing work easy.

An extension bar is available for higher lifts.

PRODUCT CODE	DESCRIPTION	S.W.L.	MAX. H.O.L.
HPL68KG	Panel Lifter	68kg	3.35m
HPLEF	Extension Bar (to fit Panel Lift)	68kg	4.57m (total)

- ▲ Solid, safe construction
- ▲ Lightweight - 99 lb (45kg)
- ▲ Two speed winch handle
- ▲ Quick, tool-free assembly
- ▲ One person operation
- ▲ Tilts 65° for drywall installation



Material Lift Roust-A-Bout

Roust-A-Bouts are capable of lifting up to 680kg and to a height of 7.6m (25ft).

PRODUCT CODE	DESCRIPTION	S.W.L.	S.W.L. WITH T HEAD	MAX. WORKING HEIGHT
HRAR100	Roust-A-Bout AR100	680kg	455kg	4.6m
HRAR250	Roust-A-Bout AR250	680kg	455kg	7.6m
HRAR100TH	T-Head Extension for AR100	N/A	N/A	N/A
HRAR250TH	T-Head Extension for AR250	N/A	N/A	N/A

- ▲ Moves vertically and horizontally
- ▲ 2 Winches: operate load and mast
- ▲ Elevation separately
- ▲ 4-Speed load winches
- ▲ Infinite load height adjustment
- ▲ Ideal for job or shop
- ▲ Tee head extension available for wider loads up to 1,000 lbs (455kg)





Site Hoists and Conveyors

Palanbox Hoist


These lightweight, AC compact hoists are an ideal product for lifting heights up to 24 metres.

Single phase, easily used on scaffolds or lifting arms with astonishing efficiency.

110v | S.W.L. 200KG

- ▲ Dynamic and mechanical brake provides instant and safe braking
- ▲ Lightweight and compact design for easy handling and installation
- ▲ Supplied complete with wire rope, galvanised finish for longer life
- ▲ Automatic upper and lower limit switch when rope comes into contact with limit arm, hoisting is automatically stopped
- ▲ 360° Weighted safety hook swivel type with safety catch

PRODUCT CODE	DESCRIPTION	S.W.L.	H.O.L.	POWER
HPBH200KG	Palanbox Hoist	200kg	25m	110V



Site Hoist and Conveyors

Scaffold Hoist

Our lightweight jib mounted 'clip-on' scaffold hoists weigh only 42kg and run on 110v single phase power.

PRODUCT CODE	DESCRIPTION	S.W.L.	H.O.L.
HSC200	Scaffold Hoist Clip-On	200kg	25m
HTBK90L	Bucket	N/A	N/A

- Will easily fit onto any vertical scaffold pole
- Full range of buckets available
- The hoists swing arm job allows it to rotate 180°



Scaffold Pulley Wheel

Traditional scaffold aid, used with polypropylene rope.

Other products include a full automatic brake, for safe use with light loads and a hoisting rope is available on a sales basis only.

PRODUCT CODE	S.W.L.
HPW50	50kg
HPW250	250kg



Builders Gantry Hoist

The builder's gantry hoist has a 42m height of lift and is designed to be used within scaffolding or on a flat roof where there is no scaffold to attach a lifting hoist.

It has a running beam 3.3m long and allows an overhang of 1m beyond the edge of the safety board to enable material to be manoeuvred along the hoist runway safely and without effort.

Ballast box and weights are charged separately.

PRODUCT CODE	DESCRIPTION	S.W.L.	H.O.L.	VOLTAGE REQUIRED
HBGH300	Builder's Gantry Hoist	300kg	25m	110v
HBGH500	Builder's Gantry Hoist	500kg	25m	415v
HTBK120L	Bucket (120ltr)	N/A	N/A	N/A
HHW	Ballast Box Weights (per 12.5kg)	N/A	N/A	N/A

- Every hoist comes with a steel rope cable drum that is installed transverse to the mounting bracket. This promotes smooth winding and eliminates dangerous accumulation of the rope on one side only, otherwise caused by the flexing of the support structures.
- The hoists are all fitted with an upper limit safety device with positive drive by thrusting spring that stops the upward movement of the load in the highest point.
- It has a top limit lever and micro switch to stop the hoist when it is at the top of its lift safely.
- The hook has a spring-loaded safety catch to keep the load carrier within the hook.
- The Hoist also has a brake to control the travel along its runway and rubber stops at each end of the travel.
- The gantry hoist is ideal for the small builder or larger contractor to lift material from the ground or lower material to the ground safely.



Site Hoist and Conveyors

Bumpa Hoist - Tile and Slate Conveyor

The time-consuming, back-breaking chore of loading heavy loads onto rooftops repetitively, becomes quick and easy with the BUMPA loading machine.

Today's regulations state you must provide a mechanical means for handling repetitive heavy loads, rather than relying on manual labour. BUMPA is proven to double your performance for half the effort, helping you compete and comply!



PRODUCT CODE	DESCRIPTION	S.W.L.	MAX. HEIGHT
HBH8M	BUMPA Hoist 8m	80kg	8m
HBH10M	BUMPA Hoist 10m	80kg	10m

- ▲ Load on the roof of any small van
- ▲ Up and running in 4 minutes
- ▲ Will clear a pallet of concrete blocks in less than 1 minute or 1000 tiles in 25 minutes
- ▲ Available in electric 110v or petrol

Hoddi Hoist - Building Material Conveyor

The Hoddi Hoist 5m 110v is aimed at the builder as opposed to the roofer, and caters for the 3 standard lifts in 2 storey home buildings.

- ▲ Fully reversible with remote stop / start
- ▲ Portable and transportable
- ▲ Easily set up in 5 minutes
- ▲ Comes complete with all attachments
- ▲ No need for assembly
- ▲ Transport bricks, blocks, slabs, mortar, lintels, frames, stone and much more

PRODUCT CODE	DESCRIPTION	S.W.L.
HHH5M	Hoddi Hoist 5m	80kg
HHB	Hoddi Hoist Bucket	N/A



Site Hoist and Conveyors

Material Conveyors

These units come in 3.1m lengths and can be used individually or as a series. The Conveyor is a favourite amongst hire companies, with its lightweight aluminium frame it is portable and makes working on site far easier.

The material conveyors are ideal for excavation or renovation work. The machine moves with your workspace allowing you to spend more time on the job and less time ferrying back and forth. It's a real workhorse of a machine, designed to be used day in and day out it will soon become a trusted and vital member of your team.



PRODUCT CODE	DESCRIPTION	LENGTH	BELT WIDTH	CAPACITY
HMC3.1M	Material Conveyor	3.1m	300mm	60t p/h
HMC4.1M	Material Conveyor	4.1m	300mm	60t p/h
HMC3.1MW	Material Conveyor	3.1m	450mm	90t p/h
HMC4.4MW	Material Conveyor	4.1m	450mm	90t p/h

Niko Scaffolding Runway System

The Scaffolding Runway System is unique to Niko Ltd and provides a solution for lifting and moving loads throughout a scaffolding support structure.

NIKO PROFILE	S.W.L.	TRACK SUPPORT CENTRES	MAX. CANTILEVER
24,000	125kg	1m	0.35m
25,000	250kg	1.5m	0.4m
26,000	500kg	1.5m	0.5m
27,000	1000kg	1.5m	0.5m
27,000	1600kg	1m	0.3m



- ▲ Clamps to existing scaffolding structure
- ▲ Lift and move loads up to 2000kg
- ▲ Cantilever over the end of the scaffolding
- ▲ Available in straight and curved sections
- ▲ Change direction with junction switches
- ▲ Suspend a bridge from 2 runways to create a crane system
- ▲ Supplied in kit form for ease of installation, extension and relocation
- ▲ Some components approved to EN795 for fall arrest

Vacuum Glass Lifter



Self-contained, dual circuit, battery-operated vacuum lifters with various lifting capacities.

Units are available to lift up to 250kg.

PRODUCT CODE

HVGL



Crane Site Equipment

NEW PRODUCT

Armorgard Tuffcage

This unique folding gas cage, featuring a galvanised finish for all-weather durability, can be erected in just 60 seconds to securely store gas cylinders.

PRODUCT CODE	DESCRIPTION	DIMENSIONS
HGBC	tuffcage	1305mm x 1759mm x 1240mm



- ▲ No Detachable Parts
- ▲ Forklift Skids
- ▲ Coshh Compliant
- ▲ Collapsible
- ▲ Stackable
- ▲ Padlock Secured
- ▲ Safety Signage
- ▲ Clamps

Crane Site Equipment

Block Grabs

Block grabs can be used to lift all standard brick and block packs and can be used along with cranes and forklift trucks.

A net is provided with forks to prevent accidental spillage.

PRODUCT CODE	DESCRIPTION	S.W.L.
HBG0.3T	Block Grab	0.3t
HBG1.5TFP	Block Grab	1.5t
HBG1.8TFP	Block Grab	1.8t
HBG2TFP	Block Grab	2t
HSN	Spillage Net	N/A



Man Riding Basket 1 Man | 2 Man | 4 Man | 6 Man | 12 Man

PRODUCT CODE	DESCRIPTION
HMBR1	1 Man Circular Basket
HMB2	2 Man Basket
HMB4	4 Man Basket
HMBR6	6 Man Basket
HMBR12	12 Man Basket

- ▲ To be utilised with cranes
- ▲ Available in 1, 2, 4, 6 or 12 man sizes
- ▲ Man baskets for forklifts are also available
- ▲ A safety harness with a suitable lanyard must be worn when using a man riding basket



Crane Site Equipment

Goods Carrying Cage

A safe, convenient method of transporting materials to and from high or low level.

Sturdy construction with front gate for easy loading and 1m high full mesh for security. Fitted with four fully tested lifting lugs. Fork pockets are fitted as standard.

PRODUCT CODE	DESCRIPTION	S.W.L.
HGCC1.5T	Goods Carrying Cage - 1.25m x 1.25m x 1m	1.5t
HGCC3T	Goods Carrying Cage - 2.5m x 1.25m x 1m	3t



Scaffold Lifting Cage

Designed specifically for the scaffolding industry, the scaffold lifting cage can guarantee maximum safety while lifting bundles of scaffolding tubes of varying lengths.

PRODUCT CODE	DESCRIPTION	S.W.L.	STANDARD LENGTH
HSLC1T	Scaffold Lifting Cage	1t	1.7m
HSLC1T2.6M	Scaffold Lifting Cage	1t	2.6m
HSLC1T5M	Scaffold Lifting Cage	1t	5m
HSLC1.5T3M	Scaffold Lifting Cage	1.5t	3m
HSLC3T5M	Scaffold Lifting Cage	3t	5m

- ▲ Scaffolding tubes are secured using ratchet straps, supplied with the cage
- ▲ Fitted with 4 fully tested lifting lugs
- ▲ 4 Pockets are also fitted as standard as well as lockable ends
- ▲ Cages are stackable



Crane Site Equipment

Site Stretcher Cage

Site stretcher cages are a requirement and deemed the only suitable means of rescue for an injured or sick worker.

A must for certain work at height situations or when working in an excavation.

For use with a crane.

PRODUCT CODE	DESCRIPTION	S.W.L.
HCSC2M	Site Stretcher Cage	190kg
HBS	Stretcher	One Man



Gas Bottle Lifting Cage

Gas bottle lifting cages are designed to lift a number of gas bottles in a safe manner on site.



PRODUCT CODE	DESCRIPTION	S.W.L.
HGBC350KG	Gas Bottle Lifting Cage	350kg
HGBC530KG	Gas Bottle Lifting Cage	530kg

Board / Pallet Forks

Board forks are used for lifting sheet materials on site.

They are designed primarily for the simple and safe lifting of plasterboard or composite timber board materials such as plywood sheets, although they can handle any similar sheet products.

These forks can be used to lift multiple sheets in the horizontal or vertical plane which provides a safe method for lifting these heavy sheets.

The benefit of these board forks are that they reduce the need for manual handling because they can be used with a crane, which means sheets can be transported in bulk.

PRODUCT CODE	DESCRIPTION	S.W.L.
HCBL1.6T	Board / Pallet Forks	1.6t



Crane Site Equipment

Caged Brick Forks

The caged crane forks have been designed for lifting and moving palletised loads of bricks, blocks and bagged of building material.

PRODUCT CODE	DESCRIPTION	S.W.L.
HCFC2T	Caged Brick Forks	2t



Self-Levelling Crane Forks / Pallet Forks

Crane forks allow you to safely and easily move palletised loads using a crane.

A net is provided with the forks to prevent accidental spillage.


PRODUCT CODE	DESCRIPTION	S.W.L.
HCF1.5T	Self Levelling Crane / Pallet Forks	1.5t
HCF2T	Self Levelling Crane / Pallet Forks	2t
HSN	Spillage Net	N/A



Car Lifting Net

A unique way to safely lift vehicles.
A great item to use at exhibition and shows.

PRODUCT CODE	DESCRIPTION	S.W.L.
HCARN	Car Lifting Net	6t



Crane Site Equipment

Skip Lifting Cradle

The skip lifting cradle provides a safer method of lifting a builder's skip with a crane and provides a balanced and supported option.

PRODUCT CODE	DESCRIPTION	S.W.L.
HSLC12T	Skip Lifting Cradle	12t

- ▲ These cradles allow for skips to be lifted from the base rather than using the lifting lugs
- ▲ Designed to lift both 6 and 8-yard builder's skips
- ▲ Fitted with captive lifting chain slings that can be used with a crane
- ▲ Suited for rugged construction activities



Bosun's Chair

The Bosun's Chair is a lifting accessory designed to offer a comfortable seat for extended sessions of work in a suspended position.

PRODUCT CODE	DESCRIPTION	S.W.L.
HBC	Bosun's Chair	115kg

- ▲ It can be used in a range of applications, from confined space and maintenance work, to personal retrieval and rescue functions
- ▲ Due to the comfort and support offered by this seat a user can work more efficiently for longer periods without tiring or suffering negative effects of suspension in a harness alone
- ▲ It is important that the user still wears a harness connected directly to ppe equipment
- ▲ Must be used in conjunction with a fall arrest system



Concrete, Stone and Muck Handling



Concrete, Stone and Muck Handling

Concrete Skips

We have a range of skips in different sizes for use when pouring concrete.



Geared Concrete Skip

Designed for universal use, with a straight or lateral outlet and moveable flow control chute. Cylindrical-conical shape with cylindrical straight outlet, rugged heavy-duty design with geared operation of the patented discharge gate.

PRODUCT CODE	DESCRIPTION	SIZE
HGS500	Geared	500ltr
HGS1000	Geared	1000ltr
HGS1500	Geared	1500ltr



Levered Concrete Skip

Designed for universal use, with a straight or lateral outlet and moveable flow control chute. Cylindrical-conical shape with cylindrical straight outlet. Rugged heavy-duty design with lever operation of the patented discharge gate.

PRODUCT CODE	DESCRIPTION	SIZE
HCCS500	Levered	500ltr
HCCS1000	Levered	1000ltr



Column Skip

Horizontal cylindrical-conical shape with straight outlet and hose coupling, rugged heavy-duty design with lever operation of the patented discharge gate, and lift beam.

PRODUCT CODE	DESCRIPTION	SIZE
HCCS500	Column	500ltr
HCCS1000	Column	1000ltr
HCCS1500	Column	1500ltr

HOSE AVAILABLE FOR SALES ONLY

Self-Discharge Boat Skip

With drop-down lift beam, hook ring and latch for automatic emptying of the skip without an assistant.

The drop-down hanger makes the skip particularly ideal for filling by small construction machines.

- ▲ Ideal for general waste and removal on site
- ▲ Automatic emptying design
- ▲ No third-party assistance required

PRODUCT CODE	DESCRIPTION	SIZE
HMSB1T	Self-Discharge Boat Skip	500ltr
HMSB2T	Self-Discharge Boat Skip	1000ltr
HMSB3T	Self-Discharge Boat Skip	1500ltr
HMSB4T	Self-Discharge Boat Skip	2000ltr



Concrete, Stone and Muck Handling

Circular Muck Tipping Skip

With fold-down hanger and safety lock. When the safety lock is opened by hand the tub empties automatically in response to the centre of gravity of the hanger.

Traditional muck skips are used for removal of general muck and rubbish on site.

PRODUCT CODE	DESCRIPTION	SIZE
HMS500	Circular Muck Tipping Skip	500ltr
HMS1000	Circular Muck Tipping Skip	1000ltr
HMS1500	Circular Muck Tipping Skip	1500ltr
HMS2000	Circular Muck Tipping Skip	2000ltr




FORK LIFT TRUCK TIPPING SKIPS AVAILABLE

Cargo Nets

Heavy duty Cargo / Lifting Nets are ideal for lifting and securing loads or several individual items, due to the versatile and balanced lifting design.

3M X 3M | 5M X 5M

PRODUCT CODE	DESCRIPTION	S.W.L.
HCN2T	Cargo Net 3m x 3m	2t
HCN2T5	Cargo Net 5m x 5m	2t



Concrete, Stone and Muck Handling

Mechanical Boulder / Rock Grab

These easy to use grabs are specifically designed for lifting rocks, boulders and natural stones of varying weights, shapes and sizes.

PRODUCT CODE	DESCRIPTION	SIZE	WEIGHT
HMBG	FVZ-UNI Mechanical Boulder / Rock Grab	1500kg	99kg



- ▲ By changing the chain position, the clamp can be lifted after setting of the stone
- ▲ Automatically adjust gripping range from 0mm to a maximum of 950mm
- ▲ Comes with lifting eye for attaching to a crane hook

Stone Vacuum Magnet

The battery-driven vacuum lifting device, easy to handle, robust, independent of main power supply. Flexible, fast and secure installation of primarily vacuum-dense elements, e.g. such as granite.

The vacuum magnet is ideal for use with crane or lifting machine to lift heavy stone or concrete slabs or blocks.

PRODUCT CODE	DESCRIPTION	S.W.L.
HM200	Stone Vacuum Magnet	200 / 400kg
HM600	Stone Vacuum Magnet	600kg

- ▲ Can be used with any hoist
- ▲ With integral chain-box and load-securing chain
- ▲ Integral charger socket for charging
- ▲ Powered by rechargeable, exchangeable 12v battery
- ▲ Power saving control system ensures battery lasts for one whole working day




Concrete, Stone and Muck Handling

Flag Laying Vacuum Handles

Flexible and powerful hand operated laying device for dense products, such as granite or high quality concrete elements up to 160kg weight.

PRODUCT CODE	DESCRIPTION	S.W.L.
HFLVH150	VPH-150 Flag Laying Vacuum Handles	150kg
HFLVH160	VPH-160 Flag Laying Vacuum Handles	160kg



- ▲ Powerful battery operated units
- ▲ Ideal for placing heavy, large items
- ▲ Use manually or via a central lifting eye
- ▲ Different sizes and plates available



Kerb Stone Lifting Handles

Especially suitable for handling concrete kerb stones.

The one-sided angular supports which are placed on the kerb stone already in place enable an extremely narrow joint.

PRODUCT CODE	DESCRIPTION	S.W.L.
HKLH40KG	Kerb Stone Lifting Handles	40kg



- ▲ Grips longitudinally so that it can be used in tightest spaces
- ▲ No deflection of the plumb line
- ▲ All models are equipped with a lifting eye
- ▲ S.W.L. When lifted from lifting eye is 100kg



Concrete, Stone and Muck Handling

Universal Lifting Handles

A large adjustable opening range means the BVZ can be universally used for all gardening and landscaping-design products.

PRODUCT CODE	DESCRIPTION	S.W.L.
HULH40KG	Universal Lifting Handles	40kg



- ▲ Removable handles
- ▲ Exchangeable rubber metal bars as gripping elements
- ▲ Pin bolts to adjust the opening width

Block Paving Extractor

An essential tool for any contractor who lays paving blocks or carries out repairs to paved surfaces.

Adjustable to fit any size and shape of paver.

PRODUCT CODE	DESCRIPTION	S.W.L.
HBPE20KG	Block Paving Extractor	20kg

- ▲ With locking device
- ▲ The gripping width can be adjusted without tools
- ▲ Easily exchangeable, high quality profiled spring steel blades
- ▲ Durable surface protection by galvanising



Concrete, Stone and Muck Handling

Pipe Laying Hooks

This hook allows the safe lifting and placing of pipes horizontally. A fitted safety chain ensures the load cannot slip.

Ensures greater safety and saves time when laying pipes.

PRODUCT CODE	DESCRIPTION	S.W.L.
HPLH3T	Pipe Laying Hook	3t

- ▲ For pipes up to 1m length
- ▲ Eyelet for attaching to crane hook
- ▲ Handle for safer insertion into the pipe
- ▲ Safety chain



Pipe Lifting Hooks

Used in pairs, these hooks fit into the ends of pipes.

This allows the pipes to be lifted with a 2 leg chain sling.

PRODUCT CODE	DESCRIPTION	S.W.L.
HPLH2T	Pipe Lifting Hook	2t
HPLH4T	Pipe Lifting Hook	4t
HPLH6T	Pipe Lifting Hook	6t
HPLH20T	Pipe Lifting Hook	20t

- ▲ To be used in pairs
- ▲ Hooks to fit into the end of pipes
- ▲ Lifted with a 2 leg chainsling



Concrete, Stone and Muck Handling

JUMBOMOBILJM-VARIO Vacuum Slab Laying Machine



For the easy, exact, and economical laying of concrete slabs, natural stones, slabs with exposed aggregates, large pavers, petrol station pavers, and environmental pavers.

JUMBO VACUUM	DESCRIPTION	WLL
HJMV	JUMBOMOBILJM-VARIO Vacuum Slab 150-B	150kg

- ▲ Slabs which have already been laid can easily be lifted again
- ▲ Can easily lay up to 400 square metres a day
- ▲ Extremely easy and light laying as the lifting and setting down are done by a vacuum hose lifter
- ▲ Exact positioning of slabs by means of a smooth-running pillar swing crane with low dead weight
- ▲ With knuckle boom for safe and quick installation even along house walls



Manhole Cover Lifter

Our four key manhole cover lifter makes easy work for lifting manhole covers. The built-in hydraulic cylinders make this sometimes arduous task a one-man operation.

PRODUCT CODE	DESCRIPTION	S.W.L.
HMCL1.5T	4 Key Manhole Cover Lifter	1.5t



Concrete, Stone and Muck Handling

Vacuum Kerb and Stone Layer

FOR EXCAVATOR OR CRANE / PETROL

- ▲ Lift both stone or steel products
- ▲ Utilise different heads and plates
- ▲ Suspend from excavator or crane
- ▲ Ideal for repetitive stone laying
- ▲ Use for slabbing and kerbing

PRODUCT CODE	DESCRIPTION	S.W.L.
HVKL1T	Vacuum Kerb and Stone Layer	1t



Lifting Pins for Manholes

Specially designed pins for the lifting of man-hole pipes. 25mm, 32mm, 35mm or 38mm diameters are available.

The safe way for lifting, positioning and handling of manhole pipes and chambers.

PRODUCT CODE	DESCRIPTION	S.W.L.
HMLP0.75T	Lifting Pins for Manholes	0.75t
HMLP1T	Lifting Pins for Manholes	1t
HMLP1.5T	Lifting Pins for Manholes	1.5t
HMLP2T	Lifting Pins for Manholes	2t

- ▲ Designed specifically to speed up lifting operations where manhole pipes are involved
- ▲ Safe and simple to use
- ▲ No threads needing protection or nuts to safe guard
- ▲ Must not be used singularly




Concrete, Stone and Muck Handling

Manhole Ring Clamp

These clamps are designed for moving, transporting and laying heavy concrete manhole rings and cones.

PRODUCT CODE	DESCRIPTION	S.W.L.
HMRC0.8T	Manhole Ring Clamp	0.8t
HMRC1.5T	Manhole Ring Clamp	1.5t
HMRC3T	Manhole Ring Clamp	3t

- ▲ Especially easy handling and lightweight
- ▲ Automatically adjustable clamping range of the claws to the thickness of the pipe walls



Manhole Ring Lifter

The ring lifter allows rigid grip on the inside of concrete items such as shaft rings, cones, bases and covers.

This universal manhole and cone clamp SVZ-uni enormously rationalizes transport and installation of manhole elements.

PRODUCT CODE	DESCRIPTION	S.W.L.
HMLR2.5T	Manhole Ring Lifter	2.5t

- ▲ Especially suitable for manhole basers, rings and cones
- ▲ An additional operator is not necessary as the driver of the lifting machine “switches” the svz-uni from gripping to releasing by a slight movement of the lifting hook
- ▲ The settings to the required diameters of the products is done very quickly through plug bolts. A rearrangement of the settings is not necessary when handling manhole rings and cones, as the svz-uni has got two gripping levels
- ▲ Efficient and economic handling of all kinds of manhole elements



Concrete, Stone and Muck Handling

Prefabricated Concrete Grab

Suitable for handling concrete components, prefabricated units, steps, kerb stones, natural stones and more.

PRODUCT CODE	DESCRIPTION	GRIPPING RANGE (MM)	INSIDE HEIGHT (MM)	GRIPPER LENGTH (MM)	S.W.L.
HCKG900KG	FTZ-1	50 – 520	170	420	900kg
HUKSLC1.5T	FTZ-uni 15	0 - 750	255	420	1,500kg
HCBG4TFP	FTZ-uni 40	0 – 850	200	720	4,000kg



Concrete Kerb Grab

Adjustable grabs for use with a crane or other lifting machine.

Suitable for handling steps, kerb stones, L-stones and more. Easily adjustable opening width by means of spring loaded bolt.

PRODUCT CODE	DESCRIPTION	S.W.L.
HCKG250KG	Concrete Kerb Grab	250kg
HCKG500KG	Concrete Kerb Grab	500kg
HCKG600KG	Concrete Kerb Grab	600kg




Kerb Stone Clamp

Fully mechanical operation for use with any wheel loader, excavator or any other carrier.

PRODUCT CODE	DESCRIPTION	GRIPPING RANGE (MM)	S.W.L.
HVZ-M0.2T	VZ-M UNI Kerb Stone Clamp	900 - 1065	300kg

- ▲ Lifting eye for attaching to crane hook
- ▲ Handles for optimal guidance of the clamp
- ▲ Automatic release for the fully automatic switch over 'full' to 'empty'



Concrete, Stone and Muck Handling

Concrete Highway Divider Clamp

With this mechanical grab, barrier walls can be gripped safely without leaving any marks on the concrete elements.

Even densely stacked asymmetrical elements can be lifted and installed easily, due to the slim design of gripper arms. Thus, more barrier elements can be loaded and transported on the truck, which results in a considerable reduction in costs!

PRODUCT CODE	DESCRIPTION	GRIPPING RANGE (MM)	S.W.L.
HDBG	BSZ-KH-4.5	150 - 210	4.5t



Forklift Truck Accessories



Forklift Telescopic Jib

The extending jib allows the movement of long and awkward loads from inaccessible locations with up to 9 different lifting positions and with the added benefit of two hooks and shackles so as to 'cradle' your load.

PRODUCT CODE	S.W.L.
HTJ1.1T	1t
HTJ2.5T	2.5t
HTJ3T	3t
HTJ4T	4t
HTJ5T	5t

- ▲ Multi hook positioning from 1000-3000 load centres
- ▲ Supplied complete with 2 no swivel hooks and bow shackles
- ▲ Maximum fork section 150 x 50 mm at 435 mm centres
- ▲ Zinc plated heel pins for safe attachment to truck



Wheelie Bin Lifter - 1100L

The Fork Mounted Wheelie Bin Lifter is designed to safely lift, move and empty 660 and 1100 Litre Wheelie Bins equipped with side trunnions.

With this type of waste management becoming more and more popular by the day, it is this attachment which can offer a solution to the associated logistical and time-keeping constraints. The attachment is operated via gearbox and endless chain for safe use from low level.

PRODUCT CODE	DESCRIPTION	WLL (T)	WEIGHT (KG)
6221WBL2	Wheelie Bin Lifter - 1100 Litre	0.6	225

STANDARD FEATURES

- ▲ 50 – 1 geared gear box
- ▲ Six metres endless chain
- ▲ Ratchet tensioner strap to leading edge
- ▲ Maximum fork section 150x60mm at 579mm centres
- ▲ Zinc plated twist screws for safe attachment to truck
- ▲ Painted bright orange for safety




Forklift Hook Attachment

Fork Mounted Hooks provide an economical and safe method of converting a forklift truck into a mini mobile crane.

Multiple lifting positions can be achieved along the fork blade.

PRODUCT CODE	S.W.L.
HFLHA2T	2t
HFLHA3T	3t
HFLHA4T	4t
HFLHA5T	5t

- ▲ Two fixed lifting points along the fork blade
- ▲ Supplied complete with single swivel hook and bow shackles
- ▲ Four way pocket entry for ease of storage
- ▲ Maximum fork section 150 x 50 mm at 481 mm centres
- ▲ Zinc plated heel pins for safe attachment to truck



Forklift Man Basket

Designed to carry personnel while safely working at height, for use with forklift truck or crane.

Fitted as standard with practical tool tray, four crane lugs (no chain) and entrance door on side.

PRODUCT CODE	S.W.L.
HFLMB2M	2 Man



Forklift Truck Accessories

Forklift Truck Tipping Skip

Designed to simplify the holding, movement and disposal of material in confined areas with the unique '4 way entry' base.

The skip is supplied as manual operation as standard.

PRODUCT CODE	DESCRIPTION	S.W.L.	CAPACITY
HFLT600	FLT Tipping Skip	600kg	300ltr
HFLT1T	FLT Tipping Skip	1t	500ltr
HFLT1.5T	FLT Tipping Skip	1.5t	700ltr
HFLR2.4T	FLT Tipping Skip	2.4t	1200ltr

- ▲ Low loading height
- ▲ 4 Way fork pocket entry
- ▲ Secondary locking mechanism to prevent accidental discharge
- ▲ Manual handle override
- ▲ Maximum fork section 150 x 50 mm at 675 mm centres
- ▲ Zinc plated heel pins for safe attachment to truck



Forklift Truck Extension Forks

PRODUCT CODE	DESCRIPTION
HFLEXT1.8M	FLT Extension Forks 1.8m
HFLEXT2.3M	FLT Extension Forks 2.3m
HFLEXT2.44M	FLT Extension Forks 2.44m

- ▲ Sits over truck's own forks
- ▲ Allows uplift of bulkier loads
- ▲ Length up to 2.44m



Forklift Truck Accessories

Heavy Duty Towable Site Bogey

These heavy duty bogies are ideal for the movement of heavy items around site.

Designed to be pulled by a forklift truck, their large bed measurements make them an excellent addition to any industrial site.

PRODUCT CODE	DESCRIPTION	S.W.L.	BED DIMENSIONS
HTSB20T-	Site Bogey	20t	3.6m x 2m



Trucks and Trolleys

Trucks and Trolleys

Four Fork Attachment

Designed to provide a method of lifting and moving un palletised loads such as timber planks, sheet steel and tubing, plastic pipes and concrete lintels safely and in turn minimizing the potential of damaging the product.

MODEL	WEIGHT (kg)	C of G (mm)	LLC (mm)	ATTACHMENT Width (mm)	POCKET Length (mm)	MAX Fork (mm)	CAPACITY (kg) at 600mm L.C.
IFF-1	140	335	100	1500	1200	150 x 50	1500
IFF-2	160	295	100	2000	1200	150 x 50	2000
IFF-3	178	265	100	2500	1200	150 x 50	2500
IFF-4	230	235	100	3000	1200	150 x 50	3000



Standard Features

- ▲ Inner fork pocket positioned to suit site application (advise on placement of order otherwise set at 683crs as standard)
- ▲ Smooth profiled fork pockets to ensure product care
- ▲ Zinc plated heel pins for safe attachment to truck
- ▲ Painted bright orange for safety

Pallet Trucks

Pallet trucks are available in standard and wide.

PRODUCT CODE	DESCRIPTION	S.W.L.	FORK WIDTH	FORK LENGTH	H.O.L.
HSPT2.5T	Standard Pallet Truck	2.5t	540mm	1150mm	150mm
HWPT2.5T	Wide Pallet Truck	2.5t	685mm	1150mm	200mm



Trucks and Trolleys

Long Nose Pallet Trucks

PRODUCT CODE	DESCRIPTION	S.W.L.	FORK WIDTH	FORK LENGTH	H.O.L.
HLNPT1T	Long Nose Pallet Truck	1t	540mm	1500mm	200mm
HLNPT1.5T	Long Nose Pallet Truck	1.5t	550mm	2000mm	165mm
HLNP2	Long Nose Pallet Truck	2t	160mm	2000mm	200mm



- ▲ First class manoeuvrability
- ▲ Comfortable and ergonomic handle design
- ▲ 210° Rotation

High Lift Pallet Trucks

The high lift pallet truck (also sometimes referred to as a 'Hi-lifter truck' or 'Scissor Lift Pallet Truck') is designed to eliminate repetitive back strain when loading or offloading pallets by hand.

The high lift pallet truck has a scissor action to lift pallets to a working height of 800mm. Our scissor lift pallet trucks conform to the latest applicable health and safety regulations and can help to reduce the chances of a back strain or injury.



- ▲ Automatically braked when raised above 400mm
- ▲ Three position control lever
- ▲ Automatic descending speed control
- ▲ Quick lift as standard on manual models

PRODUCT CODE	DESCRIPTION	S.W.L.	FORK WIDTH	FORK LENGTH	H.O.L.
HHLPT1T	High Lift Pallet Truck	1t	540mm	1170mm	800mm

Trucks and Trolleys

Hydraulic Mini-Lifter

With fixed platform, this foot operated hydraulic lift has a simple, sensitive hand-operated lowering mechanism.

Polyurethane steering castors fitted with parking brakes and wheel guards. For light duty work where loads exceed the manual handling directive but do not demand a heavy-duty stacker.

PRODUCT CODE	DESCRIPTION	S.W.L.
HMHLT400KG	Hydraulic Mini-Lifter	400kg

- ▲ Smooth operating foot pump with positive lifting
- ▲ Fitted with pressure/overload valve for added safety
- ▲ Fixed platform
- ▲ Smooth running braked steer wheels



Weighing Pallet Truck

If you need to weigh a pallet, stillage, crate or similar receptacle, you can use a weighing hand pallet truck.

These pallet trucks have a built in scale typically set to 2000kg. If your application requires it we can re-calibrate the pallet trucks to lower capacities which gives higher accuracy. Weighing pallet trucks are often also used as portable scales so you do not have to move the load.

PRODUCT CODE	DESCRIPTION	S.W.L.	FORK WIDTH	H.O.L.
HWPT2T	Weighing Pallet Truck	2t	560mm	110mm



Trucks and Trolleys

Electric Powered Pallet Trucks

The electric pallet truck meets the needs of a vast number of applications guaranteeing high performance, even during the heaviest operations.

Ideal for workshops and sites with smooth surfaces.

PRODUCT CODE	DESCRIPTION	S.W.L.
HPPT1T	Electric Powered Pallet Truck	1t
HPPT1.6T	Electric Powered Pallet Truck	1.6t
HPPT2T	Electric Powered Pallet Truck	2t
HPPT3T	Electric (Stand On) Pallet Truck	3t

- ▲ 110v and 240v options
- ▲ Standard forks – 1150 mm x 550mm
- ▲ Ease of use, increased productivity



Powered Stacker Truck

Compact sized stackers are the ideal solution to work in confined spaces and are both powerful and reliable.

Ideal for lifting and moving pallets in factories and warehouses on smooth surfaces.

PRODUCT CODE	DESCRIPTION	S.W.L.
HGX12	Powered Stacker Truck 3.5m H.O.L.	1.2t
HLX14	Powered Stacker Truck 4.5m H.O.L.	1.4t



- ▲ 110v power supply
- ▲ Powered drive and lifting
- ▲ Various height of lift options available
- ▲ Ideal solution where a fork lift truck cannot be used

POWERED STACKERS	S.W.L.	REDUCED S.W.L.	H.O.L.	MIN. HEIGHT	WEIGHT
GX12/35 EVO	1.2t	600KG @ 2.5M	3.5m	2.25m	618kg
LX14/45 (triplex)	1.4t	1400kg @ 3.3m 1200kg @ 3.6m 1000kg @ 4m 800kg @ 4.5m	4.5m	2.08m	1190kg

Trucks and Trolleys

Power Pusher

The Power Pusher is a versatile pedestrian operated, electric tug / utility vehicle used to move, push, pull, steer and manoeuvre industrial loads.

The Power Pusher is a cost-effective alternative to a forklift truck or other ride-on vehicle and is significantly safer and quicker than having employees attempt to manually move such heavy loads.

PRODUCT CODE	DESCRIPTION	S.W.L.
HBT2000N	2T Power Tug	2000N
HPP5100N	Power Pusher	5100N



Rough Terrain Electric Pallet Truck

Tackle tough terrain with ease – this rough terrain pallet truck is built for construction sites, parks, farms, and festivals, offering strength, versatility and all-terrain agility.

PRODUCT CODE	DESCRIPTION	S.W.L.	MAX. PALLET WIDTH
HATPT1.2T	All Terrain Pallet Truck	1.2t	1800mm
HATPT1.5T	All Terrain Pallet Truck	1.5t	1800mm

- ▲ Ideal for moving pallets in tight or irregular spaces, especially
- ▲ In construction. Meets EC standards
- ▲ Electrical operation: forward, backward and lift
- ▲ Batteries and cables are fully protected for durability on-site. Operates silently with zero emissions.
- ▲ Security brake (according to standards) and security key for added protection
- ▲ Easy overnight charging with the supplied charger



All Terrain Manual Pallet Truck

An ideal means of transporting palletted goods on site.

Large rubber wheels assist movement over rough or uneven terrain. The load is lifted by a hydraulic ram as per a regular truck.

PRODUCT CODE	DESCRIPTION	S.W.L.	MAX. PALLET WIDTH
HATPT1.2T	All Terrain Pallet Truck	1.2t	1800mm
HATPT1.5T	All Terrain Pallet Truck	1.5t	1800mm



Trucks and Trolleys

Board Trolley

The panel trolley is an ideal product for transporting wallboards, MDF sheets and other difficult to carry panels around site.

PRODUCT CODE	DESCRIPTION	S.W.L.
HBT2W	Board Trolley 2 Wheels	100kg
HBT4W200KG	Board Trolley 4 Wheels	200kg
HBT4W	Board Trolley 2 Wheels	350kg



Sack Truck - Solid Wheels

Sack trucks, or folding sack barrows are essential wherever heavy lifting is needed. With an L-shaped ledge on two wheels, they let users tilt and move loads with ease, making them invaluable in warehouses, factories, and similar environments.

While traditional heavy-duty sack trucks remain popular, they can be tailored for specific tasks.

PRODUCT CODE	DESCRIPTION	S.W.L.
HST200KG	Sack Truck - Solid Wheels	200kg



Trucks and Trolleys

Pipe Bogey

Allows you to move pipework effortlessly and easily around site.

PRODUCT CODE	DESCRIPTION	S.W.L.
HPB125KG	Pipe Bogey	125kg
HPB500KG	Pipe Bogey	500kg



Stair Climber

Ideal for moving heavy objects up and down stairs. Powered stair climbers run on rechargeable batteries.

PRODUCT CODE	DESCRIPTION	S.W.L.
HSCM40KG	Manual Stair Climber	40kg
HSCP310KG	Powered Stair Climber	310kg
HSCP454KG	Powered Stair Climber	454kg
HSCP680KG	Powered Stair Climber	680kg

POWERED OR MANUAL



Trucks and Trolleys

Skoots Furniture Mover

PRODUCT CODE	DESCRIPTION	S.W.L.
HSKT2T	Skoots Furniture Mover	2T
HSKT5T	Skoots Furniture Mover	5T

- ▲ Designed for lifting and moving large heavy objects
- ▲ Ideal for moving safes, vending machines and display cabinets
- ▲ Lifted hydraulically
- ▲ Held in place with nylon ratchet straps
- ▲ Fitted with wheels that slew 360°



Scissor Lift Table

The scissor lift table can be raised or lowered to enable work to be carried out at an appropriate height.

They are also fitted with wheels, allowing them to be moved under load.

PRODUCT CODE	DESCRIPTION	S.W.L.
HHSLM300KG	Scissor Lift Table	300kg
HHSLM500KG	Scissor Lift Table	500kg
HHSLM1T	Scissor Lift Table	1T
HHSLM2T	Scissor Lift Table	2T



Trucks and Trolleys

Turntable Site Truck

Turntable trucks can be used for moving a large quantity of small objects or larger bulkier loads.

PRODUCT CODE	DESCRIPTION	S.W.L.	BED DIMENSIONS
HTT500KG	Turntable Site Truck	500kg	1220mm x 610mm
HTT1T	Turntable Site Truck	1000kg	1525mm x 760mm
HTT2T	Turntable Site Truck	2000kg	2000mm x 1000mm

- ▲ Trucks are fitted with either solid or pneumatic tyres
- ▲ Ideal for various terrains
- ▲ Various bed dimensions are available



Jacks and Skates



Jacks and Skates

Hydraulic Cylinders

Very compact cylinders for all lifting, positioning and basic maintenance applications.

Different closed heights and strokes are available upon request.
Low profile, low height, pad jacks and hollow cylinders are available.

PRODUCT CODE	DESCRIPTION	S.W.L.	CLOSED HEIGHT	MAX. STROKE
HHC5T	Hydraulic Cylinder	5t	92mm	25mm
HHC10T	Hydraulic Cylinder	10t	86mm	35mm
HHC25T	Hydraulic Cylinder	23t	150mm	50mm
HHC50T	Hydraulic Cylinder	50t	122mm	60mm
HHC100T	Hydraulic Cylinder	100t	191mm	100mm
HHC250T	Hydraulic Cylinder	250t	Please call for more details	
HHC700T	Hydraulic Cylinder	700t		



DON'T FORGET TO ORDER YOUR HYDRAULIC PUMP AND HOSES

Lightweight Aluminium Jacks

WITH OR WITHOUT CLAW ATTACHMENT

All of our aluminium jacks can be used as either a conventional cylinder or alternatively as a claw jack for low height situations.

PLEASE NOTE: The claw attachment is only capable of lifting 40% of the jack's capacity.

PRODUCT CODE	DESCRIPTION	S.W.L.	CLOSED HEIGHT	MAX. STROKE	MIN. TOE HEIGHT
HTJ6T	Aluminium Jack	6.5t	131mm	75mm	N/A
HTJ20T	Aluminium Jack	20t	280mm	152mm	67mm
HTJ30T	Aluminium Jack	30t	284mm	152mm	72mm
HTJ60T	Aluminium Jack	60t	327mm	152mm	72mm



Jacks and Skates

Steel Toe Jacks

Designed for ultra low clearance under loads (41mm), these jacks can lift up to 5 tonnes on the toe or can be used as a conventional jack, utilising the unit's head.

PRODUCT CODE	DESCRIPTION	S.W.L.	CLOSED HEIGHT	MAX. STROKE	MIN. TOE HEIGHT
HSTJ5T	Hydraulic Steel Toe Jack	5T	327mm	230mm	41mm
HSTJ501T	Hydraulic Steel Toe Jack	10T	420mm	230mm	30mm



Hydraulic Jack and Cylinder Accessories

A range of accessories for use with hydraulic jacks and cylinders.

Can be hired for use with your own equipment if required.

PRODUCT CODE	DESCRIPTION	OPERATING PRESSURE
HHP	Hydraulic Hand Pump	700 bar
HEMP	Electric Pump	700 bar
H4WM	4 Way Manifold	700 bar
H2WM	2 Way Manifold	700 bar
HPG	Pressure Gauge	0 - 1000 Range
HHHX3M	Hose Extension 3m	700 bar



ELECTRIC PUMP



HYDRAULIC HOSE



PRESSURE GAUGE



4 WAY MANIFOLD



HYDRAULIC HAND PUMP

Jacks and Skates

Bottle Jacks

These compact self-contained units are perfect for general operations such as lifting, pushing, moving and supporting all kinds of loads.

They can be used either in the vertical or horizontal position.

PLEASE NOTE: Bottle jacks are fitted with a screw out manual extension to extend the height lift.

PRODUCT CODE	DESCRIPTION	S.W.L.	CLOSED HEIGHT	MAX. STROKE
HBJCK6T	Bottle Jack	6t	219mm	130mm
HBJCK12T	Bottle Jack	12t	240mm	153mm
HBJCK20T	Bottle Jack	20t	240mm	153mm



Hydraulic Separating Wedges

Wedges can be inserted into tight spaces such as between machinery or prising apart.

They are available in either a self-contained format or with separate hydraulics.

PRODUCT CODE	DESCRIPTION	S.W.L.
HLW10T	Separating Wedge	10t
HLW20T	Separating Wedge	20t



Jacks and Skates

Hydraulic Puller Kits

These puller units are used for removing and installing tight fitting parts such as gears, bearings, shafts etc.

A hydraulic ram applies pressure to remove / install the seized / stuck component.

Both self contained and separate hydraulic versions are available.

PRODUCT CODE	DESCRIPTION	S.W.L.
HPK30T	Hydraulic Puller Kit	30t



Steerable Nylon Load Moving Skates

Our skate sets comprise of a steerable front section and a pair of adjustable rear trolleys.

They are ideal for moving and positioning heavy loads.

PRODUCT CODE	DESCRIPTION	S.W.L.
HNS10T	Steerable Nylon Moving Skates	10t
HNS12T	Steerable Nylon Moving Skates	12t
HNS20T	Steerable Nylon Moving Skates	20t
HNS30T	Steerable Nylon Moving Skates	30t
HNS60T	Steerable Nylon Moving Skates	60t
HNS80T	Steerable Nylon Moving Skates	80t
HNS100T	Steerable Nylon Moving Skates	100t



TECHNICAL DATA MODEL SX AND MODEL SX AND MODELS


MODEL	EAN-NO. 4025092*	CAPACITY	OVERALL HEIGHT	NUMBER OF ROLLERS	ROLLER DIAMETER	COLOUR OF ROLLERS	WEIGHT
SX-10	*158503	10	102	16	82	Black	54
SX-20	*158541	20	102	32	82	Black	76
SX-30	*158589	30	110	48	82	Black	136
S-60	*161930	60	170	48	115	Black	302
S-100	*158664	100	210	48	150	Black	525

Jacks and Skates

Steel Machine Skates

The steel machine skates provide an economic and robust solution to a number of load moving and placing problems.

PRODUCT CODE	DESCRIPTION	S.W.L.
HSMS15t	Steel Machine Skates	15t
HSMS20t	Steel Machine Skates	20t
HSMS30t	Steel Machine Skates	30t
HSMS60t	Steel Machine Skates	60t
HSMS100t	Steel Machine Skates	100t




Cable Drum Screw Jacks

Our skate sets comprise of a steerable front section and a pair of adjustable rear trolleys.

They are ideal for moving and positioning heavy loads.

PRODUCT CODE	DESCRIPTION	S.W.L.
HCDJ3T	Cable Drum Screw Jacks	3t
HCDJ5T	Cable Drum Screw Jacks	5t
HCDJ6T	Cable Drum Screw Jacks	6t
HCDJ8T	Cable Drum Screw Jacks	8t
HCDJLB3T	Load Bar	3t
HCFJLB3T	Load Bar	5t
HCDJLB6T	Load Bar	6t
HCDJLB8T	Load Bar	8t




Jacks and Skates

Roller Crow Bar

Roller pinch bar is an ideal companion to the professional load mover.

Its compact and lightweight design makes it simple and very easy to use and transport. With its low toe plate height, it is able to get into the tightest gaps.

PRODUCT CODE	DESCRIPTION	S.W.L.
HRCB1.5T	Roller Crow Bar	1.5t
HRCB5T	Roller Crow Bar	5t



TECHNICAL DATA MODEL RPB					
MODEL	CAPACITY	LIFT HEIGHT	O/A LENGTH	ROLLER (DXW)	WEIGHT
RPB15	1500kg	145mm	2000mm	75mmx55mm	16.5kg
RPB50	5000kg	145mm	2000mm	70mmx54mm	32kg

Ratchet Cabin Jacks / Farm Jacks

Our cabin jacks are lightweight and can be used easily to lower or raise the heights of cabins and other similar items.

PRODUCT CODE	DESCRIPTION	S.W.L.	MAX. LIFT HEIGHTS
HCJ2113KG	Ratchet Cabin Jack / Farm Jacks	2113kg	1263mm





Digital Load Indicators

The Digital Load Indicator can be used to ascertain unknown item weights and aid safer lifting.

A remote control can also be supplied that enables the user to monitor the operation from a safe distance.



PRODUCT CODE	DESCRIPTION	S.W.L.
HDLI1T	Digital Load Indicator	1t
HDLI2.5T	Digital Load Indicator	2.5t
HDLI5T	Digital Load Indicator	5t
HDLI10T	Digital Load Indicator	10t
HDLI20T	Digital Load Indicator	20t
HDLI25T	Digital Load Indicator	25t
HDLI50T	Digital Load Indicator	50t
HDLI75T	Digital Load Indicator	75t
HDLI100T	Digital Load Indicator	100t
HDLIRC	Remote Control	n/a
HDLIPC	PC Software and Leads	n/a

Testing and Load Measurement



- ▲ Shackles are required for use with load links
- ▲ Download results to a PC, using advanced software
- ▲ Indicators over 100t are available

Testing and Load Measurement

Cheese Weights


Cheese Weights and rigs available from 500kg in various increments and are supplied on an easy to use pole.

PRODUCT CODE	DESCRIPTION
HCWP500KG	Cheese Weight Pole
HCW250KG	250kg Cheese Weight (per 250kg)
HCW500KG	500kg Cheese Weight (per 500kg)
HCW1T	1t Cheese Weight (per 1t)
HCW2.5T	2.5t Cheese Weight (per 2.5t)
Max. weight on Cheese Weight 3.5t	



Hand Weights and Cradles

Hand weights are ideal for performing small load tests or for providing a ballast for a range of applications.



PRODUCT CODE	DESCRIPTION
HHW20	Hand Weights 20kg
HHWB	Hand Weight Transport Trolley
HHWT	Hand Weight Basket

Test Weight Stillage - TWS

Suitable for moving 80kg of test weights.
100kgs total weight when stacked with 4x20kgs hand test weights.



Test Weight Trolley - TWT

Suitable for moving 100kg of compromising items 4x test weights and 1x test weight stillage.



Testing and Load Measurement

Test Weights and Cradles

PRODUCT CODE	DESCRIPTION	S.W.L.
HSW1T	Test Weight Slabs	1t
HSW2.5T	Test Weight Slabs	2.5t
HTT	Test Weight Tray	Various

Various test weights trays and cradles available up to 600t




Lifting Gear UK has test weights suitable for any testing of ballasting requirements up to 600t.

In addition, we have a range of cradles and trays available for dispatch. Our testing capabilities are up to 800t via either static or dynamic test motions.

Compression Load Cell

Ideal for performing Compression Tests, up to a maximum of 200t.



PRODUCT CODE	DESCRIPTION	S.W.L.
HCLC5T	Compression Load Cell	5t
HCLC10T	Compression Load Cell	10t
HCLC20T	Compression Load Cell	20t
HCLC50T	Compression Load Cell	50t
HCLC100T	Compression Load Cell	100t
HCLC200T	Compression Load Cell	200t

Tension Tester / Eye Bolt Tester

Hydrajaws model 2000 medium duty fixing testers enable engineers to confirm the holding power of anchors in most construction materials, either for the purpose of establishing safe working loads or to validate the correct installation of existing fixings.

The tension load of up to 65kn is applied to the fixing mechanically and hydraulics are used to register the load through an accurate analogue gauge, making the tester very reliable.



PRODUCT CODE	DESCRIPTION	S.W.L.
HTT25KN	Tension Tester	25KN
HTT65KN	Tension Tester	65KN



Safety Harness

A vital part of any working-at-height system. Harnesses consist of shoulder, thigh and sit straps.

Various attachment points on different styles of harnesses.

Available with front, rear and side attachment points.

PRODUCT CODE	DESCRIPTION
HSH	Safety Harness
HRSH	Rescue Safety Harness
HSH2PY	Safety Harness 2 Point



Height and Safety Equipment

Height and Safety Equipment

Fall Arrest and Restraint Lanyards

Lanyards are available in fall arrest and restraint only options.

They can be supplied in rope or webbing, standard lengths are 1.5 or 2 metres, they terminate in scaff hooks or screwgate karabiners.

Can be supplied with either scaff hooks or screw gate karabiners.

PRODUCT CODE	DESCRIPTION
HFAL	Fall Arrest Lanyard
HRSL	Restraint Lanyard
HTL	Twintail Lanyard



**IS YOUR SAFETY GEAR COMPLIANT?
ALL HARNESSES, LANYARDS AND ANCHOR SLINGS NEED TO BE INSPECTED EVERY 6 MONTHS.**

OUR INSPECTION TEAM AT LIFTING GEAR UK CAN SERVICE ANY PIECE OF EQUIPMENT, AS REQUIRED UNDER LOLER STANDARDS.

Inertia Reels - Retractable and Retrievable

A fall arrest device with a self retractable cable, available in fully automatic self retracting or for confined space entry retrievable inertia reels.

Speak to one of our trained representatives to help with your requirements.

**DID YOU KNOW?
INERTIA REELS NEED TO BE INSPECTED EVERY 6 MONTHS AND SERVICED EVERY 12 MONTHS.**

OUR INSPECTION TEAM AT LIFTING GEAR UK CAN SERVICE ANY PIECE OF EQUIPMENT, AS REQUIRED UNDER LOLER STANDARDS.

PRODUCT CODE	CABLE LENGTH
HIR3M	3m
HIR6M	6m
HIR8M	8m
HIR10M	10m
HIR12M	12m
HIR15M	15m
HIR20M	20m
HIR36M	36m
HIRR15M	Retrievable Inertia Reel 15M
HMB	Mini Block (2.25m)



RETRACTABLE

MINI BLOCK

RETRIEVABLE

Height and Safety Equipment

Roof Man Anchor

Portable deadweight Roof Man Anchor device.

Ideal for Fall Protection / Restraint when working on flat or short pitched roofs up to 15 degrees where there is no suitable anchor point. Designed to aid the user where handrails are not available.

PRODUCT CODE	DESCRIPTION
HRMA1MAN	1 Man Roof Anchor
HRMA2MAN	2 Man Roof Anchor

- ▲ 12 Weights included, 18.5kg each
- ▲ Special rubber base for extra grip
- ▲ Chassis made from fire zinc galvanised steel
- ▲ Options suitable for one or two persons



Tripod and Winch (Manriding Only)

Lightweight portable rescue system for use within confined spaces. Use with rescue safety harnesses.

PRODUCT CODE	DESCRIPTION
HFAT	Fall Arrest Tripod
HFATWY	Retrievable Winch 20m
HRS0001	Rescue Harness



Horizontal Temporary Lifeline

Portable, horizontal lifeline suitable for single man use.

The system is tensioned with a ratchet, for restraint purposes the horizontal safety line can be used in conjunction with the fixed length restraint lanyards and fall arrest lanyards. It can also be used as anchorage with standard rope safety lines.

Gives horizontal movement and fall protection where there is no permanent installation for fall protection.

Don't forget to order your harness and lanyard.

PRODUCT CODE	DESCRIPTION
HTLL10M	Horizontal Temporary Lifeline 10m
HTLL18M	Horizontal Temporary Lifeline 18m
HTLL20M	Horizontal Temporary Lifeline 20m

- ▲ Available up to a max length of 20 metres
- ▲ Available with loops or hooks at each end
- ▲ Supplied in a robust bag



Trailer Loading System

The COMBISAFE Loading system is designed to prevent falls from height during the loading and unloading of equipment from the top of a flatbed delivery lorry/trailer in a safe manner.

PRODUCT CODE	DESCRIPTION	MAX. WORKING HEIGHT
HCLS	Trailer Loading System	5m



- ▲ Operative has an anchor point 5.9 M above ground level
- ▲ Only 1600kg of ballast now needed so faster to install and lighter to relocate if needed once fully assembled
- ▲ Base has no pins or bolts enabling quick and simple assembly / disassembly
- ▲ Can be used on site or in a loading yard
- ▲ Dismantles into easily stackable units allowing simpler transport and less storage space
- ▲ Unit can be levelled using the adjustable/replaceable feet (up to 5°)
- ▲ Ballast must weigh no less than 1500kg when in use



Height and Safety Equipment

Counterbalance Davit Arm

The davit arm system is ideal for confined space entry and emergency rescue applications and can accommodate a variety of winches and fall arrest devices.

Counterweight systems are perfect for applications where there is no fixed base such as permanent socket and for service engineers that work on remote locations where portability and versatility are key.

PRODUCT CODE	DESCRIPTION	S.W.L.
HCBDS	Counterbalance Davit Arm System	140kg
HBMDS	Barrel Mount Davit Arm System	140kg
HDPDW	Dual Purpose Davit Winch	140kg
HDPRW	Dual Purpose Recovery Winch	140kg
HRFADW	Recovery Fall Arrest Davit Winch	140kg




Barrel Mount Davit Arm System

The adjustable barrel mount sleeve davit makes it possible to provide a safe access solution where this would previously have been very difficult.

This can also be used to form a lifting point onto a trench sheet up-stand. If used with very light duty sheets such as M6, then a wooden sleeper should be used behind the sheets so as to increase the allowable bending moment.

- ▲ Free-standing non-penetrating base does not attach to the working surface, reducing possibility of damage
- ▲ Weights provide the required anchorage strength (not included as standard) - variables such as davit offset will dictate number of weights
- ▲ Adjustable legs allow system to be positioned next to taller confined space entry areas such as tanks
- ▲ A rack with base and top plates, centre posts and screw-down knobs secures the weights to the base for absolute security
- ▲ Self retracting lifeline (srl), inertia reel, manriding winch, and brackets supplied with kit



Height and Safety Equipment

Testing Equipment

When it comes to lifting and handling, testing is all important. We have the test equipment you need available for immediate hire:

- ▲ Test weight trays
- ▲ Test weights
- ▲ Cheese weights / poles
- ▲ Hand weights and trolleys
- ▲ Slab weights



Used to hold various test weights for a single lift at a high SWL, primarily used for testing purposes



PRODUCT CODE	DESCRIPTION	MAX. WORKING HEIGHT
HHW	Hand Weight 12.5kg	12.5kg
HHW20	Hand Weight 20kg	20kg
HHW25	Hand Weight 25kg	25kg
HHWB	Hand Weight Trolley	100kg
HHWC	Hand Weight Cage For Trolley	100kg
HHWT	Hand Weight Basket	600kg
HSW275KG	Slab Weight	275kg
HSW500KG	Slab Weight	500kg
HSW1T	Slab Weight	1t
HSW2T	Slab Weight	2t
HSW2.5T	Slab Weight	2.5t
HSW4T	Slab Weight	4t
HSW5.2T	Slab Weight	5.2t
HCW100KG	Cheese Weight	100kg
HCW200KG	Cheese Weight	200kg
HCW250KG	Cheese Weight	250kg
HCW500KG	Cheese Weight	500kg
HCW1T	Cheese Weight	1t
HCW2T	Cheese Weight	2t
HCW2.5T	Cheese Weight	2.5t
HTT15T	Test Weight Tray	15t
HTT63T	Test Weight Tray	63t
HTT160T	Test Weight Tray	160t

Crane Mats and Plates

Crane Mats and Plates

Crane Mats and Plates

Steel crane mats can be used where ground loading pressures need to be reduced.

They are available in a range of sizes.

Lifting Gear UK has access to the largest selection of steel crane mats in the UK.



PRODUCT CODE	DESCRIPTION	DIMENSIONS
HSM1.75M	Steel Crane Mat	1.75m x 1.75m x 120mm
HSM2.5M	Steel Crane Mat	2.5m x 1.2m x 120mm
HSM2.8M	Steel Crane Mat	2.8m x 1.2m x 170mm
HSM3.05M	Steel Crane Mat	3.05m x 2.55m x 180mm
HSM5.5M	Steel Mat	5.5m x 2.8m x 305mm
HSM7.5M	Steel Crane Mat	7.5m x 2.2m x 305mm
HSM11M	Steel Mat	11m x 2.8m x 305mm

TEMPORARY BRIDGE SYSTEMS CAN BE CREATED USING LARGE MATS.
PLEASE CALL FOR DETAILS.



Hardwood Crane Mats (Ekki Mats)

Our Hardwood Crane Mats can be used in situations where ground conditions are poor to provide additional support.

They can also be used to make temporary roads across challenging terrain for heavy vehicles.

PRODUCT CODE	DESCRIPTION	DIMENSIONS
HHWM1.5M	Hardwood Crane Mat	1.5m x 1.5m x 150mm
HHWM5MX70M	Hardwood Crane Mat	5m x 1m x 70mm
HHWM5MX1M	Hardwood Crane Mat	5m x 1m x 150mm
HHWM6MX1M	Hardwood Crane Mat	6m x 1m x 200mm
HHWM2M	Hardwood Crane Mat	2m x 1.2m x 100mm
HHWM3M70MM	Hardwood Crane Mat	3m x 1.2m x 70mm
HHWM3M150MM	Hardwood Crane Mat	3m x 1.2m x 150mm



Crane Mats and Plates

Nylon Crane Mats

These crane mats are designed to be manually handled and are ideal for reduction of ground loadings for cranes and HIAB's.

PRODUCT CODE	DESCRIPTION	DIMENSIONS
HNM0.75M	Nylon Crane Mat	0.75m x 0.75m x 40mm
HNM1M	Nylon Crane Mat	1m x 1m x 50mm
HNM1.2M	Nylon Crane Mat	1.2m x 1m x 60mm
HBNF1.2M	Nylon Crane Mat (Round)	1.2m x 80mm
HBNF1M	Nylon Crane Mat (Round)	1m x 60mm
HBNF760	Nylon Crane Mat (Round)	760mm x 40mm
HBNF1M80MM	Nylon Crane Mat	1m x 1m x 80mm

- ▲ Made from extremely high quality, heavy duty UHMW polyethylene
- ▲ Offers protection against water, corrosion and splintering
- ▲ Light and easy to handle as well
- ▲ Retains its shape under extreme vertical pressure, due to the in-built memory technology making them virtually indestructible



PRESTON

Unit D3, Leyland Business Park,
Centurion Way, Leyland, PR25 3GR

T: 01772 699 880
E: preston@lg-uk.com

MANCHESTER

Units 6 and 7, Guinness Road, Trafford Park,
Manchester, M17 1SD

T: 0161 728 5656
E: manchester@lg-uk.com

LIVERPOOL

Unit 4B, Canada Dock Exchange,
Derby Road, Liverpool, L20 8AF

T: 0151 203 1900
E: liverpool@lg-uk.com

WEST LONDON

Unit 30 Telford Way, Westway Industrial Estate,
Acton, London, W3 7XS

T: 0208 150 8885
E: westlondon@lg-uk.com

EAST LONDON

74 Roding Road, London Industrial Park,
Beckton, E6 6LS

T: 0207 474 1111
E: eastlondon@lg-uk.com

GLASGOW

Unit 1 Houston Place, Kingston Bridge
Trading Estate, Glasgow, G5 8SG

T: 0141 290 0901
E: glasgow@lg-uk.com

BIRMINGHAM

Unit 24, Coneygre Industrial Estate, Birmingham
New Road, Tipton,
Birmingham, DY4 8XP

T: 0121 522 2255
E: birmingham@lg-uk.com

MIDDLESBROUGH

5a Bowes Road, Riverside Park
Middlesbrough, TS2 1LU

T: 01642 791 792
E: middlesbrough@lg-uk.com

LEEDS

Unit B, Turnkey Park, Royds Lane,
Leeds, LS12 6AD

T: 0113 208 3339
E: leeds@lg-uk.com

BRIDGWATER

Unit ZZ3, Wyllys Road, Bridgwater,
Somerset, TA6 4BH

T: 01278 455 556
E: bridgwater@lg-uk.com

LIFTING PROJECTS

Brittania House, Warrington Road,
Ince, Wigan, WN1 3AJ

T: 01772 699 888
E: liftingprojects@lg-uk.com

HEAD OFFICE AND ACCOUNTS

Unit 1D, Maple Court, Maple View,
White Moss Business Park,
Skelmersdale, WN8 9TW

T: 01695 725 550
E: accounts@lg-uk.com

Index

A

ADJUSTABLE GIRDER/BEAM TROLLEY WITH INTEGRATED CLAMP	60
ADJUSTABLE RAIL LIFTING CLAMP	57
ADJUSTABLE SINGLE POINT LIFTING BEAM	34
AIR HOIST	47
AIR WINCHES	52
ALL TERRAIN MANUAL PALLET TRUCK	143
ALUMINIUM/STEEL GANTRY	70
ALLOY BOW SHACKLES	19
ARMORGARD TUFFCAGE	93

B

BEAM LIFTER	74
BLOCK GRABS	94
BLOCK PAVING EXTRACTOR	113
BOARD / PALLET FORKS	99
BOARD TROLLEY	144
BOSUN'S CHAIR	102
BOTTLE JACKS	156
BUILDER'S GANTRY HOIST	87
BUMPA HOIST	88

C

CABLE DRUM SCREW JACKS	161
CABLE DRUM SPREADER BAR	56
CABLE PULLING WINCH / ROLLERS	53
CAMLOCK LIFTING LUGS	66
CAR LIFTING NET	101
CAGED BRICK FORKS	100
CARGO NETS	107
CHAIN SLING MULTI-LEG	16
CHAIN SLING SINGLE-LEG	14
CHEESE WEIGHTS	166
CIRCULAR MUCK TIPPING SKIP	106
COLIFT MOUNTING SHAFT	30
COMPACT GENIE LIFT	77
COMPRESSION LOAD CELL	169
CONCRETE HIGHWAY DIVIDER CLAMP	124
CONCRETE KERB GRAB	122
CONCRETE LIFTING CLUTCHES/EYES/RINGS	21
CONCRETE SKIPS	104
CONTAINER LIFTING FRAME	41

COUNTER BALANCE FLOOR CRANE	76
COUNTER BALANCE MATERIAL LIFT	78
COUNTERBALANCE DAVIT ARM AND BARREL MOUNT DAVIT ARM SYSTEM	178
COUNTERBALANCE LIFTING BEAMS	39
CRANE MATS AND PLATES	182
CRUCIFORM LIFTING BEAM	33

D

DIGITAL LOAD INDICATORS	165
DYNEEMA SLING	27

E

ELECTRIC CHAIN HOISTS	46
ELECTRIC POWERED PALLET TRUCKS	140

F

FALL ARREST AND RESTRAINT LANYARDS	172
FIXED SINGLE POINT LIFTING BEAM	37
FLAG LAYING VACUUM HANDLES	110
FORKLIFT HOOK ATTACHMENT	128
FORKLIFT MAN BASKET	129
FORKLIFT TELESCOPIC JIB	126
FORKLIFT TRUCK EXTENSION FORKS	131
FORKLIFT TRUCK TIPPING SKIP	130
FOUR FORK ATTACHMENT	134

G

GAS BOTTLE LIFTING CAGE	99
GEARED GIRDER / BEAM TROLLEY	59
GENIE GAS POWERED 'SUPER-HOIST'	81
GIRDER / BEAM CLAMP	57
GIRDER / BEAM TROLLEY	58
GOODS CARRYING CASE	96

H

HAND WEIGHTS and CRADLES	167
HARDWOOD CRANE MATS	183
HEAVY DUTY TOWABLE SITE BOGEY	132
HIGH LIFT PALLET TRUCKS	137
HODDI HOIST	89
HORIZONTAL PLATE CLAMPS	63

HORIZONTAL TEMPORARY LIFELINE	176
HT LARGE DEE SHACKLES	18
HYDRAULIC CYLINDERS	152
HYDRAULIC JACK AND CYLINDER ACCESSORIES	155
HYDRAULIC MINI-LIFTER	138
HYDRAULIC LIFTING / PULLING MACHINE	49
HYDRAULIC PULLER KITS	158
HYDRAULIC WEDGES - SEPARATING and LIFTING	157

I

INERTIA REELS	173
---------------	-----

J

JUMBO VACUUM SLAB LAYING MACHINE	116
----------------------------------	-----

K

KERB STONE CLAMP	123
KERB STONE LIFTING HANDLES	111

L

LEVER HOIST / PULL LIFT	48
LIGHTWEIGHT ALUMINIUM JACKS	153
LIFTING / PULLING MACHINE	49
LIFTING MAGNET	61
LIFTING PINS	119
LIFTING PROJECTS	7
LIFTING UNDER BEAM	38
LONG NOSE PALLET TRUCKS	136
LOW HEADROOM TEST WEIGHTS	159

M

MACHINE LIFTING TRAYS	42
MAN RIDING BASKET	95
MAN RIDING/GOODS LIFTING TRIPOD	68
MANHOLE COVER LIFTER	117
MANHOLE RING CLAMP	120
MANHOLE RING LIFTER	121
MANUAL CHAIN BLOCKS	45
MATERIAL CONVEYORS	90
MATERIAL LIFT - GENIE SUPERLIFT ADVANTAGE	79
MATERIAL LIFT ACCESSORIES	80
MATERIAL LIFT ROUST-A-BOUT	83
MECHANICAL BOULDER / ROCK GRAB	108
MINIFOR HOIST / WINCH	51

MODULAR LIFTING FRAME	40
MODULAR SPREADER BEAM	31
MULTI POINT LIFTING BEAM	35
MULTI LIFT LIFTING BEAM	36

N

NIKO SCAFFOLDING RUNWAY SYSTEM	91
NYLON CRANE MATS	184

P

PACKAWAY FLOOR CRANE	75
PALANBOX HOIST	85
PALLET TRUCKS	135
PANEL LIFTER	82
PIPE BOGEY	146
PIPE LAYING HOOKS	114
PIPE LIFTING HOOKS	62
PIPE LIFTING HOOKS	115
POWER PUSHER	142
POWERED STACKER TRUCK	141
PREFABRICATED CONCRETE GRAB	122

Q

QUICK RELEASE PILING SHACKLE	20
------------------------------	----

R

RAPIDE PORTA-GANTRY	72
RATCHET CABIN JACKS / FARM JACKS	163
ROLLER CROW BAR	162
ROOF MAN ANCHOR	174
ROOF SHEET / PANEL LIFTING BEAM	32
ROUGH TERRAIN ELECTRIC PALLET TRUCK	143
ROUND SLING	24

S

SACK TRUCK	145
SAFETY HARNESS	171
SCAFFOLD JIB HOIST	86
SCAFFOLD LIFTING CAGE	97
SCAFFOLD PULLEY WHEEL	86
SCISSOR LIFT TABLE	149
SELF-DISCHARGE BOAT SKIP	105
SELF-LEVELLING CRANE / PALLET FORKS	101

SHEAR LEGS	69
SHEAVE / SNATCH BLOCKS	50
SITE STRETCHER CAGE	98
SKIP LIFTING CRADLE	102
SKOOTS FURNITURE MOVER	148
STAIR CLIMBER	147
STEEL MACHINE SKATES	160
STEEL TOE JACKS	154
STEERABLE NYLON LOAD MOVING SKATES	159
STONE VACUUM MAGNET	109

T

TENSION TESTER	169
TEST WEIGHTS and CRADLES	168
TESTING EQUIPMENT	180
TIRAK WIRE ROPE HOIST / WINCH	54
TRAILER LOADING SYSTEM	177
TRIPOD AND WINCH	175
TURNTABLE SITE TRUCK	150

U

UNIVERSAL LIFTING HANDLES	112
---------------------------	-----

V

VACUUM KERB and STONE LAYER	118
VACUUM GLASS LIFTER	91
VALLA V210R PICK and CARRY CRANE	10
VERTICAL PLATE CLAMPS	65

W

WEBBING SLING	22
WEIGHING PALLET TRUCK	139
WHEELIE BIN LIFTER	127
WIRE ROPE SLING	26

360° MANUAL CHAIN HOISTS	44
4 POINT DRUM LIFTER	64
60T to 500T HYDRAULIC JACKING SYSTEMS	10

While every effort is taken to ensure all information presented in this catalogue is correct and up to date, no guarantee is given to its completeness. Lifting Gear UK Limited and Lifting Projects Limited reserves the right to change / alter specifications without prior notice. The information given is for guidance and it is the responsibility of the persons responsible to ensure all machinery / equipment is used to industry safety guidelines. It is advised that customers should confirm their specification requirements when ordering. It is also at the risk of the hirer that they assume all risk and liability in the use, directly or indirectly, and all those connected therewith.



Please visit
our website



Lifting Gear UK Head Office

Unit 1D Maple Court, White Moss Business Park, Skelmersdale WN8 9TW England

0330 332 2650 | info@lg-uk.com | www.lg-uk.com