



Hire Catalogue and Product Guide

Please visit
our website



Welcome to Lifting Gear & Safety

At Lifting Gear & Safety, our focus each day is to provide a skilled and complete service you can trust.

Whether you're hiring or buying equipment, or require us to do the lifting for you, you can be assured of our 100% commitment to your satisfaction. Perhaps you're looking for repairs, servicing, load testing, training or even a bespoke piece of equipment to be manufactured? Whatever you require, we will meet all your needs seamlessly and with complete professionalism.

With centres across the South West, South Coast and South Wales, Lifting Gear & Safety offers a full range of equipment with lifting capacities from 10 kg to 900 tonnes.

We can advise, specify and supply the right lifting gear for you, including our comprehensive range of accessories.



Lifting Gear & Safety
provides equipment
for hire or purchase
to both UK and
international markets



What we do

Lifting

We supply, hire, design, install and service lifting equipment ranging from standard accessories to bespoke high-tonnage solutions, including shackles, slings, hooks, lifting points, beams, hoists, winches, jacks and hydraulic systems. We engineer custom lifting gear, provide UKCA/CE documentation, and carry out proof-load testing, NDT, and certification to meet LOLER and BS/EN standards. Our services include installation and commissioning of jibs, gantries and cranes, plus logistics, training, planned maintenance and rapid support for both short-term hire and permanent turnkey projects.

Marine

We service, certify, and supply marine safety equipment for commercial and leisure vessels, including lifejackets, liferafts, and immersion suits, with full inspection, testing, and compliant repacking. We also handle EPIRBs, PLBs, SARTs, lifebuoys, MOB gear, HRUs and related equipment in line with OEM and MCA requirements. Servicing can be carried out on board or at our facility, with support on service intervals, spares and survey compliance.

Safety

Our safety division supports work at height and site safety by supplying, hiring, inspecting, and testing fall-protection equipment, lifelines, access gear, rescue, and confined-space systems. We provide anchor installation and testing, standards-compliant inspections, certification and tailored testing, alongside safety equipment such as hoists, lifts and portable gantries. We also support compliance with Work at Height, LOLER and PUWER through equipment selection, inspection planning and safety training.



Our group of companies



Axel Johnson's **Lifting Solutions Group** is a global provider of lifting equipment, steel wire rope, height safety products, and related services. Operating as a network of companies, it supplies wire rope, hoists, overhead cranes, and other lifting solutions across diverse industries. The group has grown rapidly, serving sectors such as offshore, renewable energy, shipping, automotive, ports, fish farming, engineering, pulp and paper, mining, and steel.



Proud to be Part of the Lifting Solutions Group UK



As four divisions within the Lifting Solutions Group UK— Lifting Gear and Safety, Certex UK, Lifting Gear UK and Lifting Projects — we combine deep local expertise with true nationwide reach. Together, we deliver comprehensive lifting solutions, including steel wire rope, hoists, overhead cranes, and a full range of associated services.

With extensive UK coverage, local depots, substantial stock holdings, and fast turnaround times, we ensure safety, quality, and efficiency without compromise. Wherever you are in the UK, we've got you covered.

National coverage, local support.

MARINE SAFETY EQUIPMENT

We service and certify all major marine safety equipment. From lifejackets and liferafts to immersion suits, EPIRBs and SARTs, meeting OEM and MCA standards. Work can be done on board or at our facility, with guidance provided on service intervals, spares and compliance.

Visit our website for more information
www.lgsgroup.co.uk

Marine Safety Equipment

We service and certify all major marine safety equipment. From lifejackets and liferafts to immersion suits, EPIRBs and SARTs, meeting OEM and MCA standards.

Work can be done on board or at our facility, with guidance provided on service intervals, spares and compliance.





Ganterud Levelling Tool

This electric levelling tool levels and handles loads efficiently and safely. Due to its high degree of precision, the work becomes more efficient. This reduces both expensive crane time and waiting times. The levelling tool is operated with a user-friendly, IP67-rated remote control.

The Pro models do also offer auto levelling functionality with released chain wheel which makes it easy to find the centre of gravity of the lifted object. Snatch block function with released chain wheel makes rotation of items easy, quick, and safe.

Features:

- ✔ Lifting, levelling, auto levelling and turning of both light and heavy objects
- ✔ The length of the chain can be adjusted according to needs
- ✔ The I-series is a lifting yoke using new, tried and tested technology
- ✔ Level loads effectively and safely with high precision
- ✔ The yoke can handle both light and heavy objects, ranging from 0 kg up to 20 tons
- ✔ All levelling units can be tandem-operated with a remote control



LOLER INSPECTION

Thorough examination is a critical part of the lifting industry and we know how to do it to professional LOLER standards



CALL 0330 016 8840
www.lgsgroup.co.uk

Slings and Loose Gear

Slings and Loose Gear

Chain Sling Single Leg, Collar Chains

Grade 8 and 10 chain slings are available in various lengths from 1m up to 10m as standard.

All fitted with shortening clutches and safety hooks.

Any size or S.W.L. available upon request.

DESCRIPTION	S.W.L.	STANDARD LENGTH	AVAILABLE UP TO
1 Leg 7mm	1.5t	1m	10m
1 Leg 8mm	2t	1m	10m
1 Leg 10mm	3.15t	1m	10m
1 Leg 13mm	5.3t	1m	10m
1 Leg 16mm	8t	1m	10m
1 Leg 20mm	12.5t	3m	10m
1 Leg 22mm	15t	3m	10m
1 Leg 26mm	21.2t	3m	10m
1 Leg 32mm	31.5t	3m	10m

VISIT OUR WEBSITE FOR MORE INFORMATION



SINGLE LEG



TWO LEG



QUAD LEG

Safety factor 4:1 BS EN 818-4	1-part Chain		2-part Chain				3 and 4-part chain		Endless	Chain loop	
Inclination angle	-	-	0°-45°	45°-60°	0°-45°	45°-60°	0°-45°	45°-60°	-	0°-45°	0°-45°
Mode Factor	1.00	0.80	1.40	1.00	1.12	0.80	2.10	1.50	1.60	1.40	2.10
Diameter	WLL ton										

GRADE 8

6	1.12	0.90	1.60	1.12	1.25	0.90	2.36	1.70	1.80	1.60	2.36
7	1.50	1.20	2.12	1.50	1.70	1.20	3.15	2.24	2.50	2.12	3.15
8	2.00	1.60	2.80	2.00	2.24	1.60	4.25	3.00	3.15	2.80	4.25
10	3.15	2.50	4.25	3.15	3.55	2.50	6.70	4.75	5.00	4.25	6.70
13	5.30	4.25	7.50	5.30	5.90	4.25	11.20	8.00	8.50	7.50	11.20
16	8.00	6.30	11.20	8.00	9.00	6.30	17.00	11.80	12.50	11.20	17.00
19	11.20	8.95	16.00	11.20	12.50	8.95	23.60	17.00	18.00	16.00	23.60
20	12.50	10.00	17.50	12.50	14.00	10.00	26.25	18.75	20.00	17.50	26.25
22	15.00	12.00	21.20	15.00	17.00	12.00	31.50	22.40	23.60	21.20	31.50
26	21.20	16.95	30.00	21.20	23.70	16.95	45.00	31.50	33.50	30.00	45.00
32	31.50	25.20	45.00	31.50	35.20	25.20	67.00	47.50	50.00	45.00	67.00

GRADE 10

5	1.00	0.80	1.40	1.00	1.12	0.80	2.00	1.50	1.60	1.40	2.00
6	1.40	1.12	2.00	1.40	1.60	1.12	3.00	2.12	2.24	2.00	3.00
7	1.90	1.50	2.65	1.90	2.12	1.50	4.00	2.80	3.00	2.65	4.00
8	2.50	2.00	3.55	2.50	2.80	2.00	5.30	3.75	4.00	3.55	5.30
10	4.00	3.15	5.60	4.00	4.25	3.15	8.00	6.00	6.30	5.60	8.00
13	6.70	5.30	9.50	6.70	7.50	5.30	14.00	10.00	10.60	9.50	14.00
16	10.00	8.00	14.00	10.00	11.20	8.00	21.20	15.00	16.00	14.00	21.20
19	14.00	11.20	20.00	14.00	16.00	11.20	30.00	21.20	22.40	20.00	30.00
20	16.00	12.80	22.40	16.00	17.92	12.80	33.60	24.00	25.60	22.40	33.60
22	19.00	15.00	26.50	19.00	21.20	15.00	40.00	28.00	30.00	26.50	40.00
26	26.50	21.20	37.50	26.50	30.00	21.20	56.00	40.00	42.50	37.50	56.00
32	40.00	31.50	56.00	40.00	45.00	31.50	85.00	60.00	63.00	56.00	85.00

Slings and Loose Gear

Chain Sling Multi Leg


Grade 8 and 10 chain slings available in various lengths from 3m up to 10m as standard.

All fitted with shortening clutches and safety hooks.

Any size or S.W.L. available upon request.

PRODUCT CODE	DESCRIPTION	S.W.L. 0-45 DEG	STANDARD LENGTH	AVAILABLE UP TO
HCS2T3M2L	2 Leg 7mm	2.1t	3m	10m
HCS4T3M2L	2 Leg 10mm	4.25t	3m	10m
HCS5T3M2L	2 Leg 10mm	5.6t	3m	10m
HCS7T3M2L	2 Leg 13mm	7.5t	3m	10m
HCS9T3M2L	2 Leg 13mm	9.5t	3m	10m
HCS11T3M2L	2 Leg 16mm	11.2t	3m	10m
HCS14T3M2L	2 Leg 16mm	14t	3m	10m
HCS16T3M2L	2 Leg 19mm	17t	3m	10m
HCS20T3M2L	2 Leg 19mm	22.4t	3m	10m
HCS3T3M4L	4 Leg 7mm	3.1t	3m	10m
HCS6T3M4L	4 Leg 10mm	6.7t	3m	10m
HCS11T3M4L	4 Leg 13mm	11.2t	3m	10m
HCS17T3M4L	4 Leg 16mm	17t	3m	10m
HCS26T3M4L	4 Leg 20mm	26.5t	3m	10m
HWBC0.5T	Wheel Barrow Chain	250kg	N/A	N/A

VISIT OUR WEBSITE FOR MORE INFORMATION



Slings and Loose Gear

HT Large Dee Shackles

An extensive range of High Tensile Dee Shackles, kept in stock at all branches for hire or sale.

DESCRIPTION	S.W.L. UP TO
HT Dee Shackles	2t
HT Dee Shackles	6t
HT Dee Shackles	10t
HT Dee Shackles	25t
HT Dee Shackles	50t
HT Dee Shackles	85t
HT Dee Shackles	100t
HT Dee Shackles	150t
HT Dee Shackles	300t

VISIT OUR WEBSITE FOR MORE INFORMATION



Alloy Bow Shackles

An extensive range of Alloy Bow Shackles, kept in stock at all branches for hire or sale.

Wide-bodied / sling saver and other shackle sizes are available.

DESCRIPTION	S.W.L. UP TO
Alloy Bow Shackles	3.25t
Alloy Bow Shackles	4.75t
Alloy Bow Shackles	9.5t
Alloy Bow Shackles	25t
Alloy Bow Shackles	50t
Alloy Bow Shackles	85t
Alloy Bow Shackles	100t
Alloy Bow Shackles	150t
Alloy Bow Shackles	300t
Alloy Bow Shackles	400t
Alloy Bow Shackles	500t
Alloy Bow Shackles	600t
Alloy Bow Shackles	800t
Alloy Bow Shackles	900t

VISIT OUR WEBSITE FOR MORE INFORMATION

POWERTEX




Slings and Loose Gear

Quick Release Piling Shackle

Quick release mechanism for easy pitching of piling sheets.

DESCRIPTION	S.W.L.
Quick Release Piling Shackle	2t
Quick Release Piling Shackle	3t
Quick Release Piling Shackle	5t

VISIT OUR WEBSITE FOR MORE INFORMATION



Concrete Lifting Clutches / Eyes / Rings

An extensive range of lifting eyes to help in the movement of pre-cast concrete.

FRIMEDA



- ▲ PERMITS LOADS IN ANY DIRECTION
- ▲ REMOTE AND HAND RELEASE OPTIONS
- ▲ HEAVY-DUTY STEEL ANCHORS

DESCRIPTION	S.W.L.
Frimeda Clutches	2.5t
Frimeda Clutches	5t
Frimeda Clutches	12t
Frimeda Clutches	24t
Frimeda Clutches	32t

VISIT OUR WEBSITE FOR MORE INFORMATION

DEHA



- ▲ UNIVERSAL LINKS
- ▲ EASY INSTALLATION AND RELEASE
- ▲ SPHERICAL HEAD ANCHOR

DESCRIPTION	S.W.L.
Deha Clutches	1.3t
Deha Clutches	2.5t
Deha Clutches	5t
Deha Clutches	10t
Deha Clutches	20t
Deha Clutches	32t

VISIT OUR WEBSITE FOR MORE INFORMATION

Slings and Loose Gear

Webbing Sling

An extensive range of webbing slings, kept in stock at all branches for hire or sale.

ADVANTAGES

- ▲ HIGH STRENGTH TO WEIGHT RATIO
- ▲ COLOUR CODED FOR EASY CAPACITY RECOGNITION
- ▲ LIGHT AND FLEXIBLE
- ▲ ABILITY TO ABSORB SHOCK LOADS
- ▲ NO DAMAGE TO DELICATE AND PAINTED SURFACES
- ▲ WIDE LOAD BEARING AREA
- ▲ TWIST OR KINK RESISTANT
- ▲ UNAFFECTED BY GREASE AND OILS
- ▲ NO RISK OF INJURY TO OPERATOR
- ▲ LOW EXTENSION
- ▲ EASY TO INSPECT

S.W.L. UP TO 24 TONNES AVAILABLE

DESCRIPTION	S.W.L.
Webbing Sling	1t
Webbing Sling	2t
Webbing Sling	3t
Webbing Sling	5t
Webbing Sling	10t
Webbing Sling	15t
Webbing Sling	20t

VISIT OUR WEBSITE FOR MORE INFORMATION

Larger capacities / lengths are available.

POWERTEX



Safety Factor 7:1 BS EN 1492-2	1-part	U-lift	Choker	1-part angled		2-part sling		3 and 4-part sling	
Inclination angle				0° - 45°	45° - 60°	0° - 45°	45° - 60°	0° - 45°	45° - 60°
Mode Factor	1.00	2.00	0.80	1.40	1.00	1.40	1.00	2.10	1.50
Colour	WLL ton								
Violet	1.00	2.00	0.80	1.40	1.00	1.40	1.00	2.10	1.50
Green	2.00	4.00	1.60	2.80	2.00	2.80	2.00	4.20	3.00
Yellow	3.00	6.00	2.40	4.20	3.00	4.20	3.00	6.30	4.50
Grey	4.00	8.00	3.20	5.60	4.00	5.60	4.00	8.40	6.00
Red	5.00	10.00	4.00	7.00	5.00	7.00	5.00	10.50	7.50
Brown	6.00	12.00	4.80	8.40	6.00	8.40	6.00	12.60	9.00
Blue	8.00	16.00	6.40	11.20	8.00	11.20	8.00	16.80	12.00
Orange	10.00	20.00	8.00	14.00	10.00	14.00	10.00	21.00	15.00

Always protect round slings and webbing slings from sharp edges and reduce friction during lifting. At Lifting Gear and Safety, we strongly advocate for the consistent use of protective measures to ensure safety, prolong equipment life, and maintain compliance.

Slings and Loose Gear

Round Sling

An extensive range of round slings, kept in stock at all branches for hire or sale.

S.W.L. UP TO 150 TONNES AVAILABLE

DESCRIPTION	S.W.L.
Round Sling	1t
Round Sling	2t
Round Sling	3t
Round Sling	5t
Round Sling	10t
Round Sling	15t
Round Sling	20t

VISIT OUR WEBSITE FOR MORE INFORMATION

Larger capacities / Effective working lengths are available.

ADVANTAGES

- ▲ HIGH STRENGTH TO WEIGHT RATIO
- ▲ LIGHT AND FLEXIBLE
- ▲ ABILITY TO SHOCK ABSORB LOADS
- ▲ DOES NOT DAMAGE DELICATE AND PAINTED SURFACES
- ▲ FLATTENS UNDER LOAD
- ▲ TWIST OR KINK RESISTANT
- ▲ UNAFFECTED BY GREASE AND OILS
- ▲ NO RISK OF INJURY TO OPERATOR
- ▲ IDEAL FOR CHOKE APPLICATION
- ▲ LOW EXTENSION
- ▲ WEARS EVENLY ALONG THE LENGTH
- ▲ LOAD BEARING FIBRES PROTECTED FROM THE LOAD, GIVING GREATER RESISTANCE TO WEAR



Safety Factor 7:1 BS EN 1492-2	1-part	U-lift	Choker	1-part angled		2-part sling		3 and 4-part sling	
Inclination angle				0° - 45°	45° - 60°	0° - 45°	45° - 60°	0° - 45°	45° - 60°
Mode Factor	1.00	2.00	0.808	1.40	1.00	1.40	1.00	2.10	1.50
Colour	WLL ton								
Violet	1.00	2.00	0.80	1.40	1.00	1.40	1.00	2.10	1.50
Green	2.00	4.00	1.60	2.80	2.00	2.80	2.00	4.20	3.00
Yellow	3.00	6.00	2.40	4.20	3.00	4.20	3.00	6.30	4.50
Grey	4.00	8.00	3.20	5.60	4.00	5.60	4.00	8.40	6.00
Red	5.00	10.00	4.00	7.00	5.00	7.00	5.00	10.50	7.50
Brown	6.00	12.00	4.80	8.40	6.00	8.40	6.00	12.60	9.00
Blue	8.00	16.00	6.40	11.20	8.00	11.20	8.00	16.80	12.00
Orange	10.00	20.00	8.00	14.00	10.00	14.00	10.00	21.00	15.00
Orange	12.00	24.00	9.60	16.80	12.00	16.80	12.00	25.20	18.00
Orange	15.00	30.00	12.00	21.00	15.00	21.00	15.00	31.50	22.50
Orange	20.00	40.00	16.00	28.00	20.00	28.00	20.00	42.00	30.00

Protect round slings and webbing slings from sharp edges and minimize friction during lifting operations. In line with EN standards, protective measures must always be used when working with slings. At Lifting Gear and Safety, we strongly recommend the use of appropriate protection to ensure safety, extend sling lifespan, and maintain compliance.

Slings and Loose Gear

Wire Rope Slings

An extensive range of wire rope slings, kept in stock at the branch for hire or sale.

Lifting Gear and Safety has access to the largest stock of heavy lifting wire ropes in the UK. Contact your local depot for further details.



Working Load Limits Tonnes		One Leg Sling		Two Leg Sling				Three and Four Leg Sling				Endless Sling - Choke Hitch	
Angle to the vertical		0°		0° - 45°		>45° - 60°		0° - 45°		>45° - 60°		0°	
Nominal Rope Diameter mm	Tensile n/mm2	Fibre Core	Steel Core	Fibre Core	Steel Core	Fibre Core	Steel Core	Fibre Core	Steel Core	Fibre Core	Steel Core	Fibre Core	Steel Core
8	1960	0.76	0.82	1.06	1.15	0.76	0.82	1.6	1.72	1.14	1.23	1.22	1.31
9	1960	0.96	1.04	1.35	1.45	0.96	1.04	2.02	2.18	1.44	1.56	1.54	1.66
10	1960	1.19	1.28	1.66	1.79	1.19	1.28	2.49	2.69	1.78	1.92	1.9	2.05
11	1960	1.44	1.55	2.01	2.17	1.44	1.55	3.02	3.25	2.16	2.32	2.3	2.48
12	1960	1.71	1.84	2.39	2.57	1.71	1.84	3.59	3.85	2.56	2.75	2.73	2.94
13	1960	2	2.17	2.8	3.03	2	2.17	4.2	4.55	3	3.25	3.2	3.47
14	1960	2.33	2.51	3.26	3.52	2.33	2.51	4.9	5.28	3.5	3.77	3.73	4.02
16	1960	3.05	3.29	4.27	4.6	3.05	3.29	6.4	6.9	4.57	4.93	4.88	5.26
18	1960	3.85	4.15	5.4	5.81	3.85	4.15	8.09	8.71	5.78	6.22	6.17	6.64
20	1960	4.75	5.12	6.66	7.17	4.75	5.12	9.98	10.75	7.13	7.68	7.61	8.19
22	1960	5.75	6.2	8.04	8.69	5.75	6.2	12.06	13.03	8.62	9.31	9.19	9.93
24	1960	6.85	7.38	9.58	10.33	6.85	7.38	14.38	15.5	10.27	11.07	10.95	11.81
26	1960	8.02	8.66	11.23	12.13	8.02	8.66	16.84	18.19	12.03	13	12.83	13.86
28	1960	9.31	10.04	13.03	14.06	9.31	10.04	19.54	21.08	13.96	15.06	14.89	16.06
32	1960	12.15	13.12	17.01	18.37	12.15	13.12	25.52	27.56	18.23	19.69	19.44	21
36	1960	15.38	16.59	21.53	23.23	15.38	16.59	32.3	34.84	23.07	24.89	24.61	26.55
40	1770	19.09	20.56	26.72	28.78	19.09	20.56	40.09	43.17	28.63	30.84	30.54	32.89
44	1770	22.94	24.78	32.12	34.69	22.94	24.78	48.18	52.04	34.42	37.17	36.71	39.65
48	1770	27.35	29.55	38.29	41.37	27.35	29.55	57.43	62.06	41.02	44.33	43.76	47.28
52	1770	32.12	34.69	44.97	48.57	32.12	34.69	67.45	72.85	48.18	52.04	51.39	55.51
56	1770	37.26	40.2	52.16	56.28	37.26	40.2	78.25	84.41	55.89	60.3	59.62	64.32
60	1770	42.77	46.07	59.87	64.5	42.77	46.07	89.81	96.75	64.15	69.11	68.43	73.71
Leg Factor		1		1.4		1		2.1		1.5		1.6	

Larger capacities / lengths are available.



WIRE ROPE GROMMETS ARE ALSO AVAILABLE

LOAD EQUALISING BOBBINS ARE AVAILABLE FOR USE WITH WIRE ROPE SLINGS. THEY ALLOW LOADS TO SELF-LEVEL WHILE BEING LIFTED

Dyneema Slings

When it comes to heavy lifting, these ropes can suit a variety of different purposes.

For example, they can hold machine parts lifted up to wind turbines offshore, as well as the lifting of turbines for hydraulic power stations and raising derailed trains into position. These ropes are around 10 times stronger than steel wires per unit of weight. This means they possess more strength than a steel wire of the same diameter, but are less than one-tenth the weight.



DESCRIPTION	S.W.L.
Dyneema Sling	200t
Dyneema Sling	200t
Dyneema Sling	200t
Dyneema Sling	200t
Dyneema Sling	200t
Dyneema Sling	250t
Dyneema Sling	300t
Dyneema Sling	300t
Dyneema Sling	300t
Dyneema Sling	300t
Dyneema Sling	450t
Dyneema Sling	600t

VISIT OUR WEBSITE FOR MORE INFORMATION

Slings and Loose Gear

Steel Wire Rope Slings v Dyneema Slings



STEEL WIRE ROPE SLING	DYNEEMA SLING
Steel are ten times heavier per capacity ratio	Lighter, safer and faster handling
Steel wire ropes are very stiff and hard to manoeuvre	Easier to bend and manoeuvre onto shackles etc.
Steel wire ropes retain bends	Do not retain kinks or bends
Steel wire ropes require larger transport due to extra weight	Lower transport cost due to lower weights
Steel wire ropes may require a larger crane due to extra weight	Possible down size in the actual crane used to carry out the lift
Steel wire ropes can have sharp strands of wire sticking out	No sharp edges due to the soft material they are manufactured from
Steel wire ropes have ferrules that can snag	Have no jointing Ferrules to snag
Steel wire ropes have higher download factors	Lower download factor
Steel wire ropes 300 tonne capacity 100kg per meter	300 tonne capacity Dyneema 9.09kg per metre

Lifting Beams



Lifting Beams

Colift Mounting Shaft



The COLIFT Mounting System is designed for lifting and handling of precast concrete columns or beams on the construction site. The COLIFT Mounting System is intended for lifting and tilting up concrete elements from the ground.

It can also be used simultaneously in pairs for lifting long and heavy beams. The remote function of the COLIFT Mounting System enables the lifting device to be released from ground level without requiring an additional elevated working platform.

The system's versatility makes it possible to attach it to precast elements of various dimensions and to use different types of slings.

DESCRIPTION	WLL	SIZE
COLIFT Mounting Shaft	20t	1.8m (dia 115mm)

VISIT OUR WEBSITE FOR MORE INFORMATION



Modular Spreader Beam

We have a range of Modular Spreader Beams from 10 tonne up to 900 tonne, supplied in lengths from 1m up to 26m.

Our Modular Spreader Beams consists of two end units encompassing drop links and appropriate capacity shackles. Different length inserts are used between the ends to achieve the required spans ranging from increments of 0.25m.

DESCRIPTION	S.W.L.	STANDARD LENGTH
Modular Spreader Beam	10t	1m - 9m
Modular Spreader Beam	24t	1m - 7.5m
Modular Spreader Beam	30t	1m - 12m
Modular Spreader Beam	50t	1.5m - 12m
Modular Spreader Beam	100t	1m - 12m
Modular Spreader Beam	130t	2m - 26m
Modular Spreader Beam	260t	2m - 18m
Modular Spreader Beam	400t	2m - 23m
Modular Spreader Beam	600t	2m - 26m
Modular Spreader Beam	900t	2m - 22m

VISIT OUR WEBSITE FOR MORE INFORMATION



LIFTING GEAR AND SAFETY HAS THE LARGEST RANGE OF HEAVY LIFTING ACCESSORIES IN THE UK FOR HIRE. PLEASE SEE THE HEAVY LIFTING GEAR SECTION AT THE FRONT OF THE CATALOGUE FOR MORE DETAILS

Lifting Beams

Roof Sheet / Panel Lifting Beam

Our Roof Sheet Beams are a light-weight modular spreader beam suitable for long, light loads and has been specially developed to suit roofing sheets.

Maximum spans from 6m up to 42m in 3m increments are achievable using this system. Lower support slings can be attached to the frames every 2m to ensure a uniformly distributed load.

DESCRIPTION	S.W.L.	STANDARD LENGTH
Roof Sheet /Panel Lifting Beam	6t	up to 32m
Roof Sheet / Panel Lifting Beam	4t	up to 36m
Roof Sheet / Panel Lifting Beam	3t	up to 44m

VISIT OUR WEBSITE FOR MORE INFORMATION



Cruciform Lifting Beam

The Cruciform Lifting Beam is designed to lift and transport big bags safely and securely. It is manufactured as a 4 point fixed frame of welded construction incorporating 4 hooks and safety latches which allow fast loading and unloading.

Various dimensions are available.

DESCRIPTION	S.W.L.
Cruciform Lifting Beam	2t

VISIT OUR WEBSITE FOR MORE INFORMATION



Lifting Beams

Adjustable Single Point Lifting Beam

Adjustable Beams have a fixed point on top and moveable drop links on the underside.

They are ideal for situations where loads of varying physical sizes need lifting or where lifting points are unusual distances apart.

DESCRIPTION	S.W.L.	LENGTH
Adjustable Single Point Lifting Beam	5t	2m - 4m
Adjustable Single Point Lifting Beam	10t	0.7m - 2.5m

VISIT OUR WEBSITE FOR MORE INFORMATION



LIFTING CENTRES CAN BE ADJUSTED TO ANY LENGTH

Multipoint Lifting Beam

Multipoint Lifting Beams have lifting points at various intervals along the bottom.

They are ideal for lifting fragile but heavy items that require lifting on several points.

Other multipoint beams are available.



DESCRIPTION	S.W.L.	LENGTH
Multipoint Lifting Beam	7t	2m
Multipoint Lifting Beam	8t	4m
Multipoint Lifting Beam	8t	7m
Multipoint Lifting Beam	9t	2.5m
Multipoint Lifting Beam	9t	3.5m
Multipoint Lifting Beam	8t	8m
Multipoint Lifting Beam	10t	4m
Multipoint Lifting Beam	10t	8m
Multipoint Lifting Beam	26t	6m
Multipoint Lifting Beam	27t	6m
Multipoint Lifting Beam	32t	5.7m
Multipoint Lifting Beam	33t	6m
Multipoint Lifting Beam	36t	7.5m
Multipoint Lifting Beam	40t	5.5m
Multipoint Lifting Beam	90t	9.05m

Lifting Beams

Multilift Lifting Beam



ONE BEAM, MULTIPLE USES, INFINITE POSSIBILITIES


The Multilifter is a versatile lifting beam designed to streamline and optimise your lifting operations.

This innovative solution is a reliable, adaptable, versatile piece of lifting equipment which can be easily reconfigured to an unbelievable number of different configurations which brings unparalleled flexibility to your lifting tasks.

The Multilifter is one single system made-up of standardised sections and adaptors, making it ideal for quick adjustments and last minute changes.

PRODUCT CODE	DESCRIPTION	TOTAL SPAN (M)	S.W.L
ML180-1.0-3.0	Multi-Lifter Beam	1-3m	16t
ML180-4.0	Multi-Lifter Beam	4m	13t
ML180-5.0	Multi-Lifter Beam	5m	10t
ML180-6.0	Multi-Lifter Beam	6m	7t
ML180-7.0	Multi-Lifter Beam	7m	6t
ML180-8.0	Multi-Lifter Beam	8m	4t
ML180-9.0	Multi-Lifter Beam	9m	3t
ML180-10.0	Multi-Lifter Beam	10m	2t

VISIT OUR WEBSITE FOR MORE INFORMATION



Fixed Single Point Lifting Beam

DESCRIPTION	S.W.L.	LENGTH
Fixed Single Point Lifting Beam	1.5t	2m
Fixed Single Point Lifting Beam	3t	1m
Fixed Single Point Lifting Beam	4t	1.5m
Fixed Single Point Lifting Beam	6t	1.8m
Fixed Single Point Lifting Beam	6t	2.5m
Fixed Single Point Lifting Beam	10t	2m
Fixed Single Point Lifting Beam	10t	6m
Fixed Single Point Lifting Beam	10t	7.5m
Fixed Single Point Lifting Beam	12t	3.5m
Fixed Single Point Lifting Beam	16t	1.8m
Fixed Single Point Lifting Beam	16t	3m
Fixed Single Point Lifting Beam	20t	6m
Fixed Single Point Lifting Beam	25t	2.5m
Fixed Single Point Lifting Beam	25t	3m
Fixed Single Point Lifting Beam	33t	6m

VISIT OUR WEBSITE FOR MORE INFORMATION

Other lengths are available.

- ▲ SINGLE CENTRAL TOP LIFTING POINT
- ▲ TWO FIXED POINTS ON THE BOTTOM
- ▲ REQUIRED FOR LIFTS WITH LOW HEADROOM



Lifting Beams

Lifting Under Beams

Under beams are used to cradle loads to allow safe and easy lifting of items such as pre-cast bridge sections.

Both heavy and lightweight versions are available in varying lengths for lifting anything from caravans to bridge sections.

Capacities available up to 196 tonnes.



DESCRIPTION	S.W.L.	LENGTH
Lifting Under Beam	1t	1.5m
Lifting Under Beam	16t	4.4m
Lifting Under Beam	16t	6.2m
Lifting Under Beam	32t	6m
Lifting Under Beam	196t	3.5m
Lifting Under Beam	196t	12m

VISIT OUR WEBSITE FOR MORE INFORMATION

GOT AN UNUSUAL LIFT AND STRUGGLING TO FIND THE GEAR TO DO THE JOB?
LIFTING GEAR AND SAFETY CAN CARRY OUT A FREE SITE INSPECTION AND HELP YOU PLAN YOUR JOB!

Counterbalance Lifting Beams

Ideal solution where an offset beam is required, the beam is designed to have offset weight to match the payload.

DESCRIPTION	S.W.L.
Counterbalance Lifting Beam 8m	5t
Counterbalance Lifting Beam 6m	6t
Counterbalance Lifting Beam 13m	7.5t
Counterbalance Lifting Beam 10m	11t

VISIT OUR WEBSITE FOR MORE INFORMATION

- VARIOUS OFFSET LENGTHS AVAILABLE FROM 3M TO 5M
- SUPPLIED WITH SLINGS, WEIGHTS AND ACCESSORIES




Lifting Beams

Modular Lifting Frame

The ideal solution for a 4 point lift where there is a low headroom requirement or where a "H" Type modular beam arrangement cannot be utilised.

DESCRIPTION	S.W.L.
Modular Lifting Frame 6m x 6m	20t
Modular Lifting Frame 7m x 7m	48t
VISIT OUR WEBSITE FOR MORE INFORMATION	



- MODULAR 20-TONNE FRAME HAS AN ASSEMBLY SIZE RANGING FROM 1M X 1M UP TO 6M X 6M IN 0.25M INCREMENTS. FRAME INSERTS COME IN LENGTHS OF 0.25M, 0.5M, 1M, 2M AND 3M
- MODULAR 48-TONNE FRAME HAS AN ASSEMBLY SIZE RANGING FROM 1M X 1M UP TO 7M X 7M IN 0.25M INCREMENTS. FRAME INSERTS COME IN LENGTHS OF 0.25M, 0.5M, 1M, 2M AND 3M
- EASY TO DISMANTLE INTO SECTIONS FOR TRANSPORTATION
- SUPPLIED COMPLETE WITH DROP LINKS AND SHACKLES AS STANDARD

MAX. NUMBER OF STRUTS ALLOWED IN SPREADER ASSEMBLY IS 5 WHICH ARE FIXED WITH 4 BOLTS PER JOINT. LONGEST SECTION INSERTS TO BE INSTALLED IN THE MIDDLE OF THE BEAM WITH PROGRESSIVELY SHORTER SECTIONS INSTALLED AT THE ENDS OF THE BEAM TO ACHIEVE THE DESIRED LENGTHS.

Container Lifting Frame

The Container Lifting frame is designed to lift ISO containers vertically, supplied with top wire rope assembly and shackles to suit.

DESCRIPTION	S.W.L.
Container Lifting Frame 6m x 2.5m	35t
Container Lifting Frame 12m x 2.5m	42t
VISIT OUR WEBSITE FOR MORE INFORMATION	




Lifting Beams

Machine Lifting Trays

This tray is ideal for lifting any self-propelled plant / vehicle that doesn't have any lifting points.

PRODUCT CODE	DESCRIPTION	S.W.L.
HLT30T	Machine Lifting Tray 4.1m x 2.35m	30t
HLT30T	Machine Lifting Tray 4m x 3.7m	30t
HLT50T	Machine Lifting Tray 6m x 3.8m	50t
VISIT OUR WEBSITE FOR MORE INFORMATION		

- ▲ VARIOUS ADJUSTABLE MODELS AVAILABLE
- ▲ STRONG HEAVY DUTY BUILD
- ▲ SUPPLIED WITH SLINGS AND MOD BEAMS TO SUIT
- ▲ THE MOD BEAM FRAME CAN BE UTILISED IF A LOWER HEAD ROOM IS REQUIRED



Hoists, Blocks and Winches

Hoists, Blocks & Winches

360° Manual Chain Hoist

A hand chain hoist which opens up huge new opportunities: The Yalelift 360° MK III opens up a new world of safety for the operator.

The range of applications as well as the operating conditions has been changed by a revolutionary hand chain design. The revolutionary 360° rotating hand chain guide is the key to this innovation, which allows operation of the hand chain from virtually any position, even in extremely confined areas.

Longer heights of lift available.

- ▲ The Yalelift 360 MK III can be operated at the side of the load or from any other position including horizontal pulling. The plane between top and bottom hook must always be in a straight line and duration of the WLL will apply.
- ▲ More flexibility gives greater safety – operators can now work outside of the immediate danger zone reducing the risk of operator injury.
- ▲ Safety under control: By means of the 360° rotating hand chain guide, the user can operate the hoist from all directions and is no longer directly within the danger zone as before.
- ▲ Work from above: The flexibility of the Yalelift 360 MK III allows the operator to work from directly above the load. The advantage of this application is you can have a long lift whilst using a relatively short hand chain. The revolutionary chain guide ensures a precise and smooth chain operation at all times.

DESCRIPTION	S.W.L.	H.O.L.
360° Manual Chain Hoist	0.5t	3m
360° Manual Chain Hoist	1t	3m
360° Manual Chain Hoist	2t	3m
360° Manual Chain Hoist	3t	3m
360° Manual Chain Hoist	5t	3m
360° Manual Chain Hoist	10t	3m
360° Manual Chain Hoist	20t	3m
MORE H.O.L. AVAILABLE		
VISIT OUR WEBSITE FOR MORE INFORMATION		



Manual Chain Block

Designed for easy raising and lowering of equipment in a controlled manner.

The perfect tool for many situations, from construction to engineering work.



DESCRIPTION	S.W.L.	H.O.L.
Manual Chain Block	500kg	3m
Manual Chain Block	500kg	6m
Manual Chain Block	500kg	9m
Manual Chain Block	500kg	15m
Manual Chain Block	500kg	30m
MORE H.O.L. AVAILABLE		
Manual Chain Block	1t	3m
Manual Chain Block	1t	6m
Manual Chain Block	1t	9m
Manual Chain Block	1t	15m
Manual Chain Block	1t	30m
MORE H.O.L. AVAILABLE		
Manual Chain Block	2t	3m
Manual Chain Block	2t	6m
Manual Chain Block	2t	9m
Manual Chain Block	2t	15m
Manual Chain Block	2t	30m
MORE H.O.L. AVAILABLE		
Manual Chain Block	3t	3m
Manual Chain Block	3t	6m
Manual Chain Block	3t	9m
Manual Chain Block	3t	15m
MORE H.O.L. AVAILABLE		
Manual Chain Block	5t	3m
Manual Chain Block	5t	6m
Manual Chain Block	5t	9m
Manual Chain Block	5t	15m
MORE H.O.L. AVAILABLE		
Manual Chain Block	10t	3m
Manual Chain Block	10t	6m
Manual Chain Block	10t	9m
Manual Chain Block	10t	15m
Manual Chain Block	15t	6m
Manual Chain Block	20t	6m
Manual Chain Block	30t	6m
VISIT OUR WEBSITE FOR MORE INFORMATION		

Hoists, Blocks & Winches

Electric Chain Hoist

The Electric Chain Hoist comes in a range of 110v, 240v and 415v.

All hoists have a range of lift chain heights and pendant control.

S.W.L.	H.O.L.
500kg	6m
500kg	12m
500kg	15m
500kg	25m
MORE H.O.L. AVAILABLE	
1t	6m
1t	12m
1t	15m
1t	25m
MORE H.O.L. AVAILABLE	
2t	6m
2t	12m
2t	15m
2t	25m
MORE H.O.L. AVAILABLE	
3t	6m
3t	12m
3t	15m
3t	25m
MORE H.O.L. AVAILABLE	
5t	6m
10t	6m
MORE H.O.L. AVAILABLE	
VISIT OUR WEBSITE FOR MORE INFORMATION	



Tough lightweight aluminium alloy covers totally enclose the mechanical and electrical components providing protection and efficient heat dissipation.

The design enables easy access for installation and service.


- ▲ Adjustable upper and lower limit switches
- ▲ Excellent closed height dimensions
- ▲ Load hook with axial bearing
- ▲ Ideal for long heights of lift
- ▲ Models may vary

Air Hoist

Pneumatic hoists are ideal for the petrochemical industry and hazardous working environments.

They are fitted with a pull cord control for easy operation.

Air hoists are available up to 100 tonnes.



S.W.L.	H.O.L.
1t	6m
1t	12m
1t	18m
MORE H.O.L. AVAILABLE	
3t	6m
3t	12m
3t	18m
MORE H.O.L. AVAILABLE	
6t	6m
6t	12m
6t	18m
MORE H.O.L. AVAILABLE	
12t	6m
15t	6m
20t	6m
25t	6m
50t	6m
75t	6m
100t	6m
MORE H.O.L. AVAILABLE	
VISIT OUR WEBSITE FOR MORE INFORMATION	

- ▲ Suitable for application in hazardous areas (explosion protection)
- ▲ Sensitive infinitely variable speed control for the precise positioning of loads
- ▲ Easy operation
- ▲ Suitable for lube-free operation
- ▲ Frequent switching and extended duty cycles
- ▲ Low maintenance
- ▲ Low headroom, lightweight
- ▲ Sound absorption

Hoists, Blocks & Winches


Lever Hoist / Pull Lift

When pulling or lifting, the lever hoist can be used in any configuration.

Designed for use in confined working areas.
Standard chain lengths 1.5m, other lengths available on request.

S.W.L.	H.O.L.
250kg	1.5m
800kg	1.5m
1.6t	1.5m
3t	1.5m
6t	1.5m
9t	1.5m

VISIT OUR WEBSITE FOR MORE INFORMATION



WLL TONNES	NO. OF FALLS	LOAD CHAIN (mm)	STANDARD LIFT (m)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	H (mm)	MASS (kg)	EXTRA WEIGHT PER M (kg)
0.80	1	5.6 x 17	1.5	148.0	121	37.5	265	28	280	6.20	0.70
1.60	1	7.1 x 21	1.5	165.5	141	47.0	415	33	350	9.60	1.10
3.20	1	10 x 30	1.5	194.5	178	62.5	415	42.5	420	15.50	2.20
6.30	2	10 x 30	1.5	194.5	228	78.0	415	51	570	27.00	4.40
9.00	3	10 x 30	1.5	194.5	310	-	415	56	680	38.30	6.60
15.00	6	10 x 30	1.5	194.5	420	-	415	80	1000	90.00	13.20
20.00	8	10 x 30	1.5	194.5	480	-	415	80	1150	195.00	19.20

Lifting / Pulling Machine

Lifting / pulling machines can be utilised for winching, hoisting and tensioning various applications.

The pulling power can be increased using various sheaving applications.

DESCRIPTION	S.W.L.
TU8	0.8t
TU16	1.6t
TU32	3.2t

VISIT OUR WEBSITE FOR MORE INFORMATION



ROPE LENGTH
10m
20m
30m
40m
50m
60m
70m
80m

Hydraulic Powered Lifting / Pulling Machine

Lifting / pulling winches can be used singularly, in pairs or as a team of 4, using a hydraulic power pack that can be supplied in either petrol or electric format.

The power packs can run up to 4 units at one time.



Wire ropes should be ordered separately.

S.W.L.
1.6t
3.2t
Power Pack

VISIT OUR WEBSITE FOR MORE INFORMATION

Hoists, Blocks & Winches


Sheave / Snatch Blocks

Increases the load capacity of a lift / pulling machine or winch.

Also allows the user to change direction of the load or pull.
Available with a shackle or hook end fitting.

S.W.L.
2t
4t
8t

VISIT OUR WEBSITE FOR MORE INFORMATION



WLL TONNES	SHEAVE DIA (mm)	WIRE ROPE SIZE (mm)	A (mm)	B (mm)	E (mm)	F (mm)	G (mm)	H (mm)	L (mm)	R (mm)	MASS (kg)
2	76	08-10	35	30	64	11	75	150	228	217	3.8
4	114	10-13	64	50	79	19	107	243	356	336	6.2
8	152	16-19	87	76	104	32	152	320	484	452	13.2
8	203	16-19	87	76	104	32	220	333	558	526	18.2
12	152	19-22	78	80	134	44	167	359	540	496	24.8
15	203	19-22	78	80	134	44	220	355	589	545	29.6
15	254	19-22	78	80	134	44	280	423	714	670	42.7
15	305	19-22	78	80	134	44	330	428	770	726	52.8
20	203	25-29	109	93	150	55	216	433	671	616	41.6
20	254	25-29	109	93	150	55	280	481	778	723	52.4
20	305	25-29	109	93	150	55	330	485	883	778	62.8

Minifor Hoist / Winch

DESCRIPTION	S.W.L.
Minifor Hoist	300kg
Minifor Hoist with Remote Control	500kg
Sheave Kit	900kg

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Lightweight and easy to handle
- ▲ Remote control available
- ▲ Sheave kit for improved S.W.L. available



MINIFOR HOIST ROPE TO SUIT 300KG OR 500KG
DESCRIPTION
10m Rope
20m Rope
30m Rope
40m Rope
60m Rope
80m Rope

MORE LENGTHS AVAILABLE

VISIT OUR WEBSITE FOR MORE INFORMATION

Hoists, Blocks & Winches

Air Winches



Rugged compact and versatile design

- ▲ Meets ANSI / ASME B30.7
- ▲ 5:1 Design factor at rated load
- ▲ Top layer rated line pull
- ▲ “Lift to shift” winch mounted lever throttle
- ▲ Minimum 18:1 drum diameter to wire rope diameter ratio
- ▲ Compact gearbox-in-drum design
- ▲ Standard design temperature range is 0°C through 60°C
- ▲ Group of mechanism as per fem: 5m

Suitable for hazardous explosion proof environments

- ▲ Flameproof by design.
Air motors (unlike electric motors) are inherently spark resistant
- ▲ Atex classification
(as per directive ec 94/9/eec)
- ▲ CE compliant models marked ex II 2 gd c 200°C

DESCRIPTION	S.W.L.
Air Winch	2t
Air Winch Rotating Base	2t
Vertical Deck Sheave 12/13mm	4t

VISIT OUR WEBSITE FOR MORE INFORMATION



Powerful radial piston air motor

- ▲ Positive starting torque
- ▲ Infinitely variable speeds with precision spotting control
- ▲ Superior reliability in harsh environments
brake systems
- ▲ Manual drum brake standard
- ▲ Optional auto drum brake and / or auto disc available
- ▲ Fully enclosed automatic oil bath “wet”
disc brake sealed against moisture and
contaminants

Cable Pulling Winch / Rollers

This compact unit is portable and ideal for cable pulling.

It includes forward and reverse mode, dual speed and overload protection. An excellent solution for guiding and protecting cables when being winched into position.

Rope is offered separately as a sale item.



DESCRIPTION	POWER	S.W.L.
Cable Pulling Winch	110v	1.5t
Cable Pulling Winch	110V	2.5t
Cable Rollers	-	2t

VISIT OUR WEBSITE FOR MORE INFORMATION

Hoists, Blocks & Winches

Tirak Wire Rope Hoist / Winch

A powerful wire rope hoist that can be used for both lifting and pulling various applications.

Ropes should be ordered separately. Some models can be used for Man Riding

- ▲ Maximum S.W.L. up to 3 Tonne
- ▲ Unlimited rope length
- ▲ Some models can also be used for manriding

DESCRIPTION	S.W.L.
Tirak Wire Rope Hoist / Winch	1t
Tirak Wire Rope Hoist / Winch	3t

VISIT OUR WEBSITE FOR MORE INFORMATION



Clamps and Trolleys



Clamps and Trolleys

Cable Drum Spreader Bar

Designed for the safe lifting and handling of cable drums and cable laying applications.

The lightweight bar allows easy assembly through the drum centre, while all other parts are lifted into place with plant. A simple pin in position coupler, with adjustment, allows the drum to be held on the bar, ensuring controlled rotation.

Four standard units allow a large variety of drums to be carried.

- ▲ Hand-built with great emphasis on quality, strength and efficiency of design.
- ▲ Features a lightweight aluminium spindle, within manual handling limits, and quick release collars with simple tool-less assembly.
- ▲ Adjustable to suit most drums with a safe working load from 2.5-5T.
- ▲ Cable drums rotate freely on bearings to ensure smooth cable unwinding.
- ▲ Easily stowed when not in use.

DESCRIPTION	WLL	WEIGHT
Cable Drum Spreader Bar	5t	22kg

VISIT OUR WEBSITE FOR MORE INFORMATION



Adjustable Rail Lifting Clamp

Designed to lift single rails securely and safely.

The adjustable rail lifting clamp will fit most types of rail section sizes.



S.W.L.
1t

VISIT OUR WEBSITE FOR MORE INFORMATION

Girder / Beam Clamp


Used as an anchor point for lifting or pulling purposes.

The girder / beam clamp can be supplied with or without permanent shackles.

S.W.L.
1t
2t
3t
5t
10t
15t
20t
30t

VISIT OUR WEBSITE FOR MORE INFORMATION

Model No.	WLL tonnes	Beam Range mm	Max. Beam Thickness mm	A mm	B mm	D mm	E max	E min	G mm	K max	K min	H mm	Mass kg
WH-BC2	2.00	76 - 190	20	130	3	90	254	133	275	263	223	20	4.00
WH-BC3	3.00	76 - 190	28	130	12	102	275	166	275	289	251	20	8.00
WH-BC3W	3.20	127 - 350	28	130	12	102	438	226	360	375	294	20	11.50
WH-BC4	4.00	150 - 254	24	130	10	112	371	185	410	389	308	25	11.00
WH-BC5	5.00	76 - 190	24	130	12	116	306	191	295	338	300	25	10.00
WH-BC5W	5.00	150 - 305	24	130	12	116	422	264	410	413	360	25	15.00
WH-BC6	6.00	203 - 457	36	140	12	116	608	267	500	511	402	25	18.80
WH-BC10	10.00	203 - 457	36	140	20	118	608	267	500	530	421	32	28.00
WH-BC15	15.00	203 - 457	56	170	20	116.5	648	400	660	684	608	40	49.50
WH-BC15W	15.00	406 - 610	56	170	20	116.5	800	600	810	812	706	40	58.50



Clamps and Trolleys

Girder / Beam Trolley Push Travel

Provides a suspension point that can be moved along a runway beam.

Enabling exact positioning or easy traversing of large loads incorporating manual hoists, can be supplied to suit various track widths.

S.W.L.
1t
2t
3t
5t
10t
15t
20t

VISIT OUR WEBSITE FOR MORE INFORMATION

Part Code	Model No.	WLL tonnes	Beam Range mm	Max. Beam Thickness mm	A mm	B mm	D mm	E max	E min	G mm	K max	K min	H mm	Mass kg
027.200	WH-BC2	2.00	76 - 190	20	130	3	90	254	133	275	263	223	20	4.00
027.300	WH-BC3	3.00	76 - 190	28	130	12	102	275	166	275	289	251	20	8.00
027.320.E	WH-BC3W	3.20	127 - 350	28	130	12	102	438	228	560	375	294	20	11.50
027.400	WH-BC4	4.00	150 - 254	24	130	10	112	371	185	410	369	308	25	11.00
027.500	WH-BC5	5.00	76 - 190	24	130	12	116	306	191	295	338	300	25	10.00
027.500.E	WH-BC5W	5.00	150 - 305	24	130	12	118	422	264	410	413	380	25	15.00
027.600	WH-BC6	6.00	203 - 457	36	140	12	116	608	287	560	511	402	25	18.80
027/1000	WH-BC10	10.00	203 - 457	36	140	20	118	608	267	560	530	421	32	28.00
027/1500	WH-BC15	15.00	203 - 457	66	170	20	116.5	648	400	660	684	608	40	49.50
027/1500.E	WH-BC15W	15.00	406 - 610	66	170	20	116.5	800	600	810	812	706	40	58.50



Geared Girder / Beam Trolley Integrated Clamp

Provides a suspension point that can be moved along a runway beam via a geared mechanism.


Enabling exact positioning or easy traversing of large loads incorporating manual hoists, can be supplied to suit various track widths.

WLL tonnes	Min. Radius of Curve m	a mm	b mm	c mm	e mm
0.50	0.8	190	154	22	27
1.00	0.9	206	180	30	26
2.00	1.0	246	210	37	26
3.20	1.2	300	249	42	28
5.00	1.3	336	277	50	37
10.00	2.0	396	334	58	37

S.W.L.
1t
2t
3t
5t
10t
15t
20t

VISIT OUR WEBSITE FOR MORE INFORMATION

Standard Range 1					Extended Range 2				
WLL tonnes	I Beam width mm	d Max. Width mm	f Max. mm	Mass kg	WLL tonnes	I Beam width mm	d Max. Width mm	f Max. mm	Mass kg
0.5	90-203	203	323	9.60	0.5	-	-	-	-
1.0	94-203	203	332	12.00	1.0	64-305	305	434	13.70
2.0	88-203	203	341	17.20	2.0	88-305	306	443	19.00
3.2	100-203	203	359	28.40	3.2	100-305	305	461	31.20
5.0	114-203	203	366	40.10	5.0	114-305	305	468	44.20
10.0	124-203	203	386	62.00	10.0	124-305	305	488	67.00



Clamps and Trolleys


Adjustable Girder / Beam Trolley with Integrated Clamp

This useful tool allows the trolley to be used either as a fixed or moving anchor point.

If required, a version certified for man riding use is also available.

DESCRIPTION	S.W.L.
Adjustable Girder / Beam Trolley with Integrated Clamp	1t
Adjustable Girder / Beam Trolley with Integrated Clamp	3.2t
Adjustable Girder / Beam Trolley with Integrated Clamp	6t

VISIT OUR WEBSITE FOR MORE INFORMATION



WLL tonnes	Min. Radius of Curve m	A mm	B mm	C mm	D mm	E mm	F mm	G mm	Beam Width M mm	Mass kg
2.00	0.7	204	276 - 322	100	20	21	2.5	320	76 - 203	8.10
3.20	1.1	246	334 - 374	111	20	25	2.5	330	76 - 203	14.25
6.00	1.4	286	384 - 463	124	25	33	3.0	454	100 - 305	27.40

Lifting Magnet

Lightweight and easy to use.

The lifting magnet is used for the movement of ferrous materials in a variety of industrial applications.

POWERTEX



S.W.L.
250kg
500kg
1t
2t

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Loading / unloading machine tools
- ▲ Handling of bar, tube and profiles in the warehouse
- ▲ Handling of plate, tube, bar and profiles in the steel construction

Clamps and Trolleys

Pipe Lifting Hooks

Used in pairs, these hooks fit into the ends of the pipes.

This allows them to be lifted with a 2-leg chain-sling.

S.W.L.
2t
4t
6t
20t

VISIT OUR WEBSITE FOR MORE INFORMATION



Horizontal Plate Clamps

Used in pairs the horizontal plate clamp is designed for loading process machines and to lift and transport sheet steel plate in horizontal position.

It is recommended to use two pairs in conjunction with a spreader beam for handling large plates. Designed to be used with two legged slings only.

Please state the thickness of the plate to be lifted when ordering.

S.W.L.	PLATE THICKNESS
2t	5-32mm
4t	5-50mm
6t	5-75mm
10t	5-100mm

VISIT OUR WEBSITE FOR MORE INFORMATION



Clamps and Trolleys

4 Point Drum Lifter

Semi-automatic Drum Tongs, suitable for picking up 1 x 210l drum.

The Drum Tongs can be suspended from a fork-mounted hook, jib or crane. The tong has a hook that automatically releases when lowered onto the drum, allowing it to be lifted, but has to be manually located to lift it clear off the drum.



S.W.L.

500kg

VISIT OUR WEBSITE FOR MORE INFORMATION

Vertical Plate Clamps

Enables plates to be turned over or lifted from the horizontal to a true vertical position.

Clamps are available with soft jaws for polished metals.



S.W.L. PLATE THICKNESS

1t 0-20mm

2t 0-32mm

3t 0-32mm

4t 0-32mm

6t 0-50mm

6t 50-100mm

10t 0-50mm

10t 50-100mm

VISIT OUR WEBSITE FOR MORE INFORMATION

Clamps and Trolleys

Camlock CLT / CLB Container Lifting Lugs

There are two types of lugs for lifting shipping containers, the CLT is for top lifting and the CLB is for side lifting.

Supplied in sets of four with lifting capacities up to 56 tonne these lugs create the ideal lashing point for easier transportation of large containers.

S.W.L. dependent on sling angles.




DESCRIPTION	S.W.L.
Container Twist Locks Vertical Lug	56t
Container Twist Locks Side Lug	32-52t
VISIT OUR WEBSITE FOR MORE INFORMATION	

- ▲ The CLT top lifting lugs are vertically mounted on top of the container and are locked into position by simply turning the lug 90 degrees. These lugs enable transportation with a lifting frame and cables, chains or slings.
- ▲ The CLB lugs are fixed to the sides of the container at either the top or the bottom fixing holes. They incorporate spring loaded bolts to prevent accidental release for extra safety.
- ▲ **N.B.** Not to be used with a 4 leg chain sling - due to wrong angles.

Adjustable Rail Lifting Clamp

The CR rail clamps are designed to lift single rails securely and safely.

The CR is designed to lift tram rail. The clamps are designed to fit most types of rail section currently in use. The clamps have a narrow profile to enable attachment to an individual rail when rails are side by side. The clamps are locked onto the rail-head via a lever operated spring mechanism. It is recommended to use clamps suspended from a lifting beam for long rail lengths



DESCRIPTION	S.W.L.
Adjustable Rail Lifting Clamp	1t
Adjustable Rail Lifting Clamp	2t
VISIT OUR WEBSITE FOR MORE INFORMATION	



MODEL	CR1000 (mm)	CR20 00 (mm)
A*	144	144
B	152	163
C	350	350
D	90	90
E	46	46
ØF	20	20
G	25	25



Material Lifts, Gantries and Floor Cranes

Shear Legs



- ▲ Quick and easy to assemble
- ▲ Fully adjustable
- ▲ Suspension point provided for a hoist, to lower equipment into the ground

S.W.L.	MAX. HEIGHT
500kg	3m
1t	3m
2t	3m

VISIT OUR WEBSITE FOR MORE INFORMATION

Manriding / Goods Lifting Tripod



This handy tripod can be utilised for both lowering personnel below ground and the lowering and lifting of tools and heavy items from below ground.

The tripod can be fitted with 2 winches (one manriding and one lifting), removing the need for an additional chainblock.

- ▲ S.W.L. For lifting 250kg
- ▲ Fits easily in to the back of a small van
- ▲ Rescue harness available

S.W.L.	WIRE DRO
Manriding Tripod	N/A
250kg	20m
1 man	20m

VISIT OUR WEBSITE FOR MORE INFORMATION

Material Lifts, Gantries and Floor Cranes

Aluminium / Steel Gantry

DESCRIPTION	S.W.L.
Small Aluminium Gantry	1t
Intermediate Aluminium Gantry	1t
Tall Aluminium Gantry	1t
Small Aluminium Gantry	2t
Intermediate Aluminium Gantry	2t
Tall Aluminium Gantry	2t
Small Aluminium Gantry	3t
Intermediate Aluminium Gantry	3t
Tall Aluminium Gantry	3t

VISIT OUR WEBSITE FOR MORE INFORMATION

DESCRIPTION	S.W.L.
Small Aluminium Gantry	5t
Intermediate Aluminium Gantry	5t
Tall Aluminium Gantry	5t
TC1 Aluminium Gantry	1t
TC2 Aluminium Gantry	3t
TC3 Aluminium Gantry	5t
TC4 Aluminium Gantry	5t
Supplied with Beams up to 9m	Up to 5t

VISIT OUR WEBSITE FOR MORE INFORMATION

Lightweight and easy to assemble, this portable system is adjustable in both height and beam length, making it the perfect solution for handling challenges, especially in confined spaces.

- Rooftops and clean environments
- A second trolley is available for dual lifts



Porta-Gantry Detailed Dimensions

	Dmax	E	Dmin	F	Hmax	Hmin	G			
	Max. height to lifting eye	Height increment	Min. height to lifting eye	Max. height to top of beam	Max height to top of roller	Min. height to top of roller	Width	A-frame (kg)	Roller size	Castor size
WLL 500										
S	2355	5 x 150	1605	2675	2757	2007	1212	33	82	s
M	2851	5 x 150	2101	3171	3253	2503	1429	40	82	s
I	3188	5 x 200	2188	3499	3581	2581	1726	46	82	l
T	4079	6 x 200	2879	4399	4481	3281	2011	51	82	l
WLL 1000										
S	2355	5 x 150	1605	2675	2757	2007	1212	33	82	s
M	2851	5 x 150	2101	3171	3253	2503	1429	40	82	s
I	3188	5 x 200	2188	3499	3581	2581	1726	46	82	l
T	4079	6 x 200	2879	4399	4481	3281	2011	51	82	l
WLL 2000										
S	2355	5 x 150	1605	2675	2757	2007	1212	38	82	s
M	2851	5 x 150	2101	3171	3253	2503	1429	40	82	s
I	3188	5 x 200	2188	3499	3581	2581	1726	46	82	l
T	4079	6 x 200	2879	4399	4481	3281	2011	51	82	l
WLL 3000										
S	2410	5 x 150	1660	2730	2812	2062	1212	55	82	l
M	2906	5 x 150	2156	3226	3308	2558	1429	60	82	l
I	3188	5 x 200	2188	3499	3581	2581	1726	70	82	l
T	4079	6 x 200	2879	4399	4481	3281	2011	82	82	l
WLL 5000										
I	3181	5 x 200	2181	3592	3717	2717	1736	97	125	l
T	4049	6 x 200	2849	4487	4612	3412	2021	106	125	l

		STANDARD BEAM LENGTH							
		2500	3000	3920	4570	5500	6000	8400	9000
WLL 500	500	✓	✓	✓	✓	✓	✓	✓	✓
	1000	✓	✓	✓	✓	✓	✓	✓	✓
	2000	✓	✓	✓	✓	✓	✓	✓	✗
	3000	✓	✓	✓	✓	✓	✓	✓	✗
	5000	✓	✓	✓	✓	✓	✗	✗	✗

Material Lifts, Gantries and Floor Cranes

Rapide Porta-Gantry

The easy-to-transport, mobile lifting gantry, RAPIDE PORTA-GANTRY adds exciting new dimensions to the PORTA-GANTRY family, as a unique rapid deployment system with goods and personnel lifting (man-ride) capability with full EN795 Type B certification.

DESCRIPTION	S.W.L.
RAPIDE Porta-Gantry 2m	0.5t
RAPIDE Porta-Gantry 2.3m	0.4t
RAPIDE Porta-Gantry 4m	0.25t
RAPIDE Porta-Gantry Trolley	0.5t
RAPIDE Stow and Go	
Blocfor Fall Arrest Block C/W Arm	

VISIT OUR WEBSITE FOR MORE INFORMATION


The PORTA-GANTRY RAPIDE adds exciting new dimensions to the PORTA-GANTRY family. A patented gantry that can be assembled in under 60 seconds for both goods and personnel lifting (man-ride) applications.

QUICK RELEASE PINS

Quick assembly with ball lock pins, no bolts or tools required

STOW'N'GO

A handy storage container for safe shipping and transportation



ASSEMBLY VIDEO

LOAD TROLLEY

Innovative quick release gated trolley or sheave carrier fitted in seconds

RAPID ATTACHMENTS

Winching accessories can be easily added without the need for tools


COMPACT

Frames easily fold onto beam, forming compact stowable unit. Easily fits into a typical service van


TRANSPORTABILITY

Easily transported by 1 person with integrated wheel and carry-handle or carried by 2 persons

PORTA-GANTRY RAPIDE Dimensions (mm)



PGR1T



DIMENSIONS (MM)													WLL			UNIT WEIGHT	
A BEAM LENGTH	B	C MIN	C MAX	D MIN	D MAX	E MIN	E MAX	F MIN	F MAX	G	H MIN	H MAX	J	GOODS CAPACITY (KG)	FALL ARREST CAPACITY* NO OF PERSON(S)	PERSONNEL POSITIONING** (KG)	(KG)
PGRS20																	
2000	2076	1100	1500	1438	1938	1614	2114	1764	2264	1158	1550	2050	2190	500	3	250	33
PGRS23																	
2300	2376	1200	1900	1438	1938	1614	2114	1764	2264	1158	1550	2050	2376	400	2	200	35
PGRS40																	
4000	4076	2700	3500	1438	1938	1614	2114	1764	2264	1158	1550	2050	4076	250	1	125	40

*Trolley stops fitted to beam **Ratings using European standards. Contact REID for other standards.

Material Lifts, Gantries and Floor Cranes

Beam Lifter

The Beam Lifter (600kg) is a simpler and more robust device for material handling. No cables or guides, just a simple screw mechanism, which is similar to the acrow prop operation can be wound up to required height.

It is a compact detachable elevator on wheels for lifting and fitting heavy loads such as steel beams.

Ideal for renovation projects.

DESCRIPTION	S.W.L.	MIN. WORKING HEIGHT	MAX. WORKING HEIGHT
Beam Lifter (each)	600kg	1.1m	3m

VISIT OUR WEBSITE FOR MORE INFORMATION



IMPORTANT INFORMATION

Lifting Height: 1.10 - 2.75m
 With Adapter: 1.36 - 3.00m
 Load-Bearing Capacity: 600kg
 In Case of Paired Operation: 2 x 450kg = 900kg (not 1200kg)

- ▲ Lifting capacity 600kg
- ▲ Maximum lifting height 3m
- ▲ High precision by using screw thread adjustment
- ▲ Fully detachable and easy to build up
- ▲ Uses two elevators for fitting beams
- ▲ Crane hook to lift loads from the ground
- ▲ Rotational platform



Packaway Floor Crane

Hydraulic crane, ideal for lifting engines or other heavy objects.

The Packaway Floor Crane folds up for easy transportation and easy set up.

- ▲ Quick lifting with a double acting pump
- ▲ 3 Positions adjustable jib extension
- ▲ Relief valve to prevent overloading
- ▲ 360° Swivel operating handle
- ▲ Forged heavy-duty swivel hook

S.W.L.
500kg
1t
2t

VISIT OUR WEBSITE FOR MORE INFORMATION



Material Lifts, Gantries and Floor Cranes

Counter Balance Floor Crane

Manoeuvrable floor crane providing an overhead lifting point where no lifting point exists.

Perfect for situations where outreach is required. Please note that the hire rate does not include the 12.5kg hand weights that are required to provide counter balance.

- ▲ Individually tested to 125% of maximum capacity
- ▲ Heavy duty double acting pump for fast action
- ▲ Fitted with overload safety valve
- ▲ 3 Position extending jib
- ▲ Swivel hook with safety latch



S.W.L.
500kg
1t
12.5kg Hand Weights (each)

VISIT OUR WEBSITE FOR MORE INFORMATION

Compact Genie Lift

DESCRIPTION	DIMENSIONS (CLOSED)	S.W.L.	MAX. H.O.L.
GL8	1.72mx0.3mx0.63m	181kg	3.06m
GL8 Counter Balance	1.745mx0.3mx0.63m	181kg	3.06m
GL10	2mx0.49mx0.73m	196kg	3.56m
GL10 Counter Balance	2.025mx0.49mx0.73m	196kg	3.56m
GL12	2.31mx0.49mx0.73m	159kg	4.2m

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Highly compact
- ▲ Adjustable operating length will fit through a standard doorway
- ▲ Easy transportation and set up



Material Lifts, Gantries and Floor Cranes

Counter Balance Material Lift

This useful material lift can be moved under load as per a fork lift truck.



- ▲ Ideal for placing items flush to the wall
- ▲ Glass lifting attachment available
- ▲ For movement of loads on firm and level ground only



TECHNICAL DATA	SLK-5	SLK-10	SLK-15	SLK-20	SLK-25
Lifting height - Standard forks up:	2.00m	3.50m	5.00m	6.50m	7.90m
Height - stowed:	2.04m	2.04m	2.04m	2.04m	2.04m
Length - stowed:	0.90m	0.90m	0.90m	0.96m	1.02m
- Working position	1.50m	1.50m	1.80m	2.22m	2.22m
Width - stowed:	0.80m	0.80m	0.80m	0.80m	0.80m
- Working position:	2.20m	2.20m	2.20m	2.20m	2.20m
Ground clearance - working position:	0.08m	0.08m	0.08m	0.08m	0.08m
Loading height min.:	0.27m	0.27m	0.27m	0.27m	0.27m
Pay load:	450kg	450kg	360kg	360kg	300kg
Weight basic chassis:	98kg	118kg	144kg	184kg	204kg

DESCRIPTION	MAX. H.O.L.	S.W.L.
Counter Balance Material Lift SLK5	2m	450kg
Counter Balance Material Lift SLK10	3.5m	450kg
Counter Balance Material Lift SLK15	5m	360kg
Counter Balance Material Lift SLK20	6.5m	360kg
Counter Balance Material Lift SLK25	7.9m	300kg
Glass Vacuum Attachment		200kg

VISIT OUR WEBSITE FOR MORE INFORMATION

Material Lift - Genie Superlift Advantage

Our material lifts can be used for most handling applications such as maintenance or installation.

The maximum S.W.L. of the lifts is 454kg and the maximum H.O.L. (height of lift) available is 7.62m.

Made with a lightweight aluminium construction, these lifts can easily be transported and can access the most restricted areas.



CLOSED UP DIMENSIONS	MAX. H.O.L.	RATED S.W.L.
1.5m x 0.8m x 2m	2.97m	454kg
1.88m x 0.8m x 2m	4.46m	363kg
2.08m x 0.8m x 2m	5.94m	363kg
2.08m x 0.8m x 2m	7.62m	295kg

VISIT OUR WEBSITE FOR MORE INFORMATION



Material Lifts, Gantries and Floor Cranes

Material Lift Accessories

Utilise your material lift for a number of applications by teaming it up with one of our useful accessories.

TO SUIT: SLA10 | SLA15 | SLA20 | SLA25

- ▲ **Extension forks**
 Fit over the standard forks to lift bulkier loads
- ▲ **Lifting Boom**
 Allows the lift to be utilised as a crane
- ▲ **Load Plate**
 A flat raisable surface for non-palletted loads
- ▲ **Pipe Cradle**
 Can be used to lift pipework without the risk of the load rolling

DESCRIPTION
Material Lift Fork Extension
Material Lift Load Plate
Material Lift Pipe Cradle
Material Lift Lifting Boom
VISIT OUR WEBSITE FOR MORE INFORMATION



Genie Gas Powered 'Superhoist'

This pneumatic hoist is powered by either CO2 or compressed air and makes easy work of positioning loads such as ductwork or ceiling panels in restricted areas.

Its compact design allows it to be folded up and fitted into the boot of most cars.



S.W.L.	MAX. H.O.L.
136kg	3.8m
113kg	5.6m
VISIT OUR WEBSITE FOR MORE INFORMATION	



Material Lifts, Gantries and Floor Cranes

Panel Lifter


This panel lifter is designed to lift plasterboard and similar sheet products to ceiling level, making fixing work easy.

An extension bar is available for higher lifts.

DESCRIPTION	S.W.L.	MAX. H.O.L.
Panel Lifter	68kg	3.35m
Extension Bar (to fit Panel Lift)	68kg	4.57m (total)

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Solid, safe construction
- ▲ Lightweight - 99 lb (45kg)
- ▲ Two speed winch handle
- ▲ Quick, tool-free assembly
- ▲ One person operation
- ▲ Tilts 65° for drywall installation




Material Lift Roust-A-Bout

Roust-A-Bouts are capable of lifting up to 680kg and to a height of 7.6m (25ft).

DESCRIPTION	S.W.L.	S.W.L. WITH T HEAD	MAX. WORKING HEIGHT
Roust-A-Bout AR100	680kg	455kg	4.6m
Roust-A-Bout AR250	680kg	455kg	7.6m
T-Head Extension for AR100	N/A	N/A	N/A
T-Head Extension for AR250	N/A	N/A	N/A

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Moves vertically and horizontally
- ▲ 2 Winches: operate load and mast
- ▲ Elevation separately
- ▲ 4-Speed load winches
- ▲ Infinite load height adjustment
- ▲ Ideal for job or shop
- ▲ Tee head extension available for wider loads up to 1,000 lbs (455kg)





Site Hoists and Conveyors

Palanbox Hoist

These lightweight, AC compact hoists are an ideal product for lifting heights up to 24 metres.


Single phase, easily used on scaffolds or lifting arms with astonishing efficiency.

110v | S.W.L. 200KG

- ▲ Dynamic and mechanical brake provides instant and safe braking
- ▲ Lightweight and compact design for easy handling and installation
- ▲ Supplied complete with wire rope, galvanised finish for longer life
- ▲ Automatic upper and lower limit switch when rope comes into contact with limit arm, hoisting is automatically stopped
- ▲ 360° Weighted safety hook swivel type with safety catch

DESCRIPTION	S.W.L.	H.O.L.	POWER
Palanbox Hoist	200kg	25m	110V

VISIT OUR WEBSITE FOR MORE INFORMATION



Site Hoist and Conveyors

Scaffold Hoist

Our lightweight jib mounted 'clip-on' scaffold hoists weigh only 42kg and run on 110v single phase power.

DESCRIPTION	S.W.L.	H.O.L.
Scaffold Hoist Clip-On	200kg	25m
Bucket	N/A	N/A
VISIT OUR WEBSITE FOR MORE INFORMATION		

- Will easily fit onto any vertical scaffold pole
- Full range of buckets available
- The hoists swing arm job allows it to rotate 180°



Scaffold Pulley Wheel

Traditional scaffold aid, used with polypropylene rope.

Other products include a full automatic brake, for safe use with light loads and a hoisting rope is available on a sales basis only.

S.W.L.
50kg
250kg
VISIT OUR WEBSITE FOR MORE INFORMATION



Builders Gantry Hoist

The builder's gantry hoist has a 42m height of lift and is designed to be used within scaffolding or on a flat roof where there is no scaffold to attach a lifting hoist.

It has a running beam 3.3m long and allows an overhang of 1m beyond the edge of the safety board to enable material to be manoeuvred along the hoist runway safely and without effort.

Ballast box and weights are charged separately.

DESCRIPTION	S.W.L.	H.O.L.	VOLTAGE REQUIRED
Builder's Gantry Hoist	300kg	25m	110v
Builder's Gantry Hoist	500kg	25m	415v
Bucket (120ltr)	N/A	N/A	N/A
Ballast Box Weights (per 12.5kg)	N/A	N/A	N/A
VISIT OUR WEBSITE FOR MORE INFORMATION			

- Every hoist comes with a steel rope cable drum that is installed transverse to the mounting bracket. This promotes smooth winding and eliminates dangerous accumulation of the rope on one side only, otherwise caused by the flexing of the support structures.
- The hoists are all fitted with an upper limit safety device with positive drive by thrusting spring that stops the upward movement of the load in the highest point.
- It has a top limit lever and micro switch to stop the hoist when it is at the top of its lift safely.
- The hook has a spring-loaded safety catch to keep the load carrier within the hook.
- The Hoist also has a brake to control the travel along its runway and rubber stops at each end of the travel.
- The gantry hoist is ideal for the small builder or larger contractor to lift material from the ground or lower material to the ground safely.



Site Hoist and Conveyors

Bumpa Hoist - Tile and Slate Conveyor

The time-consuming, back-breaking chore of loading heavy loads onto rooftops repetitively, becomes quick and easy with the BUMPA loading machine.

Today's regulations state you must provide a mechanical means for handling repetitive heavy loads, rather than relying on manual labour. BUMPA is proven to double your performance for half the effort, helping you compete and comply!



DESCRIPTION	S.W.L.	MAX. HEIGHT
BUMPA Hoist 8m	80kg	8m
BUMPA Hoist 10m	80kg	10m

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Load on the roof of any small van
- ▲ Up and running in 4 minutes
- ▲ Will clear a pallet of concrete blocks in less than 1 minute or 1000 tiles in 25 minutes
- ▲ Available in electric 110v or petrol

Hoddi Hoist - Building Material Conveyor

The Hoddi Hoist 5m 110v is aimed at the builder as opposed to the roofer, and caters for the 3 standard lifts in 2 storey home buildings.

- ▲ Fully reversible with remote stop / start
- ▲ Portable and transportable
- ▲ Easily set up in 5 minutes
- ▲ Comes complete with all attachments
- ▲ No need for assembly
- ▲ Transport bricks, blocks, slabs, mortar, lintels, frames, stone and much more

DESCRIPTION	S.W.L.
Hoddi Hoist 5m	80kg
Hoddi Hoist Bucket	N/A

VISIT OUR WEBSITE FOR MORE INFORMATION



Site Hoist and Conveyors

Material Conveyors

These units come in 3.1m lengths and can be used individually or as a series. The Conveyor is a favourite amongst hire companies, with its lightweight aluminium frame it is portable and makes working on site far easier.

The material conveyors are ideal for excavation or renovation work. The machine moves with your workspace allowing you to spend more time on the job and less time ferrying back and forth. It's a real workhorse of a machine, designed to be used day in and day out it will soon become a trusted and vital member of your team.



DESCRIPTION	LENGTH	BELT WIDTH	CAPACITY
Material Conveyor	3.1m	300mm	60t p/h
Material Conveyor	4.1m	300mm	60t p/h
Material Conveyor	3.1m	450mm	90t p/h
Material Conveyor	4.1m	450mm	90t p/h

VISIT OUR WEBSITE FOR MORE INFORMATION

Niko Scaffolding Runway System

The Scaffolding Runway System is unique to Niko Ltd and provides a solution for lifting and moving loads throughout a scaffolding support structure.

NIKO PROFILE	S.W.L.	TRACK SUPPORT CENTRES	MAX. CANTILEVER
24,000	125kg	1m	0.35m
25,000	250kg	1.5m	0.4m
26,000	500kg	1.5m	0.5m
27,000	1000kg	1.5m	0.5m
27,000	1600kg	1m	0.3m



- ▲ Clamps to existing scaffolding structure
- ▲ Lift and move loads up to 2000kg
- ▲ Cantilever over the end of the scaffolding
- ▲ Available in straight and curved sections
- ▲ Change direction with junction switches
- ▲ Suspend a bridge from 2 runways to create a crane system
- ▲ Supplied in kit form for ease of installation, extension and relocation
- ▲ Some components approved to EN795 for fall arrest

Vacuum Glass Lifter



Self-contained, dual circuit, battery-operated vacuum lifters with various lifting capacities.

Units are available to lift up to 250kg.



Crane Site Equipment

**NEW
PRODUCT**

Armorgard Tuffcage

This unique folding gas cage, featuring a galvanised finish for all-weather durability, can be erected in just 60 seconds to securely store gas cylinders.

DESCRIPTION	DIMENSIONS
tuffcage	1305mm x 1759mm x 1240mm
VISIT OUR WEBSITE FOR MORE INFORMATION	



- ▲ No Detachable Parts
- ▲ Forklift Skids
- ▲ Coshh Compliant
- ▲ Collapsible
- ▲ Stackable
- ▲ Padlock Secured
- ▲ Safety Signage
- ▲ Clamps

Block Grabs

Block grabs can be used to lift all standard brick and block packs and can be used along with cranes and forklift trucks.

A net is provided with forks to prevent accidental spillage.

DESCRIPTION	S.W.L.
Block Grab	0.3t
Block Grab	1.5t
Block Grab	1.8t
Block Grab	2t
Spillage Net	N/A

VISIT OUR WEBSITE FOR MORE INFORMATION



Man Riding Basket 1 Man | 2 Man | 4 Man | 6 Man | 12 Man

DESCRIPTION
1 Man Circular Basket
2 Man Basket
4 Man Basket
6 Man Basket
12 Man Basket

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ To be utilised with cranes
- ▲ Available in 1, 2, 4, 6 or 12 man sizes
- ▲ Man baskets for forklifts are also available
- ▲ A safety harness with a suitable lanyard must be worn when using a man riding basket



Crane Site Equipment

Goods Carrying Cage

A safe, convenient method of transporting materials to and from high or low level.

Sturdy construction with front gate for easy loading and 1m high full mesh for security. Fitted with four fully tested lifting lugs. Fork pockets are fitted as standard.

DESCRIPTION	S.W.L.
Goods Carrying Cage - 1.25m x 1.25m x 1m	1.5t
Goods Carrying Cage - 2.5m x 1.25m x 1m	3t

VISIT OUR WEBSITE FOR MORE INFORMATION




Scaffold Lifting Cage

Designed specifically for the scaffolding industry, the scaffold lifting cage can guarantee maximum safety while lifting bundles of scaffolding tubes of varying lengths.

DESCRIPTION	S.W.L.	STANDARD LENGTH
Scaffold Lifting Cage	1t	1.7m
Scaffold Lifting Cage	1t	2.6m
Scaffold Lifting Cage	1t	5m
Scaffold Lifting Cage	1.5t	3m
Scaffold Lifting Cage	3t	5m

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Scaffolding tubes are secured using ratchet straps, supplied with the cage
- ▲ Fitted with 4 fully tested lifting lugs
- ▲ 4 Pockets are also fitted as standard as well as lockable ends
- ▲ Cages are stackable



Crane Site Equipment

Site Stretcher Cage

Site stretcher cages are a requirement and deemed the only suitable means of rescue for an injured or sick worker.

A must for certain work at height situations or when working in an excavation.

For use with a crane.

DESCRIPTION	S.W.L.
Site Stretcher Cage	190kg
Stretcher	One Man
VISIT OUR WEBSITE FOR MORE INFORMATION	



Gas Bottle Lifting Cage

Gas bottle lifting cages are designed to lift a number of gas bottles in a safe manner on site.



DESCRIPTION	S.W.L.
Gas Bottle Lifting Cage	350kg
Gas Bottle Lifting Cage	530kg
VISIT OUR WEBSITE FOR MORE INFORMATION	

Board / Pallet Forks

Board forks are used for lifting sheet materials on site.

They are designed primarily for the simple and safe lifting of plasterboard or composite timber board materials such as plywood sheets, although they can handle any similar sheet products.

These forks can be used to lift multiple sheets in the horizontal or vertical plane which provides a safe method for lifting these heavy sheets.

The benefit of these board forks are that they reduce the need for manual handling because they can be used with a crane, which means sheets can be transported in bulk.

DESCRIPTION	S.W.L.
Board / Pallet Forks	1.6t
VISIT OUR WEBSITE FOR MORE INFORMATION	



Crane Site Equipment

Caged Brick Forks

The caged crane forks have been designed for lifting and moving palletised loads of bricks, blocks and bagged of building material.

DESCRIPTION	S.W.L.
Caged Brick Forks	2t



Self-Levelling Crane Forks / Pallet Forks

Crane forks allow you to safely and easily move palletised loads using a crane.

A net is provided with the forks to prevent accidental spillage.

DESCRIPTION	S.W.L.
Self Levelling Crane / Pallet Forks	1.5t
Self Levelling Crane / Pallet Forks	2t
Spillage Net	N/A



Car Lifting Net

A unique way to safely lift vehicles. A great item to use at exhibition and shows.

DESCRIPTION	S.W.L.
Car Lifting Net	6t
VISIT OUR WEBSITE FOR MORE INFORMATION	



HYDRAULIC JACKING SYSTEM

500T Hydraulic Jacking System for zero emissions lifting.

Key Features:

- Operated by wireless remote control
 - Max. lifting capacity: 500Tons
 - Max working height: 12.7m
- Automatic locking mechanism

Flexible Rental Options:

From quick deliveries to long-term hires, we've got you covered. Plus, our expert team is always ready to provide advice and support, including contract lift options.

100% electric



Crane Site Equipment

Skip Lifting Cradle

The skip lifting cradle provides a safer method of lifting a builder's skip with a crane and provides a balanced and supported option.

DESCRIPTION	S.W.L.
Skip Lifting Cradle	12t
VISIT OUR WEBSITE FOR MORE INFORMATION	

- ▲ These cradles allow for skips to be lifted from the base rather than using the lifting lugs
- ▲ Designed to lift both 6 and 8-yard builder's skips
- ▲ Fitted with captive lifting chain slings that can be used with a crane
- ▲ Suited for rugged construction activities



Bosun's Chair

The Bosun's Chair is a lifting accessory designed to offer a comfortable seat for extended sessions of work in a suspended position.

DESCRIPTION	S.W.L.
Bosun's Chair	115kg
VISIT OUR WEBSITE FOR MORE INFORMATION	

- ▲ It can be used in a range of applications, from confined space and maintenance work, to personal retrieval and rescue functions
- ▲ Due to the comfort and support offered by this seat a user can work more efficiently for longer periods without tiring or suffering negative effects of suspension in a harness alone
- ▲ It is important that the user still wears a harness connected directly to ppe equipment
- ▲ Must be used in conjunction with a fall arrest system



Concrete, Stone and Muck Handling



Concrete, Stone and Muck Handling

Concrete Skips

We have a range of skips in different sizes for use when pouring concrete.



▲ Geared Concrete Skip

Designed for universal use, with a straight or lateral outlet and moveable flow control chute. Cylindrical-conical shape with cylindrical straight outlet, rugged heavy-duty design with geared operation of the patented discharge gate.

DESCRIPTION	SIZE
Geared	500ltr
Geared	1000ltr
Geared	1500ltr

VISIT OUR WEBSITE FOR MORE INFORMATION



▲ Levered Concrete Skip

Designed for universal use, with a straight or lateral outlet and moveable flow control chute. Cylindrical-conical shape with cylindrical straight outlet. Rugged heavy-duty design with lever operation of the patented discharge gate.

DESCRIPTION	SIZE
Levered	500ltr
Levered	1000ltr

VISIT OUR WEBSITE FOR MORE INFORMATION



▲ Column Skip

Horizontal cylindrical-conical shape with straight outlet and hose coupling, rugged heavy-duty design with lever operation of the patented discharge gate, and lift beam.

DESCRIPTION	SIZE
Column	500ltr
Column	1000ltr
Column	1500ltr

HOSE AVAILABLE FOR SALES ONLY

VISIT OUR WEBSITE FOR MORE INFORMATION

Self-Discharge Boat Skip

With drop-down lift beam, hook ring and latch for automatic emptying of the skip without an assistant.

The drop-down hanger makes the skip particularly ideal for filling by small construction machines.

- ▲ Ideal for general waste and removal on site
- ▲ Automatic emptying design
- ▲ No third-party assistance required

DESCRIPTION	SIZE
Self-Discharge Boat Skip	500ltr
Self-Discharge Boat Skip	1000ltr
Self-Discharge Boat Skip	1500ltr
Self-Discharge Boat Skip	2000ltr

VISIT OUR WEBSITE FOR MORE INFORMATION



Concrete, Stone and Muck Handling

Circular Muck Tipping Skip

With fold-down hanger and safety lock. When the safety lock is opened by hand the tub empties automatically in response to the centre of gravity of the hanger.

Traditional muck skips are used for removal of general muck and rubbish on site.

DESCRIPTION	SIZE
Circular Muck Tipping Skip	500ltr
Circular Muck Tipping Skip	1000ltr
Circular Muck Tipping Skip	1500ltr
Circular Muck Tipping Skip	2000ltr

VISIT OUR WEBSITE FOR MORE INFORMATION



FORK LIFT TRUCK TIPPING
SKIPS AVAILABLE


Cargo Nets

Heavy duty Cargo / Lifting Nets are ideal for lifting and securing loads or several individual items, due to the versatile and balanced lifting design.

3M X 3M | 5M X 5M

DESCRIPTION	S.W.L.
Cargo Net 3m x 3m	2t
Cargo Net 5m x 5m	2t

VISIT OUR WEBSITE FOR MORE INFORMATION



Concrete, Stone and Muck Handling

Mechanical Boulder / Rock Grab

These easy to use grabs are specifically designed for lifting rocks, boulders and natural stones of varying weights, shapes and sizes.

DESCRIPTION	SIZE	WEIGHT
FVZ-UNI Mechanical Boulder / Rock Grab	1500kg	99kg

VISIT OUR WEBSITE FOR MORE INFORMATION



- ▲ By changing the chain position, the clamp can be lifted after setting of the stone
- ▲ Automatically adjust gripping range from 0mm to a maximum of 950mm
- ▲ Comes with lifting eye for attaching to a crane hook

Stone Vacuum Magnet

The battery-driven vacuum lifting device, easy to handle, robust, independent of main power supply. Flexible, fast and secure installation of primarily vacuum-dense elements, e.g. such as granite.

The vacuum magnet is ideal for use with crane or lifting machine to lift heavy stone or concrete slabs or blocks.

DESCRIPTION	S.W.L.
Stone Vacuum Magnet	200 / 400kg
Stone Vacuum Magnet	600kg

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Can be used with any hoist
- ▲ With integral chain-box and load-securing chain
- ▲ Integral charger socket for charging
- ▲ Powered by rechargeable, exchangeable 12v battery
- ▲ Power saving control system ensures battery lasts for one whole working day




Concrete, Stone and Muck Handling

Flag Laying Vacuum Handles

Flexible and powerful hand operated laying device for dense products, such as granite or high quality concrete elements up to 160kg weight.

DESCRIPTION	S.W.L.
VPH-150 Flag Laying Vacuum Handles	150kg
VPH-160 Flag Laying Vacuum Handles	160kg

VISIT OUR WEBSITE FOR MORE INFORMATION



- ▲ Powerful battery operated units
- ▲ Ideal for placing heavy, large items
- ▲ Use manually or via a central lifting eye
- ▲ Different sizes and plates available



Kerb Stone Lifting Handles

Especially suitable for handling concrete kerb stones.

The one-sided angular supports which are placed on the kerb stone already in place enable an extremely narrow joint.

DESCRIPTION	S.W.L.
Kerb Stone Lifting Handles	40kg

VISIT OUR WEBSITE FOR MORE INFORMATION



- ▲ Grips longitudinally so that it can be used in tightest spaces
- ▲ No deflection of the plumb line
- ▲ All models are equipped with a lifting eye
- ▲ S.W.L. When lifted from lifting eye is 100kg



Concrete, Stone and Muck Handling

Universal Lifting Handles

A large adjustable opening range means the BVZ can be universally used for all gardening and landscaping-design products.

DESCRIPTION	S.W.L.
Universal Lifting Handles	40kg
VISIT OUR WEBSITE FOR MORE INFORMATION	



- ▲ Removable handles
- ▲ Exchangeable rubber metal bars as gripping elements
- ▲ Pin bolts to adjust the opening width

Block Paving Extractor

An essential tool for any contractor who lays paving blocks or carries out repairs to paved surfaces.

Adjustable to fit any size and shape of paver.

DESCRIPTION	S.W.L.
Block Paving Extractor	20kg
VISIT OUR WEBSITE FOR MORE INFORMATION	

- ▲ With locking device
- ▲ The gripping width can be adjusted without tools
- ▲ Easily exchangeable, high quality profiled spring steel blades
- ▲ Durable surface protection by galvanising



Concrete, Stone and Muck Handling

Pipe Laying Hooks

This hook allows the safe lifting and placing of pipes horizontally. A fitted safety chain ensures the load cannot slip.

Ensures greater safety and saves time when laying pipes.

DESCRIPTION	S.W.L.
Pipe Laying Hook	3t

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ For pipes up to 1m length
- ▲ Eyelet for attaching to crane hook
- ▲ Handle for safer insertion into the pipe
- ▲ Safety chain



Pipe Lifting Hooks

Used in pairs, these hooks fit into the ends of pipes.

This allows the pipes to be lifted with a 2 leg chain sling.

DESCRIPTION	S.W.L.
Pipe Lifting Hook	2t
Pipe Lifting Hook	4t
Pipe Lifting Hook	6t
Pipe Lifting Hook	20t

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ To be used in pairs
- ▲ Hooks to fit into the end of pipes
- ▲ Lifted with a 2 leg chainsling



Concrete, Stone and Muck Handling

JUMBOMOBILJM-VARIO Vacuum Slab Laying Machine



For the easy, exact, and economical laying of concrete slabs, natural stones, slabs with exposed aggregates, large pavers, petrol station pavers, and environmental pavers.

DESCRIPTION	WLL
JUMBOMOBILJM-VARIO Vacuum Slab 150-B	150kg
VISIT OUR WEBSITE FOR MORE INFORMATION	

- ▲ Slabs which have already been laid can easily be lifted again
- ▲ Can easily lay up to 400 square metres a day
- ▲ Extremely easy and light laying as the lifting and setting down are done by a vacuum hose lifter
- ▲ Exact positioning of slabs by means of a smooth-running pillar swing crane with low dead weight
- ▲ With knuckle boom for safe and quick installation even along house walls



Manhole Cover Lifter

Our four key manhole cover lifter makes easy work for lifting manhole covers. The built-in hydraulic cylinders make this sometimes arduous task a one-man operation.

DESCRIPTION	S.W.L.
4 Key Manhole Cover Lifter	1.5t
VISIT OUR WEBSITE FOR MORE INFORMATION	



Concrete, Stone and Muck Handling

Vacuum Kerb and Stone Layer

FOR EXCAVATOR OR CRANE / PETROL

- ▲ Lift both stone or steel products
- ▲ Utilise different heads and plates
- ▲ Suspend from excavator or crane
- ▲ Ideal for repetitive stone laying
- ▲ Use for slabbing and kerbing

DESCRIPTION	S.W.L.
Vacuum Kerb and Stone Layer	1t
VISIT OUR WEBSITE FOR MORE INFORMATION	



Lifting Pins for Manholes

Specially designed pins for the lifting of man-hole pipes.
25mm, 32mm, 35mm or 38mm diameters are available.

The safe way for lifting, positioning and handling of manhole pipes and chambers.

DESCRIPTION	S.W.L.	DIAMETER
Lifting Pins for Manholes	0.75t	25mm
Lifting Pins for Manholes	1t	32mm
Lifting Pins for Manholes	1.5t	35mm
Lifting Pins for Manholes	2t	38mm
VISIT OUR WEBSITE FOR MORE INFORMATION		

- ▲ Designed specifically to speed up lifting operations where manhole pipes are involved
- ▲ Safe and simple to use
- ▲ No threads needing protection or nuts to safe guard
- ▲ Must not be used singularly



Concrete, Stone and Muck Handling


Manhole Ring Clamp

These clamps are designed for moving, transporting and laying heavy concrete manhole rings and cones.

DESCRIPTION	S.W.L.
Manhole Ring Clamp	0.8t
Manhole Ring Clamp	1.5t
Manhole Ring Clamp	3t

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Especially easy handling and lightweight
- ▲ Automatically adjustable clamping range of the claws to the thickness of the pipe walls



Manhole Ring Lifter

The ring lifter allows rigid grip on the inside of concrete items such as shaft rings, cones, bases and covers.

This universal manhole and cone clamp SVZ-uni enormously rationalizes transport and installation of manhole elements.

DESCRIPTION	S.W.L.
Manhole Ring Lifter	2.5t

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Especially suitable for manhole basers, rings and cones
- ▲ An additional operator is not necessary as the driver of the lifting machine “switches” the svz-uni from gripping to releasing by a slight movement of the lifting hook
- ▲ The settings to the required diameters of the products is done very quickly through plug bolts. A rearrangement of the settings is not necessary when handling manhole rings and cones, as the svz-uni has got two gripping levels
- ▲ Efficient and economic handling of all kinds of manhole elements



Concrete, Stone and Muck Handling

Prefabricated Concrete Grab

Suitable for handling concrete components, prefabricated wall units, steps, kerb stones, natural stones and more.

DESCRIPTION	GRIPPING RANGE (MM)	INSIDE HEIGHT (MM)	GRIPPER LENGTH (MM)	S.W.L.
FTZ-1	50 – 520	170	420	900kg
FTZ-uni 15	0 - 750	255	420	1,500kg
FTZ-uni 40	0 – 850	200	720	4,000kg

VISIT OUR WEBSITE FOR MORE INFORMATION



Concrete Kerb Grab

Adjustable grabs for use with a crane or other lifting machine.

Suitable for handling steps, kerb stones, L-stones and more. Easily adjustable opening width by means of spring loaded bolt.

DESCRIPTION	S.W.L.
Concrete Kerb Grab	250kg
Concrete Kerb Grab	500kg
Concrete Kerb Grab	600kg

VISIT OUR WEBSITE FOR MORE INFORMATION




Kerb Stone Clamp

Fully mechanical operation for use with any wheel loader, excavator or any other carrier.

DESCRIPTION	GRIPPING RANGE (MM)	S.W.L.
VZ-M UNI Kerb Stone Clamp	900 - 1065	300kg

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Lifting eye for attaching to crane hook
- ▲ Handles for optimal guidance of the clamp
- ▲ Automatic release for the fully automatic switch over 'full' to 'empty'



Concrete, Stone and Muck Handling

Concrete Highway Divider Clamp

With this mechanical grab, barrier walls can be gripped safely without leaving any marks on the concrete elements.

Even densely stacked asymmetrical elements can be lifted and installed easily, due to the slim design of gripper arms. Thus, more barrier elements can be loaded and transported on the truck, which results in a considerable reduction in costs!

DESCRIPTION	GRIPPING RANGE (MM)	S.W.L.
BSZ-KH-4.5	150 - 210	4.5t

VISIT OUR WEBSITE FOR MORE INFORMATION



Forklift Truck Accessories



Forklift Telescopic Jib

The extending jib allows the movement of long and awkward loads from inaccessible locations with up to 9 different lifting positions and with the added benefit of two hooks and shackles so as to 'cradle' your load.

S.W.L.
1t
2.5t
3t
4t
5t

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Multi hook positioning from 1000-3000 load centres
- ▲ Supplied complete with 2 no swivel hooks and bow shackles
- ▲ Maximum fork section 150 x 50 mm at 435 mm centres
- ▲ Zinc plated heel pins for safe attachment to truck



Wheelie Bin Lifter - 1100l

The Fork Mounted Wheelie Bin Lifter is designed to safely lift, move and empty 660 and 1100 Litre Wheelie Bins equipped with side trunnions.

With this type of waste management becoming more and more popular by the day, it is this attachment which can offer a solution to the associated logistical and time-keeping constraints. The attachment is operated via gearbox and endless chain for safe use from low level.

DESCRIPTION	WLL (T)	WEIGHT (KG)
Wheelie Bin Lifter - 1100 Litre	0.6	225

VISIT OUR WEBSITE FOR MORE INFORMATION

STANDARD FEATURES

- ▲ 50 – 1 geared gear box
- ▲ Six metres endless chain
- ▲ Ratchet tensioner strap to leading edge
- ▲ Maximum fork section 150x60mm at 579mm centres
- ▲ Zinc plated twist screws for safe attachment to truck
- ▲ Painted bright orange for safety



Forklift Truck Accessories

Forklift Hook Attachment


Fork Mounted Hooks provide an economical and safe method of converting a forklift truck into a mini mobile crane.

Multiple lifting positions can be achieved along the fork blade.

S.W.L.
2t
3t
4t
5t

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Two fixed lifting points along the fork blade
- ▲ Supplied complete with single swivel hook and bow shackles
- ▲ Four way pocket entry for ease of storage
- ▲ Maximum fork section 150 x 50 mm at 481 mm centres
- ▲ Zinc plated heel pins for safe attachment to truck



Forklift Man Basket

Designed to carry personnel while safely working at height, for use with forklift truck or crane.

Fitted as standard with practical tool tray, four crane lugs (no chain) and entrance door on side.

S.W.L.
2 Man

VISIT OUR WEBSITE FOR MORE INFORMATION



Forklift Truck Accessories

Forklift Truck Tipping Skip

Designed to simplify the holding, movement and disposal of material in confined areas with the unique '4 way entry' base.

The skip is supplied as manual operation as standard.

DESCRIPTION	S.W.L.	CAPACITY
FLT Tipping Skip	600kg	300ltr
FLT Tipping Skip	1t	500ltr
FLT Tipping Skip	1.5t	700ltr
FLT Tipping Skip	2.4t	1200ltr

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Low loading height
- ▲ 4 Way fork pocket entry
- ▲ Secondary locking mechanism to prevent accidental discharge
- ▲ Manual handle override
- ▲ Maximum fork section 150 x 50 mm at 675 mm centres
- ▲ Zinc plated heel pins for safe attachment to truck



Forklift Truck Extension Forks

DESCRIPTION
FLT Extension Forks 1.8m
FLT Extension Forks 2.3m
FLT Extension Forks 2.44m

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Sits over truck's own forks
- ▲ Allows uplift of bulkier loads
- ▲ Length up to 2.44m



Forklift Truck Accessories

Heavy Duty Towable Site Bogey

These heavy duty bogies are ideal for the movement of heavy items around site.

Designed to be pulled by a forklift truck, their large bed measurements make them an excellent addition to any industrial site.

DESCRIPTION	S.W.L.	BED DIMENSIONS
Site Bogey	20t	3.6m x 2m

VISIT OUR WEBSITE FOR MORE INFORMATION



Trucks and Trolleys

Trucks and Trolleys

Four Fork Attachment

Designed to provide a method of lifting and moving unpalletised loads such as timber planks, sheet steel and tubing, plastic pipes and concrete lintels safely and in turn minimizing the potential of damaging the product.

MODEL	WEIGHT (kg)	C of G (mm)	LLC (mm)	ATTACHMENT Width (mm)	POCKET Length (mm)	MAX Fork (mm)	CAPACITY (kg) at 600mm L.C.
IFF-1	140	335	100	1500	1200	150 x 50	1500
IFF-2	160	295	100	2000	1200	150 x 50	2000
IFF-3	178	265	100	2500	1200	150 x 50	2500
IFF-4	230	235	100	3000	1200	150 x 50	3000

VISIT OUR WEBSITE FOR MORE INFORMATION



Standard Features

- ▲ Inner fork pocket positioned to suit site application (advise on placement of order otherwise set at 683crs as standard)
- ▲ Smooth profiled fork pockets to ensure product care
- ▲ Zinc plated heel pins for safe attachment to truck
- ▲ Painted bright orange for safety

Pallet Trucks

Pallet trucks are available in standard and wide.

DESCRIPTION	S.W.L.	FORK WIDTH	FORK LENGTH	H.O.L.
Standard Pallet Truck	2.5t	540mm	1150mm	150mm
Wide Pallet Truck	2.5t	685mm	1150mm	200mm

VISIT OUR WEBSITE FOR MORE INFORMATION



Trucks and Trolleys

Long Nose Pallet Trucks

DESCRIPTION	S.W.L.	FORK WIDTH	FORK LENGTH	H.O.L.
Long Nose Pallet Truck	1t	540mm	1500mm	200mm
Long Nose Pallet Truck	1.5t	550mm	2000mm	165mm
Long Nose Pallet Truck	2t	160mm	2000mm	200mm

VISIT OUR WEBSITE FOR MORE INFORMATION



- ▲ First class manoeuvrability
- ▲ Comfortable and ergonomic handle design
- ▲ 210° Rotation

High Lift Pallet Trucks

The high lift pallet truck (also sometimes referred to as a 'Hi-lifter truck' or 'Scissor Lift Pallet Truck') is designed to eliminate repetitive back strain when loading or offloading pallets by hand.

The high lift pallet truck has a scissor action to lift pallets to a working height of 800mm. Our scissor lift pallet trucks conform to the latest applicable health and safety regulations and can help to reduce the chances of a back strain or injury.



- ▲ Automatically braked when raised above 400mm
- ▲ Three position control lever
- ▲ Automatic descending speed control
- ▲ Quick lift as standard on manual models

DESCRIPTION	S.W.L.	FORK WIDTH	FORK LENGTH	H.O.L.
High Lift Pallet Truck	1t	540mm	1170mm	800mm

VISIT OUR WEBSITE FOR MORE INFORMATION

Trucks and Trolleys

Hydraulic Mini-Lifter

With fixed platform, this foot operated hydraulic lift has a simple, sensitive hand-operated lowering mechanism.

Polyurethane steering castors fitted with parking brakes and wheel guards. For light duty work where loads exceed the manual handling directive but do not demand a heavy-duty stacker.

DESCRIPTION	S.W.L.
Hydraulic Mini-Lifter	400kg
VISIT OUR WEBSITE FOR MORE INFORMATION	

- ▲ Smooth operating foot pump with positive lifting
- ▲ Fitted with pressure/overload valve for added safety
- ▲ Fixed platform
- ▲ Smooth running braked steer wheels



Weighing Pallet Truck

If you need to weigh a pallet, stillage, crate or similar receptacle, you can use a weighing hand pallet truck.

These pallet trucks have a built in scale typically set to 2000kg. If your application requires it we can re-calibrate the pallet trucks to lower capacities which gives higher accuracy. Weighing pallet trucks are often also used as portable scales so you do not have to move the load.

DESCRIPTION	S.W.L.	FORK WIDTH	H.O.L.
Weighing Pallet Truck	2t	560mm	110mm
VISIT OUR WEBSITE FOR MORE INFORMATION			



Trucks and Trolleys

Electric Powered Pallet Trucks

The electric pallet truck meets the needs of a vast number of applications guaranteeing high performance, even during the heaviest operations.

Ideal for workshops and sites with smooth surfaces.

DESCRIPTION	S.W.L.
Electric Powered Pallet Truck	1t
Electric Powered Pallet Truck	1.6t
Electric Powered Pallet Truck	2t
Electric (Stand On) Pallet Truck	3t

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ 110v and 240v options
- ▲ Standard forks – 1150 mm x 550mm
- ▲ Ease of use, increased productivity



Powered Stacker Truck

Compact sized stackers are the ideal solution to work in confined spaces and are both powerful and reliable.

Ideal for lifting and moving pallets in factories and warehouses on smooth surfaces.

DESCRIPTION	S.W.L.
Powered Stacker Truck 3.5m H.O.L.	1.2t
Powered Stacker Truck 4.5m H.O.L.	1.4t

VISIT OUR WEBSITE FOR MORE INFORMATION



- ▲ 110v power supply
- ▲ Powered drive and lifting
- ▲ Various height of lift options available
- ▲ Ideal solution where a fork lift truck cannot be used

POWERED STACKERS	S.W.L.	REDUCED S.W.L.	H.O.L.	MIN. HEIGHT	WEIGHT
GX12/35 EVO	1.2t	600KG @ 2.5M	3.5m	2.25m	618kg
LX14/45 (triplex)	1.4t	1400kg @ 3.3m 1200kg @ 3.6m 1000kg @ 4m 800kg @ 4.5m	4.5m	2.08m	1190kg

Trucks and Trolleys

Power Pusher

The Power Pusher is a versatile pedestrian operated, electric tug / utility vehicle used to move, push, pull, steer and manoeuvre industrial loads.

The Power Pusher is a cost-effective alternative to a forklift truck or other ride-on vehicle and is significantly safer and quicker than having employees attempt to manually move such heavy loads.

DESCRIPTION	S.W.L.
2T Power Tug	2000N
Power Pusher	5100N
VISIT OUR WEBSITE FOR MORE INFORMATION	



Rough Terrain Electric Pallet Truck

Tackle tough terrain with ease – this rough terrain pallet truck is built for construction sites, parks, farms, and festivals, offering strength, versatility and all-terrain agility.

DESCRIPTION	S.W.L.	MAX.PALLET WIDTH
All Terrain Pallet Truck	1.2t	1800mm
All Terrain Pallet Truck	1.5t	1800mm
VISIT OUR WEBSITE FOR MORE INFORMATION		

- ▲ Ideal for moving pallets in tight or irregular spaces, especially
- ▲ In construction. Meets EC standards
- ▲ Electrical operation: forward, backward and lift
- ▲ Batteries and cables are fully protected for durability on-site. Operates silently with zero emissions.
- ▲ Security brake (according to standards) and security key for added protection
- ▲ Easy overnight charging with the supplied charger



All Terrain Manual Pallet Truck

An ideal means of transporting palletted goods on site.

Large rubber wheels assist movement over rough or uneven terrain. The load is lifted by a hydraulic ram as per a regular truck.



DESCRIPTION	S.W.L.	MAX.PALLET WIDTH
All Terrain Pallet Truck	1.2t	1800mm
All Terrain Pallet Truck	1.5t	1800mm
VISIT OUR WEBSITE FOR MORE INFORMATION		

Trucks and Trolleys

Board Trolley

The panel trolley is an ideal product for transporting wallboards, MDF sheets and other difficult to carry panels around site.

DESCRIPTION	S.W.L.
Board Trolley 2 Wheels	100kg
Board Trolley 4 Wheels	200kg
Board Trolley 2 Wheels	350kg

VISIT OUR WEBSITE FOR MORE INFORMATION



Sack Truck - Solid Wheels

Sack trucks, or folding sack barrows are essential wherever heavy lifting is needed. With an L-shaped ledge on two wheels, they let users tilt and move loads with ease, making them invaluable in warehouses, factories, and similar environments.

While traditional heavy-duty sack trucks remain popular, they can be tailored for specific tasks.

DESCRIPTION	S.W.L.
Sack Truck - Solid Wheels	200kg

VISIT OUR WEBSITE FOR MORE INFORMATION



Trucks and Trolleys

Pipe Bogey

Allows you to move pipework effortlessly and easily around site.

DESCRIPTION	S.W.L.
Pipe Bogey	125kg
Pipe Bogey	500kg

VISIT OUR WEBSITE FOR MORE INFORMATION



Stair Climber

Ideal for moving heavy objects up and down stairs. Powered stair climbers run on rechargeable batteries.

DESCRIPTION	S.W.L.
Manual Stair Climber	40kg
Powered Stair Climber	310kg
Powered Stair Climber	454kg
Powered Stair Climber	680kg

VISIT OUR WEBSITE FOR MORE INFORMATION

POWERED OR MANUAL



Trucks and Trolleys

Skoots Furniture Mover

Allows you to move pipework effortlessly and easily around site.

DESCRIPTION	S.W.L.
Skoots Furniture Mover	2T
Skoots Furniture Mover	5T

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Designed for lifting and moving large heavy objects
- ▲ Ideal for moving safes, vending machines and display cabinets
- ▲ Lifted hydraulically
- ▲ Held in place with nylon ratchet straps
- ▲ Fitted with wheels that slew 360°



Scissor Lift Table

The scissor lift table can be raised or lowered to enable work to be carried out at an appropriate height.

They are also fitted with wheels, allowing them to be moved under load.

DESCRIPTION	S.W.L.
Scissor Lift Table	300kg
Scissor Lift Table	500kg
Scissor Lift Table	1T
Scissor Lift Table	2T

VISIT OUR WEBSITE FOR MORE INFORMATION



Trucks and Trolleys

Turntable Site Truck

Turntable trucks can be used for moving a large quantity of small objects or larger bulkier loads.

DESCRIPTION	S.W.L.	BED DIMENSIONS
Turntable Site Truck	500kg	1220mm x 610mm
Turntable Site Truck	1000kg	1525mm x 760mm
Turntable Site Truck	2000kg	2000mm x 1000mm

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Trucks are fitted with either solid or pneumatic tyres
- ▲ Ideal for various terrains
- ▲ Various bed dimensions are available



Jacks and Skates

Jacks and Skates

Hydraulic Cylinders

Very compact cylinders for all lifting, positioning and basic maintenance applications.

Different closed heights and strokes are available upon request. Low profile, low height, pad jacks and hollow cylinders are available.

DESCRIPTION	S.W.L.	CLOSED HEIGHT	MAX. STROKE
Hydraulic Cylinder	5t	92mm	25mm
Hydraulic Cylinder	10t	86mm	35mm
Hydraulic Cylinder	23t	150mm	50mm
Hydraulic Cylinder	50t	122mm	60mm
Hydraulic Cylinder	100t	191mm	100mm
Hydraulic Cylinder	250t	Please call for more details	
Hydraulic Cylinder	700t		

VISIT OUR WEBSITE FOR MORE INFORMATION



DON'T FORGET TO ORDER YOUR HYDRAULIC PUMP AND HOSES

Lightweight Aluminium Jacks

WITH OR WITHOUT CLAW ATTACHMENT

All of our aluminium jacks can be used as either a conventional cylinder or alternatively as a claw jack for low height situations.

PLEASE NOTE: The claw attachment is only capable of lifting 40% of the jack's capacity.

DESCRIPTION	S.W.L.	CLOSED HEIGHT	MAX. STROKE	MIN. TOE HEIGHT
Aluminium Jack	6.5t	131mm	75mm	N/A
Aluminium Jack	20t	280mm	152mm	67mm
Aluminium Jack	30t	284mm	152mm	72mm
Aluminium Jack	60t	327mm	152mm	72mm

VISIT OUR WEBSITE FOR MORE INFORMATION



Jacks and Skates

Steel Toe Jacks

Designed for ultra low clearance under loads (41mm), these jacks can lift up to 5 tonnes on the toe or can be used as a conventional jack, utilising the unit's head.

DESCRIPTION	S.W.L.	CLOSED HEIGHT	MAX. STROKE	MIN. TOE HEIGHT
Hydraulic Steel Toe Jack	5T	327mm	230mm	41mm
Hydraulic Steel Toe Jack	10T	420mm	230mm	30mm

VISIT OUR WEBSITE FOR MORE INFORMATION



Hydraulic Jack and Cylinder Accessories

A range of accessories for use with hydraulic jacks and cylinders.

Can be hired for use with your own equipment if required.

DESCRIPTION	OPERATING PRESSURE
Hydraulic Hand Pump	700 bar
Electric Pump	700 bar
4 Way Manifold	700 bar
2 Way Manifold	700 bar
Pressure Gauge	0 - 1000 Range
Hose Extension 3m	700 bar

VISIT OUR WEBSITE FOR MORE INFORMATION



ELECTRIC PUMP



HYDRAULIC HOSE



PRESSURE GAUGE



4 WAY MANIFOLD



HYDRAULIC HAND PUMP

Jacks and Skates

Bottle Jacks

These compact self-contained units are perfect for general operations such as lifting, pushing, moving and supporting all kinds of loads.

They can be used either in the vertical or horizontal position.

PLEASE NOTE: Bottle jacks are fitted with a screw out manual extension to extend the height lift.

DESCRIPTION	S.W.L.	CLOSED HEIGHT	MAX. STROKE
Bottle Jack	6t	219mm	130mm
Bottle Jack	12t	240mm	153mm
Bottle Jack	20t	240mm	153mm

VISIT OUR WEBSITE FOR MORE INFORMATION



Hydraulic Separating Wedges

Wedges can be inserted into tight spaces such as between machinery or prising apart.

They are available in either a self-contained format or with separate hydraulics.

DESCRIPTION	S.W.L.
Separating Wedge	10t
Separating Wedge	20t

VISIT OUR WEBSITE FOR MORE INFORMATION



Jacks and Skates

Hydraulic Puller Kits

These puller units are used for removing and installing tight fitting parts such as gears, bearings, shafts etc.

A hydraulic ram applies pressure to remove / install the seized / stuck component.

Both self contained and separate hydraulic versions are available.

DESCRIPTION	S.W.L.
Hydraulic Puller Kit	30t

VISIT OUR WEBSITE FOR MORE INFORMATION



Steerable Nylon Load Moving Skates

Our skate sets comprise of a steerable front section and a pair of adjustable rear trolleys.

They are ideal for moving and positioning heavy loads.

DESCRIPTION	S.W.L.
Steerable Nylon Moving Skates	10t
Steerable Nylon Moving Skates	12t
Steerable Nylon Moving Skates	20t
Steerable Nylon Moving Skates	30t
Steerable Nylon Moving Skates	60t
Steerable Nylon Moving Skates	80t
Steerable Nylon Moving Skates	100t

VISIT OUR WEBSITE FOR MORE INFORMATION



TECHNICAL DATA MODEL SX AND MODEL SX AND MODELS							
MODEL	EAN-NO. 4025092*	CAPACITY	OVERALL HEIGHT	NUMBER OF ROLLERS	ROLLER DIAMETER	COLOUR OF ROLLERS	WEIGHT
SX-10	*158503	10	102	16	82	Black	54
SX-20	*158541	20	102	32	82	Black	76
SX-30	*158589	30	110	48	82	Black	136
S-60	*161930	60	170	48	115	Black	302
S-100	*158664	100	210	48	150	Black	525


Jacks and Skates

Steel Machine Skates

The steel machine skates provide an economic and robust solution to a number of load moving and placing problems.

DESCRIPTION	S.W.L.
Steel Machine Skates	15t
Steel Machine Skates	20t
Steel Machine Skates	30t
Steel Machine Skates	60t
Steel Machine Skates	100t

VISIT OUR WEBSITE FOR MORE INFORMATION




Cable Drum Screw Jacks

Our skate sets comprise of a steerable front section and a pair of adjustable rear trolleys.

They are ideal for moving and positioning heavy loads.

DESCRIPTION	S.W.L.
Cable Drum Screw Jacks	3t
Cable Drum Screw Jacks	5t
Cable Drum Screw Jacks	6t
Cable Drum Screw Jacks	8t
Load Bar	3t
Load Bar	5t
Load Bar	6t
Load Bar	8t

VISIT OUR WEBSITE FOR MORE INFORMATION



Jacks and Skates

Roller Crow Bar

Roller pinch bar is an ideal companion to the professional load mover.

Its compact and lightweight design makes it simple and very easy to use and transport. With its low toe plate height, it is able to get into the tightest gaps.

DESCRIPTION	S.W.L.
Roller Crow Bar	1.5t
Roller Crow Bar	5t

VISIT OUR WEBSITE FOR MORE INFORMATION



TECHNICAL DATA MODEL RPB					
MODEL	CAPACITY	LIFT HEIGHT	O/A LENGTH	ROLLER (DXW)	WEIGHT
RPB15	1500kg	145mm	2000mm	75mmx55mm	16.5kg
RPB50	5000kg	145mm	2000mm	70mmx54mm	32kg

Ratchet Cabin Jacks / Farm Jacks

Our cabin jacks are lightweight and can be used easily to lower or raise the heights of cabins and other similar items.

DESCRIPTION	S.W.L.	MAX. LIFT HEIGHTS
Ratchet Cabin Jack / Farm Jacks	2113kg	1263mm

VISIT OUR WEBSITE FOR MORE INFORMATION





Testing and Load Measurement

Digital Load Indicators

The Digital Load Indicator can be used to ascertain unknown item weights and aid safer lifting.

A remote control can also be supplied that enables the user to monitor the operation from a safe distance.



DESCRIPTION	S.W.L.
Digital Load Indicator	1t
Digital Load Indicator	2.5t
Digital Load Indicator	5t
Digital Load Indicator	10t
Digital Load Indicator	20t
Digital Load Indicator	25t
Digital Load Indicator	50t
Digital Load Indicator	75t
Digital Load Indicator	100t
Remote Control	n/a
PC Software and Leads	n/a

VISIT OUR WEBSITE FOR MORE INFORMATION



- ▲ Shackles are required for use with load links
- ▲ Download results to a PC, using advanced software
- ▲ Indicators over 100t are available

Testing and Load Measurement

Cheese Weights


Cheese Weights and rigs available from 500kg in various increments and are supplied on an easy to use pole.

DESCRIPTION
Cheese Weight Pole
250kg Cheese Weight (per 250kg)
500kg Cheese Weight (per 500kg)
1t Cheese Weight (per 1t)
2.5t Cheese Weight (per 2.5t)
Max. weight on Cheese Weight 3.5t
VISIT OUR WEBSITE FOR MORE INFORMATION



Hand Weights and Cradles

Hand weights are ideal for performing small load tests or for providing a ballast for a range of applications.



DESCRIPTION
Hand Weights 20kg
Hand Weight Transport Trolley
Hand Weight Basket
VISIT OUR WEBSITE FOR MORE INFORMATION

Test Weight Stillage - TWS

Suitable for moving 80kg of test weights.
100kgs total weight when stacked with 4 x 20kgs hand test weights.



Test Weight Trolley - TWT

Suitable for moving 100kg of compromising items 4 x test weights and 1x test weight stillage.



Testing and Load Measurement

Test Weights and Cradles

DESCRIPTION	S.W.L.
Test Weight Slabs	1t
Test Weight Slabs	2.5t
Test Weight Tray	Various
Various test weights trays and cradles available up to 600t	
VISIT OUR WEBSITE FOR MORE INFORMATION	




Lifting Gear and Safety has test weights suitable for any testing of ballasting requirements up to 600t.

In addition, we have a range of cradles and trays available for dispatch. Our testing capabilities are up to 800t via either static or dynamic test motions.

Compression Load Cell

Ideal for performing Compression Tests, up to a maximum of 200t.



DESCRIPTION	S.W.L.
Compression Load Cell	5t
Compression Load Cell	10t
Compression Load Cell	20t
Compression Load Cell	50t
Compression Load Cell	100t
Compression Load Cell	200t
VISIT OUR WEBSITE FOR MORE INFORMATION	

Tension Tester / Eye Bolt Tester

Hydrajaws model 2000 medium duty fixing testers enable engineers to confirm the holding power of anchors in most construction materials, either for the purpose of establishing safe working loads or to validate the correct installation of existing fixings.

The tension load of up to 65kn is applied to the fixing mechanically and hydraulics are used to register the load through an accurate analogue gauge, making the tester very reliable.



DESCRIPTION	S.W.L.
Tension Tester	25KN
Tension Tester	65KN
VISIT OUR WEBSITE FOR MORE INFORMATION	



Height and Safety Equipment

Safety Harness

A vital part of any working-at-height system. Harnesses consist of shoulder, thigh and sit straps. Various attachment points on different styles of harnesses. Available with front, rear and side attachment points.

DESCRIPTION
Safety Harness
Rescue Safety Harness
Safety Harness 2 Point

VISIT OUR WEBSITE FOR MORE INFORMATION



Height and Safety Equipment

Fall Arrest and Restraint Lanyards

Lanyards are available in fall arrest and restraint only options.

They can be supplied in rope or webbing, standard lengths are 1.5 or 2 metres, they terminate in scaff hooks or screwgate karabiners.

Can be supplied with either scaff hooks or screw gate karabiners.

DESCRIPTION
Fall Arrest Lanyard
Restraint Lanyard
Twintail Lanyard

VISIT OUR WEBSITE FOR MORE INFORMATION



**IS YOUR SAFETY GEAR COMPLIANT?
ALL HARNESSES, LANYARDS AND ANCHOR SLINGS NEED TO BE INSPECTED EVERY 6 MONTHS.**

OUR INSPECTION TEAM AT LIFTING GEAR AND SAFETY CAN SERVICE ANY PIECE OF EQUIPMENT, AS REQUIRED UNDER LOLER STANDARDS.

Inertia Reels - Retractable and Retrievable

A fall arrest device with a self retractable cable, available in fully automatic self retracting or for confined space entry retrievable inertia reels.

Speak to one of our trained representatives to help with your requirements.

**DID YOU KNOW?
INERTIA REELS NEED TO BE INSPECTED EVERY 6 MONTHS AND SERVICED EVERY 12 MONTHS.**

OUR INSPECTION TEAM AT LIFTING GEAR AND SAFETY CAN SERVICE ANY PIECE OF EQUIPMENT, AS REQUIRED UNDER LOLER STANDARDS.

CABLE LENGTH
3m
6m
8m
10m
12m
15m
20m
36m
Retrievable Inertia Reel 15M
Mini Block (2.25m)

VISIT OUR WEBSITE FOR MORE INFORMATION



RETRACTABLE



MINI BLOCK



RETRIEVABLE

Height and Safety Equipment

Roof Man Anchor

Portable deadweight Roof Man Anchor device.

Ideal for Fall Protection / Restraint when working on flat or short pitched roofs up to 15 degrees where there is no suitable anchor point. Designed to aid the user where handrails are not available.

DESCRIPTION
1 Man Roof Anchor
2 Man Roof Anchor
VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ 12 Weights included, 18.5kg each
- ▲ Special rubber base for extra grip
- ▲ Chassis made from fire zinc galvanised steel
- ▲ Options suitable for one or two persons



Tripod and Winch (Manriding Only)

Lightweight portable rescue system for use within confined spaces. Use with rescue safety harnesses.



DESCRIPTION
Fall Arrest Tripod
Retrievable Winch 20m
Rescue Harness
VISIT OUR WEBSITE FOR MORE INFORMATION

Pedestrian Tunnels

Pedestrian tunnels perform the important task of protecting and separating people from hazards in an almost endless range of applications.

The assembly is quick and easy as you only need one person and it takes less than 1 minute to place each module. Thanks to a fast and accurate anchoring system, you have the possibility to join several modules, creating a covered walkway of infinite combinations, widths and lengths.



Horizontal Temporary Lifeline

Portable, horizontal lifeline suitable for single man use.

The system is tensioned with a ratchet, for restraint purposes the horizontal safety line can be used in conjunction with the fixed length restraint lanyards and fall arrest lanyards. It can also be used as anchorage with standard rope safety lines.

Gives horizontal movement and fall protection where there is no permanent installation for fall protection.

Don't forget to order your harness and lanyard.

DESCRIPTION
Horizontal Temporary Lifeline 10m
Horizontal Temporary Lifeline 18m
Horizontal Temporary Lifeline 20m

- ▲ Available up to a max length of 20 metres
- ▲ Available with loops or hooks at each end
- ▲ Supplied in a robust bag



Trailer Loading System

The COMBISAFE Loading system is designed to prevent falls from height during the loading and unloading of equipment from the top of a flatbed delivery lorry/trailer in a safe manner.

DESCRIPTION	MAX. WORKING HEIGHT
Trailer Loading System	5m
VISIT OUR WEBSITE FOR MORE INFORMATION	



- ▲ Operative has an anchor point 5.9 M above ground level
- ▲ Only 1600kg of ballast now needed so faster to install and lighter to relocate if needed once fully assembled
- ▲ Base has no pins or bolts enabling quick and simple assembly / disassembly
- ▲ Can be used on site or in a loading yard
- ▲ Dismantles into easily stackable units allowing simpler transport and less storage space



Height and Safety Equipment

Counterbalance Davit Arm and Barrel Mount Davit Arm System

The davit arm system is ideal for confined space entry and emergency rescue applications and can accommodate a variety of winches and fall arrest devices.

Counterweight systems are perfect for applications where there is no fixed base such as permanent socket and for service engineers that work on remote locations where portability and versatility are key.

DESCRIPTION	S.W.L.
Counterbalance Davit Arm System	140kg
Barrel Mount Davit Arm System	140kg
Dual Purpose Davit Winch	140kg
Dual Purpose Recovery Winch	140kg
Recovery Fall Arrest Davit Winch	140kg


VISIT OUR WEBSITE FOR MORE INFORMATION



The adjustable barrel mount sleeve davit makes it possible to provide a safe access solution where this would previously have been very difficult.

This can also be used to form a lifting point onto a trench sheet up-stand. If used with very light duty sheets such as M6, then a wooden sleeper should be used behind the sheets so as to increase the allowable bending moment.

- ▲ Free-standing non-penetrating base does not attach to the working surface, reducing possibility of damage
- ▲ Weights provide the required anchorage strength (not included as standard) - variables such as davit offset will dictate number of weights
- ▲ Adjustable legs allow system to be positioned next to taller confined space entry areas such as tanks
- ▲ A rack with base and top plates, centre posts and screw-down knobs secures the weights to the base for absolute security
- ▲ Self retracting lifeline (srl), inertia reel, manriding winch, and brackets supplied with kit



Height and Safety Equipment

Testing Equipment

When it comes to lifting and handling, testing is all important. We have the test equipment you need available for immediate hire:

- ▲ Test weight trays
- ▲ Test weights
- ▲ Cheese weights / poles
- ▲ Hand weights and trolleys
- ▲ Slab weights



Used to hold various test weights for a single lift at a high SWL, primarily used for testing purposes



DESCRIPTION	MAX. WORKING HEIGHT
Hand Weight 12.5kg	12.5kg
Hand Weight 20kg	20kg
Hand Weight 25kg	25kg
Hand Weight Trolley	100kg
Hand Weight Cage For Trolley	100kg
Hand Weight Basket	600kg
Slab Weight	275kg
Slab Weight	500kg
Slab Weight	1t
Slab Weight	2t
Slab Weight	2.5t
Slab Weight	4t
Slab Weight	5.2t
Cheese Weight	100kg
Cheese Weight	200kg
Cheese Weight	250kg
Cheese Weight	500kg
Cheese Weight	1t
Cheese Weight	2t
Cheese Weight	2.5t
Test Weight Tray	15t
Test Weight Tray	63t
Test Weight Tray	160t

VISIT OUR WEBSITE FOR MORE INFORMATION

Crane Mats and Plates

Crane Mats and Plates

Crane Mats and Plates

Steel crane mats can be used where ground loading pressures need to be reduced.

They are available in a range of sizes.

Lifting Gear and Safety has access to the largest selection of steel crane mats in the UK.



DESCRIPTION	DIMENSIONS
Steel Crane Mat	1.75m x 1.75m x 120mm
Steel Crane Mat	2.5m x 1.2m x 120mm
Steel Crane Mat	2.8m x 1.2m x 170mm
Steel Crane Mat	3.05m x 2.55m x 180mm
Steel Mat	5.5m x 2.8m x 305mm
Steel Crane Mat	7.5m x 2.2m x 305mm
Steel Mat	11m x 2.8m x 305mm

VISIT OUR WEBSITE FOR MORE INFORMATION



Hardwood Crane Mats (Ekki Mats)

Our Hardwood Crane Mats can be used in situations where ground conditions are poor to provide additional support.

They can also be used to make temporary roads across challenging terrain for heavy vehicles.

DESCRIPTION	DIMENSIONS
Hardwood Crane Mat	1.5m x 1.5m x 150mm
Hardwood Crane Mat	5m x 1m x 70mm
Hardwood Crane Mat	5m x 1m x 150mm
Hardwood Crane Mat	6m x 1m x 200mm
Hardwood Crane Mat	2m x 1.2m x 100mm
Hardwood Crane Mat	3m x 1.2m x 70mm
Hardwood Crane Mat	3m x 1.2m x 150mm

VISIT OUR WEBSITE FOR MORE INFORMATION



Crane Mats and Plates

Nylon Crane Mats

These crane mats are designed to be manually handled and are ideal for reduction of ground loadings for cranes and HIAB's.

DESCRIPTION	DIMENSIONS
Nylon Crane Mat	0.75m x 0.75m x 40mm
Nylon Crane Mat	1m x 1m x 50mm
Nylon Crane Mat	1.2m x 1m x 60mm
Nylon Crane Mat (Round)	1.2m x 80mm
Nylon Crane Mat (Round)	1m x 60mm
Nylon Crane Mat (Round)	760mm x 40mm
Nylon Crane Mat	1m x 1m x 80mm

VISIT OUR WEBSITE FOR MORE INFORMATION

- ▲ Made from extremely high quality, heavy duty UHMW polyethylene
- ▲ Offers protection against water, corrosion and splintering
- ▲ Light and easy to handle as well
- ▲ Retains its shape under extreme vertical pressure, due to the in-built memory technology making them virtually indestructible



Marine Safety

Lifejackets - Commercial

Our commercial life jackets are designed for tough marine environments, providing maximum buoyancy, comfort, and durability for professional use.

Perfect for cargo ships, offshore platforms, fishing fleets, and industrial marine operations, these jackets ensure safety in the harshest conditions.



KEY FEATURES

- ▲ High buoyancy design - keeps you afloat even in rough seas
- ▲ Durable materials - built to withstand heavy-duty marine work
- ▲ Bright colours and reflective strips - improves visibility during rescue
- ▲ Integrated whistle & light - quick location in emergencies
- ▲ Foam and inflatable options - choose the style that suits your needs



APPLICATIONS

Commercial shipping, offshore oil & gas, fishing vessels, and industrial marine operations suits your needs

Lifejackets - Leisure

Enjoy your time on the water with our leisure life jackets, designed for boating, kayaking, paddle boarding, and other recreational activities.

These jackets combine safety, comfort, and style, making them perfect for all-day wear.



KEY FEATURES

- ▲ Lightweight & comfortable fit - ideal for extended use during leisure activities
- ▲ High buoyancy for added safety - keeps you afloat with ease
- ▲ Adjustable straps & secure fastenings - ensures a snug personalised fit
- ▲ Bright colours & reflective details - improves visibility on the water
- ▲ Available in adult & child sizes - safety for the whole family

APPLICATIONS

Boating, sailing, kayaking, paddle boarding, jet skiing, and other water sports

Liferafts - ISO and Specialist

Our specialist lightweight liferafts are designed for speed, convenience, and reliability, making them ideal for small vessels, racing yachts, and leisure craft where space and weight are critical.

These liferafts combine compact storage, rapid deployment, and robust safety features without compromising performance.

KEY FEATURES

- ▲ Ultra-light construction - easy to handle and stow, even on small boats
- ▲ Quick inflation system - deploys in seconds for immediate protection
- ▲ Stable buoyancy design - keeps occupants safe in challenging conditions
- ▲ Weather-resistant canopy - shields against wind, rain, and sun
- ▲ Compact storage bag or container - perfect for limited deck space



Our ISO liferafts are designed for yachts, sailing boats, and recreational vessels, offering dependable protection during emergencies at sea.

Built to meet ISO standards for marine safety, these liferafts combine compact storage, rapid deployment, and durability for peace of mind on every voyage.

KEY FEATURES

- ▲ Quick inflation system - deploys in seconds for immediate use
- ▲ Stable and high buoyancy design - keeps occupants safe in tough waters
- ▲ Protective canopy - shields against wind, rain, and sun exposure
- ▲ Integrated survival pack - includes essential items for short-term survival
- ▲ Compact & lightweight - easy to store on deck or in a locker



Liferafts - Solas

Our SOLAS liferafts are designed for professional marine environments, providing dependable protection during emergencies at sea.

Built for commercial vessels, offshore platforms, and heavy-duty marine operations, these liferafts offer rapid deployment, durability, and comfort for all occupants.

KEY FEATURES

- ▲ Quick inflation system - deploys in seconds for immediate use
- ▲ High buoyancy & stability - ensures safety in rough seas and extreme conditions
- ▲ Protective canopy - shields against harsh weather and sun exposure
- ▲ Integrated survival pack - includes essential items for short-term survival
- ▲ Compact storage options - easy to stow on deck or in dedicated containers



MODEL	SIZE	WEIGHT KG
HERO Solas 6 Person Liferaft	6 Person	75
HERO Solas 8 Person Liferaft	8 Person	88
HERO Solas 10 Person Liferaft	10 person	98
HERO Solas 12 Person Liferaft	12 Person	109
HERO Solas 16 Person Liferaft	16 Person	132
HERO Solas 20 Person Liferaft	20 Person	162
HERO Solas 25 Person Liferaft	25 Person	183
HERO 30PAX ORL Liferaft	30 Person	115
HERO 50PAX ORL Liferaft	50 Person	168

VISIT OUR WEBSITE FOR MORE INFORMATION

Liferafts - Accessories

Marine safety accessories are critical for ensuring crew safety and compliance in offshore and maritime environments. Designed for durability and reliability, these products provide protection and peace of mind during marine operations.

MODEL	COLOUR	WEIGHT KG	VOLUME
Water Ration	n/a	n/a	0.5l
Food Ration	n/a	0.5kg	n/a
First Aid Kit - Category C	Orange	0.835kg	n/a
Hydrostatic release unit H20	n/a	n/a	n/a
Hydrostatic release unit HR-0200	n/a	n/a	n/a

VISIT OUR WEBSITE FOR MORE INFORMATION



Pyrotechnics

Our marine pyrotechnics are essential for emergency signalling and distress alerts in maritime environments.

Designed for commercial vessels, leisure boats, and offshore platforms, these products ensure visibility and safety when it matters most.

PRODUCTS

- ▲ Buoyant Orange Smoke Comet
- ▲ Line Throwing Rocket
- ▲ Man Overboard Unit - Smoke & Light
- ▲ Parachute Red Rocket
- ▲ Red Hand Flare

KEY FEATURES

- ▲ High-visibility flares - day and night signalling for quick rescue response
- ▲ Smoke signals - ideal for daylight distress alerts
- ▲ Handheld & rocket flares - compact and easy to deploy in emergencies
- ▲ Waterproof & durable - built to perform in harsh marine conditions
- ▲ Long burn time - extended visibility for rescue operations



Man Overboard

Ensure maximum protection at sea and onshore with our man overboard marine safety items.

Designed for commercial vessels, offshore platforms, and industrial environments.

LIFEBUOY - ORANGE



MODEL
Lifebuoy, orange 2.5kg
Lifebuoy, orange 4.3 kg-man over board
Lifebuoylight - Daniamant
Lifebuoyline 30 MTR
Lifebuoyline in box

VISIT OUR WEBSITE FOR MORE INFORMATION

LIFEBUOY LIGHT DANIAMANT L90 LED

The Latest L90 LED from Daniamant replaces the popular L90 with updated LED technology. This new version uses modern technology making it safer for the environment, especially during disposal.

The L90 LED meets all the latest legislation whilst retaining the previous popular form, so no new brackets or fixings are required to replace the older models installed on vessels.



Clothing

Discover our premium range of marine safety clothing designed for professionals working in offshore, shipping, and maritime environments.

Our collection includes waterproof jackets, thermal layers, high-visibility gear, and flotation apparel—all engineered for maximum protection and comfort in harsh marine conditions.

WHY CHOOSE OUR MARINE SAFETY CLOTHING?

- ▲ Certified to international marine safety standards
- ▲ Waterproof, windproof, and breathable fabrics
- ▲ High-visibility options for enhanced safety
- ▲ Thermal insulation for extreme weather
- ▲ Ergonomic design for unrestricted movement



Immersion Suits

Marine safety accessories are critical for ensuring crew safety and compliance in offshore and maritime environments.

Designed for durability and reliability, these products provide protection and peace of mind during marine operations.

DESIGN

Inherently buoyant, must be worn with lifejacket. Complies with SOLAS Standard.

ACCESSORIES

Life jacket light, whistle, stainless steel harness

SIZE

Suitable for small, Universal and XL

MATERIAL

CR expanded neoprene composite cloth



SIZE	COLOUR	WEIGHT KG
One Size	Red	4

VISIT OUR WEBSITE FOR MORE INFORMATION

Fire Safety

Ensure maximum protection at sea and onshore with our premium fire fighting and marine safety items.

Designed for commercial vessels, offshore platforms, and industrial environments, our range includes:

Fire Extinguishers – Approved for marine use, suitable for Class A, B, and C fires.

MODEL	CAPACITY KG
Fire extinguisher powder 6	6
Fire extinguisher powder 12	12
Fire extinguisher powder 25	25
Fire extinguisher powder 50	50

VISIT OUR WEBSITE FOR MORE INFORMATION



MODEL	CAPACITY KG
Fire extinguisher foam 9	9
Fire extinguisher foam 50	50
Fire extinguisher foam 150	50

VISIT OUR WEBSITE FOR MORE INFORMATION

MODEL	CAPACITY KG
Fire extinguisher co2 5	5
Fire extinguisher co2 10	10
Fire extinguisher co2 27	27

VISIT OUR WEBSITE FOR MORE INFORMATION





Cargo Control



Forankra Ratchet Strap 800kg Claw Hook



The heavy duty VL250 claw hook ratchet lashing is a two part assembly with a 800kg rated break force. It features: a paddle handle ratchet, claw hook end fittings and is produced using blue 25mm width high tenacity polyester webbing.

Stock lengths: 4m, 6m and 8m

As one of the country's leading load restraint manufacturers the Company is also pleased to offer a bespoke service that can quickly produce lashings with alternative; lengths, end fittings, ratchets or webbing to order. Webbing can also be customer printed with your company logo or other design.

- ▲ 400daN lashing capacity (LC)
- ▲ Custom lashings made to order, with alternative lengths, end fittings, ratchets or webbing.
- ▲ **Marking:** According to standard
- ▲ **Standard:** EN 12195-2

Forankra Ratchet Strap 3000kg Claw Hook



The medium duty VL350 claw hook ratchet lashing is a two part assembly with 3000kg rated break force. It features: long wide handle ratchet, claw hook end fittings and is produced using orange 35mm width high tenacity polyester webbing.

Stock lengths: 4m, 6m and 8m.

As one of the country's leading load restraint manufacturers the Company is also pleased to offer a bespoke service that can quickly produce lashings with alternative; lengths, end fittings, ratchets or webbing to order. Webbing can also be customer printed with your company logo or other design.

- ▲ Long wide handle ratchet
- ▲ 3000kg break force (BF)
- ▲ Custom lashings made to order, with alternative lengths, end fittings, ratchets or webbing.
- ▲ **Marking:** According to standard
- ▲ **Standard:** EN 12195-2

Cargo Control

Forankra Ratchet Strap 5000kg Claw Hook

The heavy duty VL500 claw hook ratchet lashing is a two part assembly with a 5000kg rated break force. It features: a double locking long wide handle ratchet, claw hook end fittings and is produced using blue 50mm width high tenacity polyester webbing.

Stock lengths: 4m, 6m, 8m, 10m and 12m.

As one of the country's leading load restraint manufacturers the Company is also pleased to offer a bespoke service that can quickly produce lashings with alternative; lengths, end fittings, ratchets or webbing to order. Webbing can also be customer printed with your company logo or other design.



- ▲ Double locking ratchet
- ▲ 2000daN lashing capacity (LC)
- ▲ 5000kg break force (BF)
- ▲ Custom lashings made to order, with alternative lengths, end fittings, ratchets or webbing.
- ▲ **Marking:** According to standard
- ▲ **Standard:** EN 12195-2

Forankra Lashing Loop

TEXSPAN lashing loop, with a ratchet and webbing. Comes in the colour blue, with a length ranging from 4 to 12 meter.

As one of the country's leading load restraint manufacturers the Company is also pleased to offer a bespoke service that can quickly produce lashings with alternative; lengths, end fittings, ratchets or webbing to order. Webbing can also be customer printed with your company logo or other design.




- ▲ Custom lashings made to order, with alternative lengths, end fittings, ratchets or webbing.
- ▲ **Marking:** According to standard
- ▲ **Standard:** EN 12195-2



Tarpaulin Textarp ECO Forankra

The **ECONOMY** tarpaulin is the Company's most popular quality. Available in a wide range of sizes offering exceptional value, ideal for lightweight temporary cover where cost matters.

ECONOMY tarpaulins are double coloured, green on one side and blue on the reverse, suitable for temporary home, garden, site and agricultural cover.



Tarpaulin Textarp STD Forankra

The traditional **STANDARD** tarpaulin is ideal for temporary cover work, combining economy, strength and durability. It's a reliable choice for medium to short-term weather protection and is widely used in construction and agriculture.

Textarp **STANDARD** tarpaulins feature a cord reinforced hem with eyelets at one metre intervals and are available in either blue or white.



Tarpaulin Textarp ST Forankra

The **ST Leno** range of tarpaulins is recommended for building and construction, temporary partitioning, welding screens and roofing. It offers superior tear strength thanks to its rope weave core.

The **ST Leno** range of tarpaulin is offered in either green or clear transparent options, in a comprehensive range of sizes to match all likely requirements.



Cargo Control

Tarpaulin Textarp H/Duty Forankra

Heavy Duty 270gsm silver and black tarpaulin, ideal for waterproof cover. Extra strength and durability, it's a reliable choice for weather protection, widely used in construction and agriculture.

Textarp Heavy Duty tarpaulins feature a cord reinforced hem with eyelets at half metre intervals and are available as a silver and black coloured tarpaulin.



Bespoke Ratchet Production

Custom-made lashings, tailored to your requirements, available with branded logo printing to support identification, compliance, and traceability.

BRISTOL

Unit 3, Albert Crescent, St Philips, Bristol, BS2 0SU

T: 0117 971 4883

E: bristol@lgsgroup.co.uk

NEWPORT

Units 3 Kings Parade, Newport, NP20 2DN
(Sat Nav NP20 2DU)

T: 01633 334 450

E: newport@lgsgroup.co.uk

PLYMOUTH

Unit 5, Sisna Park Road, Estover, Plymouth,
PL6 7AE

T: 01752 474 488

E: plymouth@lgsgroup.co.uk

PORT TALBOT

Unit 26, Baglan Industrial Park, Aberafon Road,
Port Talbot, SA12 7DJ

T: 01639 540 007

E: porttalbot@lgsgroup.co.uk

FAREHAM

Unit 47, Fareham Industrial Park, Standard Way,
Fareham, PO16 8XD

T: 01329 550 988

E: fareham@lgsgroup.co.uk

PEMBROKE

Unit 38, Honeyborough Business Park, Neyland,
Pembrokeshire, SA73 1SE

T: 01646 574 000

E: pembroke@lgsgroup.co.uk

AVONMOUTH

Unit 202D, Burcott Road, Avonmouth, BS11 8AP

T: 0117 955 0456

E: avonmouth@lgsgroup.co.uk

REDRUTH

2 Agar Way, Pool, Redruth, Cornwall, TR15 3SF

T: 01209 703 990

E: redruth@lgsgroup.co.uk

HEAD OFFICE - BRISTOL

Unit 3, Albert Crescent, St Philips,
Bristol, BS2 0SU

T: 0117 971 4883

E: bristol@lgsgroup.co.uk



Please visit
our website



Lifting Gear and Safety Head Office

Unit 3, Albert Crescent, St Philips, Bristol, BS2 0SU

0330 016 8840 | info@lgsgroup.co.uk | www.lgsgroup.co.uk